

North Carolina State and Local Government Metadata Profile for Geospatial Data and Services

North Carolina Geographic Information Coordinating Council
Statewide Mapping Advisory Committee
Metadata ad hoc Committee

December 30, 2016 Version

Adopted by the NC Geographic Information Coordinating Council
November 20, 2014



Table of Contents

| | |
|---|----|
| I. Introduction | 3 |
| II. Acknowledgments | 4 |
| III. Value of Compliant Metadata..... | 5 |
| IV. Geospatial Metadata Standards Used to Develop the Profile..... | 6 |
| V. Implementing the State and Local Government Metadata Profile | 6 |
| VI. Recommendations | 7 |
| VII. NC Geospatial Metadata Profile Elements | 8 |
| Table 1 - Metadata for Geospatial Data..... | 9 |
| Table 2 –Elements Required for Geospatial Services | 14 |
| Appendix 1. Code Lists | 17 |
| Appendix 2: Standard Publications and Related Documents | 23 |
| Appendix 3. Element Xpaths..... | 25 |
| Appendix 4. ISO Feature Catalog (Entity and Attribute) Information..... | 29 |

I. Introduction

A geospatial metadata record is information, presented in a standardized format, which describes a dataset that may represent street centerlines, address points, conservation land, or other features in a wide range of geographically referenced data. The North Carolina Geographic Information Coordinating Council (NCGICC) recognized the value of valid metadata and adopted the Federal Geographic Data Committee (FGDC) Content Standard for Digital Geospatial Metadata (June 8, 1994).

In recent years, the Statewide Mapping Advisory Committee (SMAC) recognized that most geospatial data managers lacked the time and resources necessary to learn and apply a metadata standard. To address the problem of missing or incomplete metadata records among state and local data publishers, the SMAC chartered an ad-hoc Metadata Committee in October 2012 to “recommend ways to expand and improve geospatial metadata in North Carolina that are efficient for the data producer and benefit data users in the discovery and application of geospatial data.” The Metadata Committee developed a new standard for North Carolina and submitted a draft to SMAC in July 2014. After review and modification by SMAC and standing committees, in October 2014 SMAC recommended adoption by the Council.

With Council review and final editing, the Council adopted the “State and Local Government Metadata Profile” as the recommended metadata standard for North Carolina state agencies and local governments (November 20, 2014). The State and Local Government Metadata Profile is based on the ISO 191xx suite of geospatial metadata standards. The International Organization for Standardization (ISO) is the world’s foremost developer of voluntary international standards with more than 19,500 published standards and 162 member countries. By adopting the ISO series of standards, state agencies, and local governments ensure that compliance will allow their metadata to be published and searched in a consistent manner by agencies, organizations, and individuals throughout the world. This new North Carolina standard is consistent with a statement on the website of the FGDC:

Most National Spatial Data Infrastructure (NSDI) stakeholders have long utilized the Content Standard for Digital Geospatial Metadata (CSDGM), which will continue to have a legacy for many years. International geospatial metadata standards are emerging in the community. ...Since ISO 19115 and the associated standards are endorsed by the FGDC, federal agencies are encouraged to transition to ISO metadata as their agencies are able to do so. While the selection of appropriate standards is dependent on the nature of your metadata collection and publication process, ISO metadata should be considered an option now. It’s recognized that the transition to ISO metadata will be occurring over the next few years.

II. Acknowledgments

This document was compiled by an ad-hoc committee comprised of metadata and GIS professionals representing municipal, county, state, and federal organizations. The ad-hoc committee operated under the supervision of the NCGICC's Statewide Mapping Advisory Committee ([SMAC](#)¹) and was advised by metadata experts from the private sector, Urban and Regional Information Systems Association ([URISA](#)²), Federal Geographic Data Committee ([FGDC](#))³, and [GeoDiscover Alberta](#)⁴. Primary support and resources were provided by North Carolina's Center for Geographic Information and Analysis ([NCCGIA](#)⁵).

Ad-hoc Committee Members:

Steve Averett, GISP, Chair, City of Greensboro
Jeff Essic, North Carolina State University
David Giordano, North Carolina Center for Geographic Information and Analysis
Don Kovasckitz, GISP, Lee County Government
Tim Mulrooney, PhD, North Carolina Central University
Doug Newcomb, United States Fish and Wildlife Service
Rachel Trent, North Carolina Department of Cultural Resources
Carter Vickery, GISP, Wake County Government
Sarah Wray, GISP, North Carolina Department of Transportation

Technical Advisors

Lynda Wayne, GeoMaxim / FGDC
Chelsea Duncan, North Carolina Department of Transportation
Ryan Bowe, Urban and Regional Information Systems Association
Jordan Erker, GeoDiscover Alberta

Maintenance of this document, its related resources, and the specifics of the State and Local Government Metadata Profile will continue under the direction of NCCGIA. Inquiries should be directed to NCCGIA staff.

¹ <https://it.nc.gov/gicc-statewide-mapping-advisory-committee-smac>

² <http://www.urisa.org>

³ <https://www.fgdc.gov>

⁴ <https://geodiscover.alberta.ca/geoportal/catalog/main/home.page>

⁵ <https://it.nc.gov/center-geographic-information-and-analysis-cgia>

III. Value of Compliant Metadata

Metadata is a set of information that captures and describes the basic characteristics of a data set or an information resource. The metadata record describes the ‘who, what, when, where, why and how’ of the associated data. Geospatial metadata is commonly used to document geospatial data sets but can also be used to document geospatial resources including mapping applications, data models, and web based services. Metadata records include core library catalog elements such as title, abstract, and publication date; geographic elements such as spatial extents and projection; and database elements such as attribute label definitions and attribute domain values.

Metadata allows users of geospatial data to find the information and data they need and determine how best to use it. Metadata facilitates:

Data Management

- Preserve data history so the data can be re-used or adapted
- Assess the age and character of data holdings to determine which data should be maintained, updated, or deleted
- Instill data accountability by requiring the producer to state what is known about the data and what is not known
- Limit data liability by explicitly designating the effective and administrative limits of use of the data

Project Management

- Plan and document the data types and content needed to support the project
- Monitor data development by regular review of the process steps completed and recorded within the metadata record
- Provide all project participants a common language of attributes and process methods and a place to record and share progress
- Access the lineage and content of outsourced data production by requiring robust metadata as a contract deliverable

Due to the business demands listed above, metadata continues to increase in value. The proliferation of local governments serving geospatial data as map services extends the use of geospatial data, but makes it imperative that agencies provide compliant metadata in a global environment.

IV. Geospatial Metadata Standards Used to Develop the Profile

Given the increasing number of geospatial metadata standards available and the current shift in the U.S. from the FGDC Content Standard for Digital Geospatial Metadata (CSDGM 1998) to the ISO 191** suite of metadata standards, this profile was developed to be easily applied to most geospatial metadata standards. However, the applicability of the profile to these standards is prioritized as follows:

- ISO 19115 and 19115-1 compliance is achieved by the use of all profile-designated ‘required’ (green/dark grey) elements
- CSDGM compliance is achieved by the use of all profile elements, ‘required’ (green/dark grey) and ‘optional’ (tan/light grey) elements.
- Compliance with other standards is variable and may require additional elements.

V. Implementing the State and Local Government Metadata Profile

The adoption of a new ISO based metadata standard offers an opportunity for agencies that do not currently maintain standardized metadata to engage in compliant practice. Agencies that currently maintain metadata will have an opportunity to transition from their current CSDGM template to the current standard allowing them to document additional data resources (map services, geospatial models, and applications).

Implementing or transitioning metadata standards requires guidance. Several resources (listed below) have been developed specifically to help define and implement the state and local government profile:

Table of Metadata Elements

The [table of elements](#) lists and defines the specific mandatory and optional (recommended) metadata elements identified by the NC metadata community as necessary for the effective discovery and application of geospatial data resources. Metadata records that include all NC State and Local Government Profile *mandatory* elements comply with the minimum requirements of both ISO 19115 and ISO 19115-1. Metadata records that include *all* NC State and Local Government Profile elements (required and optional) comply with ISO 19115, ISO 19115-1, and the FGDC Content Standard for Digital Geospatial Metadata (CSDGM).

Metadata Implementation Resources

The North Carolina Center for Geographic Information and Analysis has developed a webpage to support implementation of this profile at:

<https://www.nconemap.gov/pages/metadata>

The site will provide key resources including:

- The most current version of the NC State and Local Government Metadata Profile document.
- Example local government metadata records, in both CSDGM and ISO formats, that illustrate profile compliant metadata.
- Templates (XML documents) that can be ingested into a variety of metadata editors to serve as a boilerplate for the creation of a profile compliant metadata record. The templates can also be populated with additional content and used as an organizational or project-specific template.
- Links to available metadata editors and related applications.

Additional resources can be added to the website as needed and available.

VI. Recommendations

The Federal Geographic Data Committee (FGDC) currently endorses ISO 19115:2003 - *Geographic information -- Metadata* and is expected to endorse the March 2014 update, *ISO 19115-1:2014 Geographic Information – Metadata – Part1: Fundamentals* once adopted by the American National Standards Institute (ANSI). The FGDC strongly encourages agencies and National Spatial Data Infrastructure (NSDI) Stakeholders to transition from the former federal geospatial metadata standard, *Content Standard for Digital Geospatial Metadata (CSDGM)*, to the ISO 191** suite of standards.

In an effort to comply with international standards and federal guidelines, the NCGICC recommends North Carolina state agencies and local governments adopt the ISO compliant *NC State and Local Government Metadata Profile* for cataloging all geospatial data and resources. The resources contained in this document are intended to assist agencies and local governments with the initial implementation of metadata and the conversion from CSDGM for those who currently use the prior standard.

VII. NC Geospatial Metadata Profile Elements

Table 1 - Metadata for Geospatial Data provides a list of metadata elements considered minimal documentation for the discovery, maintenance, and application of geospatial data. For each element, a domain for values is specified and best practices are provided to guide users in the effective use of the metadata element.

Table 2 - Metadata for Geospatial Services provides a list of metadata elements considered minimal documentation for the discovery, maintenance, and application of geospatial services. Services are applications that store, distribute, view, manipulate or otherwise utilize geospatial data such as:

- Geospatial data catalogs such as data.NCOneMap.gov
- Geospatial community workspaces such as the national Geospatial Platform
- Web-mapping applications
- Online data viewers and processors

To apply this profile to your geospatial metadata, users should:

1. Open a new or existing metadata record in the application that you use to create and/or edit metadata.
2. Identify the table below that is relevant to the resource for which you are creating the metadata.
 - If you are creating metadata for a geospatial data resource, use Table 1. Metadata for Geospatial Data
 - If you are creating metadata for a geospatial service, use Table 2. Metadata for Geospatial Services
3. As you work down the table, line by line:
 - Find the metadata element in your metadata editor that corresponds to the metadata element listed in the profile.
 - Address all required elements.
 - If using the CSDGM standard, also address the 'Optional/CSDGM' elements.
4. Populate the elements based on the best practices guidance provided for each element

To facilitate metadata creation, users are strongly encouraged to develop an organizational metadata template by importing one of the NC State and Local Government Metadata Profile templates provided at <https://www.nconemap.gov/pages/metadata> and editing it to include organizational information (contacts, distribution methods, liability statements, etc.).

Table 1 - Metadata for Geospatial Data

Legend:

NC Profile and ISO required

Optional and/or CSDGM required

| Element | Data Type | NC Best Practice |
|--|---------------------------------------|--|
| Title | Free text | <ul style="list-style-type: none"> • Provide a descriptive, unique, name to convey the nature of the data. At a minimum, address: what, where and when. • Avoid acronyms and abbreviations that are not commonly understood though a filename or other identifying reference can be included <i>in addition to</i> the descriptive content. Example: <i>Environmental Sensitivity Index (ESI) Scrub-Shrub and Wetlands, Geographic, Wilmington NC, NAD83, North Carolina Department of Environment and Natural Resources (NCDENR) 2001 [esi_scrub-shrub_wetland_NCDENR_2001]</i> |
| Publication Date | Date | <ul style="list-style-type: none"> • Provide the date that the data was published or otherwise finalized. • Additional, optional, dates can be included to specify the date when the data was first created, a revision date or the other date type as specified by the <i>Date Type Code</i> described below • Format = YYYY-MM-DD or YYYYMMDD. If the day is not known, use YYYY-MM. If the month is not known, use YYYY. If the date is not known, use 'unknown' in CSDGM and, in ISO, employ the xml attribute nilReason as a means of entering text in a date only field, e.g. <date nilReason="unknown"/> • Do not specify a range of dates for the publication date, e.g. YYYY-YYYY. • Do not use YYYYMM because it is indistinguishable from the incorrect, but still used, YYMMDD. |
| Date Type | <u>Date Type Code</u> = 'publication' | <ul style="list-style-type: none"> • ISO metadata only – no need to specify if using CSDGM • Used to designate the type of each <i>Date</i> listed • A 'publication' <i>Date</i> is required |
| Responsible Party Organization Name | Free text | <ul style="list-style-type: none"> • Provide the <i>Organization Name</i> of the agency that serves as legal custodian of the data • Additional, optional, <i>Responsible Party (name or organization)</i> can be included to specify: <ul style="list-style-type: none"> – a secondary or more specific office or staff position that serves as a point of contact for questions about the data (role=pointOfContact) – collaborating organizations/agencies, vendors who created the data, entities that distribute the data, individuals or agencies that have processed the data, and other responsible parties. • Spell out acronyms and include sufficient information, e.g. parent organizations or state, to uniquely identify the <i>Responsible Party</i>. |

| Element | Data Type | NC Best Practice |
|----------------------------------|--|--|
| | | <p>Examples:</p> <p>“North Carolina Dept. of Transportation (NCDOT), Division of Highways, Technical Services “</p> <p>“Wake County NC, Geographic Information Services Division”</p> |
| Responsible Party Role | <u>Role Code</u> = ‘custodian’ or ‘pointOfContact’ | <ul style="list-style-type: none"> • ISO metadata only – no need to specify if using CSDGM • Used to designate the specific role of each <i>Responsible Party</i> listed • A ‘custodian’ and/or ‘pointOfContact’ is required |
| Online Linkage | URL | <ul style="list-style-type: none"> • Provide a URL address that provides access, preferably direct access, to the data • NC OneMap geoportal requires an online linkage to the data |
| Abstract | Free text | <ul style="list-style-type: none"> • Provide a description of the data content and features including data application (GIS, CAD, image, etc.), geographic coverage, time period of content, and special data characteristics, limitations and information that will aid data consumers in determining if the data is relevant to their intended application. • List most important information first as some applications will display only first 150 – 200 characters of the abstract. |
| Status | <u>Progress Code</u> | <ul style="list-style-type: none"> • Indicate the status of the data, e.g. completed, ongoing, planned, etc. • Indicate ‘completed’ if the data is finalized and not continually updated. • Indicate ‘onGoing’ if the data is being actively and continually updated. |
| Maintenance and Update Frequency | <u>Maintenance Frequency Code</u> | <ul style="list-style-type: none"> • Indicate the value in the Code List that best describes how often the data is updated • If the status of the data is ‘completed’: <ul style="list-style-type: none"> - Indicate ‘asNeeded’ if staff are available to make as-needed changes (e.g., to correct errors) - Indicate ‘notPlanned’ if staff do not foresee making any changes. • If the status of the data is ‘onGoing’: <ul style="list-style-type: none"> - Indicate the most applicable value to describe the known frequency of planned updates • If the frequency of updates is not amongst the Code List values, e.g. every two months, indicate ‘periodic’ |
| Theme Keywords | Free text & <u>Keyword Type Code</u> = ‘theme’ | <ul style="list-style-type: none"> • Provide a robust set of descriptive theme-related keywords • Include broad and specific-terms, e.g. ‘wetlands’, ‘salinity’ • Select terms from relevant standardized vocabularies/thesauri when possible • If using CSDGM, include one or more ISO Topic Categories |
| Use Constraints | Free text | <ul style="list-style-type: none"> • Indicate any restrictions associated with using the data. <p>Examples:</p> <ul style="list-style-type: none"> • ‘The locations in this data were not surveyed and should not be used for legal purposes’ • ‘Although these data have been processed successfully on a computer system at NCDEQ, no warranty expressed or implied is made regarding the accuracy or utility of the data on any other system or for general or scientific purposes, nor shall the act of distribution constitute any such |

| Element | Data Type | NC Best Practice |
|---|---------------------------------------|---|
| | | warranty. It is also strongly recommended that careful attention be paid to the contents of the metadata file associated with these data to evaluate data set limitations, restrictions, or intended use. NC DEQ shall not be held liable for improper or incorrect use of the data described and/or contained herein' |
| Topic Category | <u>Topic Category Code</u> | <ul style="list-style-type: none"> Indicate one or more high-level subjects., as specified by the Topic Category Code List If using the CSDGM, include one or more topic categories as theme keywords and specify the theme keyword thesaurus as 'ISO Topic Categories' |
| Geographic Extent: Bounding Box | Latitude / Longitude coordinate pairs | <ul style="list-style-type: none"> Document each: east, west, north, and south coordinate pairs Format = decimal degrees -90.0 < latitude < 90.0; -180.0 < longitude < 180.0 |
| Temporal Extent of Data Content | Date | <ul style="list-style-type: none"> Indicate the date(s) for the content of the data. This value, typically corresponds to the collection, vs. the publication, of the data This may be a: <ul style="list-style-type: none"> single date, e.g. YYYY-MM-DD, YYYY-MM, or YYYY series of dates, e.g. YYYY-MM-DD, YYYY-MM-DD, YYYY-MM-DD) range of dates as illustrated below: <pre><extent> <TimePeriod > <beginPosition>2003-01-18 </beginPosition> <endPosition> indeterminatePosition="now" < endPosition /> </gml:TimePeriod> </gmd:extent></pre> |
| Feature Catalogue (Entities and Attributes) | Free text | <ul style="list-style-type: none"> Not required for imagery <p>ISO</p> <ul style="list-style-type: none"> ISO feature catalog information (entities and attributes) information can be documented within the metadata record, referenced as a standalone external resource, or indicated as internal to the dataset If included within the core record, utilize elements from the ISO 19110 Feature Catalog standard If referencing an external resource, the information may be in any format though use of ISO 19110 is highly encouraged. See Appendix 5 for more information about documenting features <p>CSDGM</p> <ul style="list-style-type: none"> If your dataset features are documented separately as a content specification (doc, pdf, etc.), data dictionary (xls, mdb, etc.), or other, provide an: <ul style="list-style-type: none"> Entity/Attribute Overview Description to describes the key features and Entity/Attribute Detail Citation with a link to the external documentation |

| Element | Data Type | NC Best Practice |
|--|-----------------------------------|---|
| Process Description | Free text | <ul style="list-style-type: none"> Provide a description of how the data were created and indicate source data used, where applicable This is a repeatable element so can be used to provide a single, compiled description or a series of process step descriptions |
| Spatial Reference Information | Free text | <p>ISO</p> <ul style="list-style-type: none"> Provide a Spatial Reference System Identifier (SRID) from authoritative source such as the European Petroleum Survey Group (EPSG), More information at http://spatialreference.org/ <p>CSDGM</p> <p>Provide one of the following:</p> <ul style="list-style-type: none"> Geographic Latitude & Longitude Resolutions, Coordinate Units Map Projection Name, Parameters, Coordinate Resolution Grid Coordinate System Name, Parameters, Coordinate Resolution Local Description, Parameters, Coordinate Resolution |
| Metadata Creation Date | Date | <ul style="list-style-type: none"> Indicate the date that the metadata record was created |
| Metadata Contact Name | Free text | <ul style="list-style-type: none"> Provide the <i>Organization Name</i> of the agency that serves as the point of contact for the metadata record |
| Metadata Contact Role Code | <u>Role Code</u> = pointOfContact | <ul style="list-style-type: none"> Used to designate the specific role of each <i>Responsible Party</i> listed A <i>Metadata Contact</i> 'pointOfContact' is required |
| Optional and/or CSDGM Required Elements | | |
| Purpose | Free text | <ul style="list-style-type: none"> Explain why the data was created. This element can provide critical context for data that was created for a specific use and may not be appropriate for other, or more general, use |
| Currentness Reference | Free text | <ul style="list-style-type: none"> Indicate if the Time Period of Content references that actual 'ground condition' during the time or some, later, 'publication date', e.g. the actual date of capture of an orthophoto or the delivery date for the orthophoto collection (publication) |
| Browse Graphic Filename (thumbnail) | Free text | <ul style="list-style-type: none"> Provide a name for an available browse graphic image For best results size the graphic at 200 pixels by 133 pixels, and save it as a PNG, JPEG, or GIF |
| Browse Graphic File Description | Free text | <ul style="list-style-type: none"> Provide a description of the graphic |
| Browse Graphic File Type | Free text | <ul style="list-style-type: none"> Indicate the browse graphic file type, e.g. PNG, JPEG, or GIF |
| Theme Keyword Thesaurus | Free text | <ul style="list-style-type: none"> Recommended if any standardized vocabulary is associated with one or more theme keywords, e.g. 'Cowardin Wetland Classification', 'GCMD Science Keywords' If no standardized vocabulary was used Thesaurus Name = 'none' Note that thesauri are not limited to formal 'thesauri' and should include informal information documents and publications Thesaurus requires a 'date' and a 'date type' in ISO 19115. No thesaurus date/date type is required for CSDGM and ISO 19115-1 |

| Element | Data Type | NC Best Practice |
|---|---|---|
| Place Keyword | Free text & Keyword Type Code = 'place' | <ul style="list-style-type: none"> • Provide a robust set of descriptive place-related keywords • Include broad and specific-terms, e.g. 'North Carolina', 'Madison County', 'Marshall' • Include relevant regional references, e.g. 'Appalachia', 'Piedmont' |
| Place Keyword Thesaurus | Free text | <ul style="list-style-type: none"> • Indicate the standardized vocabulary associated with one or more place keywords, e.g. 'Geographic Names Information System (GNIS)', 'North Carolina Gazetteer' • Note that thesauri are not limited to formal 'thesauri' and should include informal information documents and publications • Thesaurus requires a 'date' and a 'date type' in ISO 19115. No thesaurus date/date type is required for CSDGM and ISO 19115-1 |
| Access Constraints | Free text | <ul style="list-style-type: none"> • Indicate any restrictions and legal prerequisites for accessing the data, e.g. environmentally sensitive information, personal data, intellectual property |
| Logical Consistency Report | Free text | <ul style="list-style-type: none"> • Provide a description of any assessment performed to test the fidelity of the data attributes (database QA/QC) or the data structure (topological checks, i.e. RMS error) |
| Completeness | Free text | <ul style="list-style-type: none"> • Provide a description of the omissions and selection criteria used to develop or generalize the data <p>Examples: "Federal Lands excluded" "Municipalities are defined as having populations >2500"</p> |
| Process Date | Date | <ul style="list-style-type: none"> • Provide a date for the process. This can be a single, multiple or range of dates or 'unknown' or 'not complete' • Date format YYYYMMDD |
| Metadata Contact Address (Type, City, State, Postal Code) | Free text | <ul style="list-style-type: none"> • Provide the address information for the <i>Metadata Contact</i> |
| Metadata Contact Telephone | Free text | <ul style="list-style-type: none"> • Indicate the ten-digit phone number at which the <i>Metadata Contact</i> can be reached. |
| Metadata Standard Name | Free text | <ul style="list-style-type: none"> • Indicate the metadata standard to which the metadata record is in compliance. <p>Examples: "ISO 19115", 'ISO 19115-1', or "ISO 19115-2" "FGDC Content Standard for Digital Geospatial Metadata (CSDGM)"</p> |
| Metadata Standard Version | Free text | <ul style="list-style-type: none"> • Indicate the version of the metadata standard used <p>Examples: "ISO 19115:2003/Cor 1:2006" "FGDC-STD-001-1998"</p> |

Table 2 –Elements Required for Geospatial Services

Legend:

- NC Profile and ISO required
- Optional and/or CSDGM required

| Element | Data Type | NC Best Practice |
|---------------------------------------|--|--|
| Service Specific Elements | | |
| Metadata Scope | <u>Metadata Scope Code</u> = 'service' | <ul style="list-style-type: none"> Indicate that the metadata record applies to a 'service' (ISO assumes the metadata is for a dataset unless otherwise specified) If using CSDGM, indicate 'service' as the <i>Geospatial Data Presentation Form</i> |
| Service Type | Free text | <ul style="list-style-type: none"> The type of service that is being documented. No code list yet exists but OGC service types include: WMS, WFS, CSW, WCS, WMTS, KML and REST. Other free text values are permitted If using CSDGM, add the service type to the 'service' value in <i>Geospatial Data Presentation Form</i> |
| Additional Required Elements | | |
| Title | Free text | <ul style="list-style-type: none"> Provide a descriptive, unique, name to convey the nature and content of the service Avoid acronyms & abbreviations if not commonly used <p>Example: US National Wetlands Inventory (NWI) Map Server.</p> |
| Publication Date | Date | <ul style="list-style-type: none"> Provide the date that the service was published or otherwise made available. Format = YYYY-MM-DD or YYYYMMDD. If the day is not known, use YYYY-MM. If the month is not known, use YYYY. If the date is not known, use 'unknown' in CSDGM and, in ISO, employ the xml attribute nilReason as a means of entering text in a date only field, e.g. <code><date nilReason="unknown"/></code> Do not specify a range of dates for the publication date, e.g. YYYY-YYYY. Do not use YYYYMM, which because it is indistinguishable from the incorrect, but still used, YMMDD. |
| Date Type | <u>Date Type Code</u> = publication | <ul style="list-style-type: none"> ISO metadata only – no need to specify if using CSDGM Used to designate the type of each <i>Date</i> listed A 'publication' <i>Date</i> is required |
| Responsible Party / Originator | Free text | <ul style="list-style-type: none"> Provide the <i>Organization Name</i> of the agency that manages the service Additional, optional, <i>Responsible Parties</i> can be included to specify: <ul style="list-style-type: none"> – a secondary or more specific office or staff position that serves as a point of contact for questions about the service – collaborating organizations/agencies, vendors who contribute to or help to manage the service. |

| Element | Data Type | NC Best Practice |
|---------------------------------|---|---|
| | | <ul style="list-style-type: none"> Spell out acronyms and include sufficient information, e.g. parent organizations or state, to uniquely identify the <i>Responsible Party</i>. Examples: “North Carolina Dept. of Transportation (NCDOT), Division of Highways, Technical Services” |
| Responsible Party Role | Role Code = ‘custodian’ or ‘pointOfContact’ | <ul style="list-style-type: none"> ISO metadata only – no need to specify if using CSDGM Used to designate the specific role of each <i>Responsible Party</i> listed A ‘custodian’ or ‘pointOfContact’ is <i>Responsible Party</i> required. |
| Online Linkage | URL | <ul style="list-style-type: none"> Provide a URL address that provides access, preferably direct access, to the service NC OneMap geoportal requires an online linkage to the service |
| Online Function Code | Function Code | <ul style="list-style-type: none"> ISO metadata only – no need to specify if using CSDGM Used to designate the specific function of the Service <i>Online Resource</i> |
| Abstract | Free text | <ul style="list-style-type: none"> Provide a description of the service content, extent, and key operating features. Include information about how the data are organized, formatted, and distributed, e.g. tiles, collections, zip, tiff, etc. List most important information first as some applications will display only first 150 – 200 characters of the abstract. |
| Theme Keywords | Free text | <ul style="list-style-type: none"> Provide a robust set of descriptive theme-related keywords Include broad and specific-terms, e.g. ‘wetlands’, ‘salinity’ Select terms from relevant standardized vocabularies/thesauri when possible If using CSDGM, include one or more ISO Topic Categories |
| Use Constraints | Free text | <ul style="list-style-type: none"> Indicate any restrictions associated with using the service Examples: ‘The locations in this data were not surveyed and should not be used for legal purposes’ ‘Although these data have been processed successfully on a computer system at NCDEQ, no warranty expressed or implied is made regarding the accuracy or utility of the data on any other system or for general or scientific purposes, nor shall the act of distribution constitute any such warranty. It is also strongly recommended that careful attention be paid to the contents of the metadata file associated with these data to evaluate data set limitations, restrictions or intended use. NC DEQ shall not be held liable for improper or incorrect use of the data described and/or contained herein’ |
| Geographic Extent: Bounding Box | Latitude / Longitude coordinate pairs | <ul style="list-style-type: none"> Document each: east, west, north, and south coordinate pairs Format = decimal degrees -90.0 < latitude < 90.0; -180.0 < longitude < 180.0 |
| Metadata Creation Date | Date | Indicate the date that the metadata record was created |
| Metadata Contact Name | Free text | <ul style="list-style-type: none"> Provide the <i>Organization Name</i> of the agency that serves as the point of contact for the metadata record. |
| Metadata Contact Role Code | Role Code = ‘pointOfContact’ | <ul style="list-style-type: none"> Used to designate the specific role of each <i>Responsible Party</i> listed A <i>Metadata Contact</i> ‘pointOfContact’ is required. |

| Element | Data Type | NC Best Practice |
|---|-----------|---|
| Purpose | Free text | <ul style="list-style-type: none"> Explain why the service was created and the intended use and user community. This element can provide critical context for data that was created for a specific use and may not be appropriate for other, or more general, use. |
| Currentness Reference | free text | <ul style="list-style-type: none"> Indicate if the Time Period of Content references that actual 'ground condition' during the time or some, later, 'publication date', e.g. the actual date of capture of an orthophoto or the delivery date for the orthophoto collection (publication) |
| Theme Keyword Thesaurus | Free text | <ul style="list-style-type: none"> Indicate any standardized vocabulary associated with one or more theme keywords, e.g. 'Cowardin Wetland Classification', 'GCMD Science Keywords' If no standardized vocabulary was used Thesaurus Name = 'none' Note that thesauri are not limited to formal 'thesauri' and should include informal information documents and publications ISO 19115 requires a Thesaurus 'date' and a 'date type'. No thesaurus date/date type is required for CSDGM and ISO 19115-1 |
| Place Keyword | Free text | <ul style="list-style-type: none"> Optional but recommended Provide a robust set of descriptive place-related keywords Include broad and specific-terms, e.g. 'North Carolina', 'Madison County', 'Marshall' Include relevant regional references, e.g. 'Appalachia', 'Piedmont' |
| Place Keyword Thesaurus | Free text | <ul style="list-style-type: none"> Optional and recommended if standardized vocabulary used Indicate any standardized vocabulary associated with one or more theme keywords, e.g. 'Cowardin Wetland Classification', 'GCMD Science Keywords' If no standardized vocabulary was used Thesaurus Name = 'none' Note that thesauri are not limited to formal 'thesauri' and should include informal information documents and publications Thesaurus requires a 'date' and a 'date type' in ISO 19115. No thesaurus date/date type is required for CSDGM and ISO 19115-1 |
| Access Constraints | Free text | <ul style="list-style-type: none"> Indicate any restrictions and legal prerequisites for accessing the service, e.g. environmentally sensitive information, personal data, intellectual property |
| Metadata Contact Address (Type, City, State, Postal Code) | Free text | <ul style="list-style-type: none"> Provide the address information for the <i>Metadata Contact</i> |
| Metadata Standard Name | Free text | <ul style="list-style-type: none"> Indicate the metadata standard to which the metadata record is in compliance. Examples: 'ISO 19115', 'ISO 19115-1', or 'ISO 19115-2' 'FGDC Content Standard for Digital Geospatial Metadata (CSDGM)' |
| Metadata Standard Version | Free text | <ul style="list-style-type: none"> Indicate the version of the metadata standard used Examples: "2003/Cor.1:2006" "1998:Version 2" |

Appendix 1. Code Lists

The following is a subset of code lists and values relevant to the NC Metadata Profile. NOAA provides a full ISO 19115 and 19115-2 code list at:

[https://geo-ide.noaa.gov/wiki/index.php?title=ISO 19115 and 19115-2 CodeList Dictionaries](https://geo-ide.noaa.gov/wiki/index.php?title=ISO_19115_and_19115-2_CodeList_Dictionaries)

Some Code Lists are expanded in ISO 19115-1 and will be updated when the standard is approved for use.

[Date Type Code](#)

[Online Function Code](#)

[Role Code](#)

[Topic Category Code](#)

[Progress Code](#)

[Keyword Type Code](#)

[Maintenance Frequency Code](#)

[Metadata Scope Code](#)

Date Type Code (Date Type element)

| DateType Code | Description |
|---------------|--|
| creation | when the resource was brought into existence |
| publication | when the resource was issued |
| revision | when the resource was improved or amended |

Online Function Code (Function element)

| Online Function Code | Description |
|----------------------|--|
| download | online instructions for transferring data from one storage device to another |
| information | online information about the resource |
| offlineAccess | online instructions for requesting the resource from the provider |
| order | online order process for obtaining the resource |
| search | online search interface for seeking out information about the resource |

Role Code (Responsible Party Role element)

| Responsible Party Role Code | Description |
|-----------------------------|--|
| custodian | party that accepts accountability and responsibility for the data and ensures appropriate care and maintenance of the resource |
| pointOfContact | party who can be contacted for acquiring knowledge about or acquisition of the resource |

Topic Category Code (Topic Category element)

| Topic Category Code | Description | Examples |
|---|---|--|
| farming | rearing of animals and/or cultivation of plants. | agriculture, irrigation, aquaculture, plantations, herding, pests and diseases affecting crops and livestock |
| biota | flora and/or fauna in natural environment. | wildlife, vegetation, biological sciences, ecology, wilderness, sealife, wetlands, habitat |
| boundaries | legal land descriptions. | political and administrative boundaries |
| climatologyMeteorologyAtmosphere | processes and phenomena of the atmosphere. | cloud cover, weather, climate, atmospheric conditions, climate change, precipitation |
| economy | economic activities, conditions and employment. | production, labour, revenue, commerce, industry, tourism and ecotourism, forestry, fisheries, commercial or subsistence hunting, exploration and exploitation of resources such as minerals, oil and gas |
| elevation | height above or below sea level. | altitude, bathymetry, digital elevation models, slope, derived products |
| environment | environmental resources, protection and conservation. | environmental pollution, waste storage and treatment, environmental impact assessment, |

| | | |
|----------------------------------|--|---|
| | | monitoring environmental risk, nature reserves, landscape |
| geoscientificInformation | information pertaining to earth sciences. | geophysical features and processes, geology, minerals, sciences dealing with the composition, structure and origin of the earth's rocks, risks of earthquakes, volcanic activity, landslides, gravity information, soils, permafrost, hydrogeology, erosion |
| health | health, health services, human ecology, and safety. | disease and illness, factors affecting health, hygiene, substance abuse, mental and physical health, health services |
| imageryBaseMapsEarthCover | base maps. | land cover, topographic maps, imagery, unclassified images, annotations |
| intelligenceMilitary | military bases, structures, activities. | barracks, training grounds, military transportation, information collection |
| inlandWaters | inland water features, drainage systems and their characteristics. | rivers and glaciers, salt lakes, water utilization plans, dams, currents, floods, water quality, hydrographic charts |
| location | positional information and services. | addresses, geodetic networks, control points, postal zones and services, place names |
| oceans | features and characteristics of salt water bodies (excluding inland waters). | tides, tidal waves, coastal information, reefs |
| planningCadastre | information used for appropriate actions for future use of the land. | land use maps, zoning maps, cadastral surveys, land ownership |

| | | |
|-------------------------------|---|--|
| society | characteristics of society and cultures. | settlements, anthropology, archaeology, education, traditional beliefs, manners and customs, demographic data, recreational areas and activities, social impact assessments, crime and justice, census information |
| structure | man-made construction. | buildings, museums, churches, factories, housing, monuments, shops, towers |
| transportation | means and aids for conveying persons and/or goods. | roads, airports/airstrips, shipping routes, tunnels, nautical charts, vehicle or vessel location, aeronautical charts, railways |
| utilitiesCommunication | energy, water and waste systems and communications infrastructure and services. | hydroelectricity, geothermal, solar and nuclear sources of energy, water purification and distribution, sewage collection and disposal, electricity and gas distribution, data communication, telecommunication, radio, communication networks |
| extraterrestrial | region more than 100 km above the surface of the earth | space, planets |
| disaster | information related to disasters | site of the disaster, evacuation zone, disaster prevention facility, disaster relief activities |

Progress Code (Status element)

| Progress Code | Description |
|--------------------------|--|
| completed | production of the data has been completed |
| historicalArchive | data has been stored in an offline storage facility |
| obsolete | data is no longer relevant |
| onGoing | data is continually being updated |
| planned | fixed date has been established upon or by which the data will be created or updated |
| required | data needs to be generated or updated |
| underDevelopment | data is currently in the process of being created |

Keyword Type Code (Keyword element)

| Keyword Type Code | Description |
|-------------------|--|
| discipline | identifies a branch of instruction or specialized learning |
| place | identifies a location |
| stratum | identifies the layer(s) of any deposited substance |
| temporal | identifies a time period |
| theme | identifies a subject or topic |

Maintenance Frequency Code (Maintenance and Update Frequency element)

| Maintenance Frequency Code | Description |
|----------------------------|--|
| continual | data is repeatedly and frequently updated |
| daily | data is updated each day |
| weekly | data is updated on a weekly basis |
| fortnightly | data is updated every two weeks |
| monthly | data is updated each month |
| quarterly | data is updated every three months |
| biannually | data is updated twice each year |
| annually | data is updated every year |
| asNeeded | data is updated as deemed necessary |
| irregular | data is updated in intervals that are uneven in duration |
| notPlanned | there are no plans to update the data |
| unknown | frequency of maintenance for the data is not known |

Metadata Scope Code (for Services only)

| Maintenance Scope Code | Description |
|------------------------|--|
| service | information applies to a capability which a service provider entity makes available to a service user entity through a set of interfaces that define a behavior such as a use case |

Appendix 2: Standard Publications and Related Documents

ISO 191** Suite of Standards

- General information about the ISO geospatial metadata standards
<https://www.fgdc.gov/metadata/csdgm-standard>

Formal Publications

Note: ISO/ANSI standards are available by purchase only. Look for the less costly 'INCITS' publication/versions of the standards. Agencies are encouraged to make agency-wide purchases that will facilitate access to the standard across the organization.

- *ISO 19115:2003 Geographic Information – Metadata*
Initial ISO geospatial metadata standard
<http://webstore.ansi.org/RecordDetail.aspx?sku=INCITS%2fISO+19115-2003>
and 2006 addendum
<https://www.iso.org/obp/ui/#iso:std:iso:19115:ed-1:v1:cor:1:v1:en>
- *ISO 19115-1:2014 Geographic Information – Metadata – Part1: Fundamentals*
2014 update to the ISO 19115 standard
<http://webstore.ansi.org/RecordDetail.aspx?sku=ISO+19115-1%3a2014>
- *ISO 19115-2:2009 Geographic information - Metadata - Part 2: Extensions for imagery and gridded data*
2009 extension to the ISO 19115 standard for imagery, gridded and collection-level data
<http://webstore.ansi.org/RecordDetail.aspx?sku=INCITS%2fISO+19115-2-2009%5b2009%5d>
- *ISO 19110:2005 Geographic information -- Methodology for feature cataloguing*
Current ISO standard for documenting entity/attributes
<http://webstore.ansi.org/RecordDetail.aspx?sku=INCITS%2fISO+19110-2005>
- *ISO 19119:2005 Geographic information – Services*
<http://webstore.ansi.org/RecordDetail.aspx?sku=INCITS%2fISO+19119-2005>
and 2008 amendment
<http://webstore.ansi.org/RecordDetail.aspx?sku=ISO+19119%2fAmd1%3a2008>

Federal Geographic Data Committee Content Standard for Digital Geospatial Metadata (CSDGM)

Note: The CSDGM standard and resources can be downloaded for free.

- General information about the CSDGM standard
<https://www.fgdc.gov/metadata/csdgm-standard>
- *FGDC Content Standard for Digital Geospatial Metadata, Vers. 2*
The technical publication of the 1998 version of the FGDC CSDGGM metadata standard
https://www.fgdc.gov/standards/projects/metadata/base-metadata/v2_0698.pdf
- *FGDC Content Standard for Digital Geospatial Metadata, Vers. 2 Workbook*
A user-friendly guide to and representation of the publication of the 1998 version of the FGDC CSDGGM metadata standard
https://www.fgdc.gov/metadata/documents/workbook_0501_bmk.pdf
- *FGDC Metadata Quick Guide* – guidance on writing quality metadata
<https://www.fgdc.gov/metadata/documents/MetadataQuickGuide.pdf>

Appendix 3. Element Xpaths

Metadata elements often repeat at different locations within a metadata record. ‘Title’, for example, may apply to the data sets being document (*Identification Information*), a source data set being documented (*Lineage*), or to a web service that provides visualization or access to the dataset (*Distribution*). As such, the following ‘xpath’s are provided to specify the location, and context, of the required element.

ISO Xpath CSDGM Xpath

Required Metadata Elements for the Documentation of Datasets

| |
|---|
| Title |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.citation/CI_Citation.title metadata/idinfo/citation/citeinfo/title |
| Publication Date |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.citation/CI_Citation.date/CI_Date.date metadata/idinfo/citation/citeinfo/pubdate |
| Date Type |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.citation/CI_Citation.date/CI_Date.dateType CSDGM (n/a) |
| Responsible Party Organization Name |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.pointOfContact/CI_ResponsibleParty.organisationName metadata/idinfo/citation/citeinfo/origin |
| Responsible Party Role |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.pointOfContact/CI_ResponsibleParty.role CSDGM (n/a) |
| Online Linkage |
| preferred: MD_Metadata/MD_Distribution.transferOptions/MD_DigitalTransferOptions.onLine/CI_OnlineResource.linkage/ or MD_Metadata/MD_Distributor.distributorContact/CI_ResponsibleParty.contactInfo/CI_Contact.onlineResource/CI_OnlineResource (note that this xpath will change in ISO 19115-1) |
| optionally: MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.pointOfContact/CI_ResponsibleParty.contactInfo/CI_Contact.onlineResource/CI_OnlineResource.linkage citation/CI_Citation.citedResponsibleParty/ (note that this xpath will change in ISO 19115-1) |
| preferred: metadata>distinfo>storder>digform>digtoption>onlinopt>networka>networkr |
| optionally: metadata>idinfo>citation>citeinfo>onlink |

| |
|---|
| Online Function Code |
| choose xpath above.../CI_OnlineResource.function |
| CSDGM (n/a) |
| Abstract |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.abstract |
| metadata/idinfo/description/abstract |
| Status |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.status/MD_ProgressCode |
| metadata/idinfo/status/progress |
| Maintenance and Update Frequency |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.resourceMaintenance/MD_MaintenanceInformation.maintenanceAndUpdateFrequency/MD_MaintenanceFrequencyCode |
| metadata/idinfo/status/update |
| Theme Keywords |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.descriptiveKeywords/Md_Keywords.keywords |
| ... MD_Keywords.Type/MD_KeywordTypeCode = 'Theme' |
| metadata/idinfo/keywords/theme/themekey |
| Topic Category |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.topicCategory/MD_TopicCategoryCode |
| provide Topic Category as Theme Keyword |
| Geographic Extent Bounding Box |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.extent/EX_Extent.geographicElement/EX_GeographicBoundingBox |
| and |
| eastBoundLongitude & westBoundLongitude & northBoundLatitude & southBoundLatitude |
| metadata>idinfo>spdom>bounding |
| and |
| westbc & northbc & eastbc & southbc |
| Temporal Extent of Data Content |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.extent/EX_Extent.temporalElement/EX_TemporalExtent.extent |
| metadata>idinfo>timeperd>timeinfo |
| Feature Catalogue (Entities and Attributes) |
| MD_Metadata.content/MD_ContentInformation/MD_FeatureCatalogDescription.featureCatalogCitation |
| or |
| MD_Metadata.content/MD_ContentInformation/MD_FeatureCatalog.featureCatalog |
| MD_CoverageDescription, or MD_ImageDescription |
| metadata>eainfo |
| Process Description |
| MD_Metadata.dataQualityInfo/DQ_DataQuality.lineage/LI_Lineage.processStep/LI_ProcessStep.description |
| metadata/dataqual/lineage/procstep/procdesc |
| Spatial Reference Information |
| MD_Metadata.referenceSystemInfo/MD_ReferenceSystem.referenceSystemIdentifier |
| metadata/spref |

| |
|--|
| Metadata Creation Date |
| MD_Metadata.dateStamp |
| metadata/metainfo/metd |
| Metadata Contact Name |
| MD_Metadata.contact/CI_ResponsibleParty.organizationName |
| metadata/metainfo/metc/cntinfo/cntorgp/cntorg |
| Metadata Contact Role Code |
| MD_Metadata.contact/CI_ResponsibleParty.role |
| (n/a) |

Optional Metadata Elements for the Documentation of Datasets

| |
|--|
| Purpose |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.purpose |
| metadata/idinfo/description/purpose |
| Browse Graphic Filename (thumbnail) |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.graphicOverview/Md_BrowseGraphic.fileName |
| metadata/idinfo/browse/browset |
| Browse Graphic File Description |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.graphicOverview/Md_BrowseGraphic.fileDescription |
| metadata/idinfo/browse/browset |
| Browse Graphic File Type |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.graphicOverview/Md_BrowseGraphic.fileType |
| metadata/idinfo/browse/browset |
| Theme Keyword Thesaurus |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.descriptiveKeywords/Md_Keywords.ThesaurusName |
| metadata/idinfo/keywords/theme/themekt |
| Place Keyword |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.descriptiveKeywords/Md_Keywords.keywords AND Md_Keywords.Type/MD_KeywordTypeCode = 'Place' |
| metadata/idinfo/keywords/theme/placekey |
| Place Keyword Thesaurus |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.descriptiveKeywords/Md_Keywords.ThesaurusName |
| metadata/idinfo/keywords/theme/placekey |
| Access Constraints |
| MD_Metadata/MD_Identification.indentificationInfo/MD_DataIdentification.resourceConstraints/MD_Constraints.accessConstraints |
| metadata/idinfo/citation/citeinfo/acconst |
| Currentness Reference |
| (n/a) |
| metadata>idinfo>timeperd>current |

| |
|--|
| Process Date |
| MD_Metadata.dataQualityInfo/DQ_DataQuality.lineage/LI_Lineage.processStep/LI_ProcessStep.dateTime |
| metadata/dataqual/lineage/procstep/procdate |
| Logical Consistency Report |
| MD_Metadata.dataQualityInfo/DQ_DataQuality.report/DQ_LogicalConsistency |
| metadata/dataqual/logic |
| Completeness |
| MD_Metadata.dataQualityInfo/DQ_DataQuality.report/DQ_Completeness |
| metadata/dataqual/complete |
| Metadata Contact Address (Type, City, State, Postal Code) |
| MD_Metadata.contact/CI_ResponsibleParty.contactInfo/CI_Contact.address/CI_Address.city & administrativeArea & postalCode |
| metadata/metainfo/metc/cntinfo/cntaddr/addrtype and metadata/metainfo/metc/cntinfo/cntaddr/city & state & postal |
| Metadata Contact Telephone |
| MD_Metadata.contact/CI_ResponsibleParty.contactInfo/CI_Contact.phone/CI_Telephone.voice |
| metadata/metainfo/metc/cntinfo/cntvoice |
| Metadata Standard Name |
| MD_Metadata.metadataStandardName |
| metadata/metstdn |
| Metadata Standard Version |
| MD_Metadata.metadataStandardVersion |
| metadata/metstdv |

Additional Elements Required for the Documentation of Services

| |
|---|
| Metadata Scope |
| MD_Metadata.hierarchyLevel/MD_ScopeCode |
| metadata/idinfo/citation/citeinfo/geoform |
| Service Type |
| MD_Metadata/MD_Identification.identificationInfo/SV_ServiceIdentification.serviceType |
| metadata/idinfo/citation/citeinfo/geoform |

Appendix 4. ISO Feature Catalog (Entity and Attribute) Information

Features (entities) can be documented in ISO 19115/-1 with far more flexibility than the CSDGM. The ISO standard provides for the documentation of a feature catalog (entities, attribute labels, definitions, values, etc.) using either the related ISO 19110 Feature Catalog standard or other feature documentation such as data dictionaries, data content publications, etc.

Use of ISO 19110 is preferable as it is a standardized representation of the information and, as a standalone metadata component, a single Feature Catalog record can be applied to multiple datasets, i.e. document once, use it many. If the dataset features are documented using a different standard or format, you have the flexibility of referencing the current documentation with the option to transform the information to ISO 19110 format at a later time.

ISO 19115/-1 also provides flexibility in how you relate the Feature Catalog information to the core metadata record. Options include:

- Document your feature information *within* the ISO 19115/-1 core metadata record using elements from ISO 19110
- Provide a *reference* (Citation) for/to a stand-alone Feature Catalog, or other feature documentation
 - If the stand-alone record is an ISO 19110 Feature Catalog record, it can be incorporated into the metadata record at any time
 - The advantage of maintaining the Feature Catalog as a separate record is that the information is updated and maintained at a central location. This is a benefit for those datasets that actively access the most current version of the feature when used. It is not appropriate for static datasets that incorporated the feature at some earlier time.
- Indicate if the feature information is *part of* the actual data set.