

2025-2026 IT Volume Purchase Master Award

Table of Contents

| | |
|---|------------|
| SECTION 1: Ordering Instructions | 2 |
| SECTION 2: PC Volume Purchase Master Award 501326 Pricing..... | 5 |
| Desktop and Workstation Model and Options Pricing..... | 5 |
| Portable/Laptop Model and Options Pricing | 9 |
| 2-in-1 Laptop/Tablet Model and Options Pricing..... | 20 |
| Monitor and Monitor Options Pricing..... | 26 |
| Accessories for all Desktop and Laptop Pricing..... | 28 |
| Miscellaneous Cables and Options Pricing..... | 30 |
| SECTION 3: Model Configurations | 32 |
| Desktop and Workstation Configurations | 32 |
| Portable/Laptop Configurations | 44 |
| 2-in-1 Laptop/Tablet Configurations..... | 94 |
| Monitor Configurations | 104 |
| SECTION 4: Updates to Award..... | 123 |

SECTION 1: Ordering Instructions

Agencies should follow the steps below to streamline the ordering of PCs and related peripherals and value-added services under the PC Volume Purchase Master Award.

Please note: Requisitions **no longer** need to be sent to the Statewide IT Procurement Office prior to ordering if your orders are placed via E-Procurement. If you do not use E-Procurement, please email a copy of your request to beverly.satterfield@nc.gov for tracking purposes.

1. Purchase Orders for purchases under this Volume Purchasing Award **must** be sent to the ordering addresses in the table below.

| Vendor | Ordering Address | Ordering Contact and Order Status Inquiries |
|--|--|--|
| Dell Marketing L.P. | One Dell Way RR8-MS-8741 Round Rock, TX 78682 | Phone: 512-720-4428 Contact: David Cramb Email: David.Cramb@dell.com |
| HP (All HP orders should be placed with Applied Data Technologies.) | Applied Data Technologies (HUB Vendor) 8515 Crown Crescent Ct. Charlotte, NC 28227 | Phone: 800-267-1419 Email: NCBulkBuy@AppliedDataTech.com |
| Lenovo (United States) Inc. | 8001 Development Drive Morrisville, NC 27560 | Phone: 919-874-2931 Contact: Tanika Melvin Email: tmelvin@lenovo.com |
| Microsoft (All Microsoft orders should be placed with one of Microsoft's designated resellers listed.) Microsoft encourages Agencies to check with their 204A/Volume Purchase resellers for additional pricing discounts (if available). | Applied Data Technologies (HUB Vendor) 8515 Crown Crescent Ct. Charlotte, NC 28227 | Phone: 800-267-1419 Email: NCBulkBuy@AppliedDataTech.com |
| | CDWG 230 N. Milwaukee Ave. Vernon Hills, IL 60061 | Phone: 866-819-6497 Contact: Joe Barese Email: josebar@cdw.com |
| | Microsoft Store One Microsoft Way Redmond, WA 98052 | Phone: 866-425-4709 Email: msncsc@microsoft.com |
| | SHI International Corp. (HUB Vendor) 290 Davidson Avenue Somerset, NJ 08873 | Phone: 800-715-3197 Email: southeastteamgov@shi.com |

2. When ordering, IT IS CRITICAL THAT YOU INCLUDE ALL OF THE REQUIRED INFORMATION NOTED BELOW ON YOUR PURCHASE ORDER:

| Field | Instructions |
|---|---|
| PO Comments | Reference "NCBB Order and Master Quote 501326". (Note: Select 204A as Contract number on E-Procurement requisitions.) |
| Vendor Comments | Please provide the email address and phone number of the vendor to whom the Customer should contact with any questions regarding your purchase order. |
| Line Item Description for Desktops, Portables, and Monitors | Include Configuration Name exactly as it appears in Section 2 (e.g., Item 1.1a Standard Desktop (256GB SSD, Intel Proc)) <u>AND</u> Vendor Part Number from Section 2. NOTE: Agencies may order any of the Monitor configurations from any of the awarded vendors. |
| Line Item Description for 2-in-1 Laptop / Tablet | If you are ordering a 2-in-1 Laptop/Tablet without wireless wide area network (WWAN) capability (e.g., you only require Wi-Fi and no data plan), then your line-item description should include "3.1a 2-in-1 Laptop / Tablet (Non-vPro) (No WWAN)" AND the Vendor Part Number from Section 2. If you need a 2-in-1 Laptop/Tablet with WWAN capability from either AT&T, Verizon, or T-Mobile, include the appropriate configuration name AND Vendor Part Number from Section 2. Note that Dell, HP, Lenovo, & Microsoft may have different Vendor Part Numbers for the four configuration options under the 2-in-1 Laptops / Tablets Segment. When ordering a WWAN model of the 2-in-1 Laptop/Tablet, note in the line-item description if Agency is requesting the AT&T, T-Mobile, or Verizon model. To obtain AT&T, T-Mobile, or Verizon data service for your 2-in-2 Laptop/Tablet, you should use the 915A IT Statewide Term Contract for Cellular Services. |
| Line Item Description for Options | The Awarded Pricing list in Section 2 includes Options that are available for Vendors' awarded configurations. Be sure to include in the line-item description the Option Item Description (e.g., Nylon Carrying Case) and Vendor Part Number as they appear in this document. Please closely review the listed Option items to make sure you are ordering the correct Option for the Desktop, Portable, or 2-in-1 Laptop / Tablet configuration and Vendor that are listed on your requisition. |
| Special Instructions or Order Status Inquiries | Just like any other normal procurement, if you have specific delivery instructions or delivery requirements (e.g., no loading dock, inside delivery required), you must include them in the Vendor Comments on your Purchase Orders. Also, please contact the appropriate awarded vendor and notify them of any special delivery requirements. If you have multiple ship-to locations on your purchase orders, please contact the awarded vendor to ensure that the order is correctly designated in the Vendor's system. |

3. **Warranty Information:** All configurations in the Desktop, Portable, and 2-in-1 Laptop/Tablet Segments come standard with a 3-Year, Next Business Day On-Site with Defective Hard Drive Retention Warranty. If you wish to purchase an extended or upgraded warranty, then you will need to select the applicable extended/upgraded warranty option from the list of Options for the applicable model and add it as an additional line item on your requisition. Be sure to include in the Line-Item Description the Option Item Description (e.g., 4th Year Next Business Day, On-site w/hard drive retention warranty) and Vendor Part Number as they appear in this document. **Please note: Dell will add the cost of an extended warranty into the total cost of the device when it is invoiced. The extended warranty options will not be a separate line item on Dell's invoices. Agencies should contact Dell to get a quote for the device with any extended or upgraded warranty included in the pricing.**

All configurations in the Monitors Segment come standard with a 3-Year, Advanced Exchange NBD warranty. There are no upgrade or extended warranty options for monitors under this award.

4. **Operating System Information:** All Dell, HP, Lenovo, and Microsoft Device Configurations ship with Windows 11 Pro 64-Bit ONLY.
5. **Resource Media:** Agencies may download Resource Media from the Vendors' websites.
- For Dell – Go to www.dell.com/support
 - For HP – Agencies can download individual drivers at www.hp.com. They can download groups of drivers using the Softpaq Program http://ftp.hp.com/pub/caps-softpaq/cmit/HP_Driverpack_Matrix_x64.html or the entire CD via the HP Software site.
 - For Lenovo – Go to <https://pcsupport.lenovo.com/us/en/lenovorecovery>
 - For Microsoft - Go to <https://docs.microsoft.com/en-us/surface/contact-surface-support?tabs=online>
6. **Value Added Services:** If you are ordering any of the Value-Added Services such as Custom Imaging, Asset Tagging, Installation, or Managed Logistics / Staggered Delivery, then you must contact the Vendor prior to issuing your purchase order. These Value-Added Services require the Agency to provide the Vendor with additional information in advance (e.g., Agency must provide Vendor with their Pre-Certified Custom Image and / or Asset Tags). There is additional order processing time involved with the initial set-up and testing of a Custom Image and Asset Tagging. See Table 1 below for Vendor Part Numbers and Not-To-Exceed unit pricing for Value Added Services available under this award. **Additional Value-Added Services may be offered by the Vendors upon request.**

| Value Added Service Option | Dell | | HP | | Lenovo | | Microsoft | |
|--|--------------------|--------------------------------|--------------------|----------------------------|--------------------|--------------------------------|--|----------------------------|
| | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Custom Imaging | 366-0330 | \$18.00 | ADT1001 | \$10.00 | Contact Lenovo | \$19.00 | ** Agencies should contact Microsoft reseller for quotes on any Value- Added Services requested with their product purchases. | |
| Asset Tags | 366-0331 | \$15.00 | ADT1002 | \$5.00 | Contact Lenovo | \$6.00 | | |
| Installation | TBD | \$145.00 | ADT1003 | \$30.00 | TBD – SOW based | \$65.00 | | |
| Managed Logistics / Staggered Delivery | SOW Driven | TBD - Contact Vendor for Quote | ADT1004 | \$1.00 | TBD – SOW based | TBD - Contact Vendor for Quote | | |

Table 1: Value Added Services Vendor Part Numbers and Not-To-Exceed Unit Prices

7. **Order Delivery:** The standard delivery for orders issued under the Volume Purchase is within 21 days after Vendor's receipt of purchase order. **Please note: Occasional worldwide component shortages may cause shipping delays for devices and certain options (specifically laptops, monitors, and docking stations).**
8. **Volume Purchase Master Award and Volume Purchase Procedures:** The most current versions of the Volume Purchase Master Award and Volume Purchase Procedures are located at the following website: <http://it.nc.gov/statewide-programs/it-volume-purchasing>. The Volume Purchase Master Award is updated frequently due to Vendor product updates, so please use the most current version of the Volume Purchase Master Award posted on this site when placing an order.
9. **Questions:** Please email Beverly Satterfield at beverly.satterfield@nc.gov if you have any additional questions or issues. If you have an issue or question about an existing order, please include your purchase order number and the order date in your email.

SECTION 2: PC Volume Purchase Master Award 501326 Pricing

The 2025-2026 PC Volume Purchase has been awarded to multiple vendors. Agencies may select from any of the listed awarded vendors within a Segment when making their purchase selection. (Items highlighted in green denote lowest cost model).

Desktop and Workstation Model and Options Pricing

| Desktop and Workstation Models | | | Dell | | HP | | Lenovo | |
|--------------------------------|-------------|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Desktops | 1.1a | Standard Desktop (256GB SSD, Intel Proc) | 3000193473581.1 | \$613.00 | 11ANCVP26 | \$710.00 | 12YNS04Y00 | \$625.00 |
| | 1.1b | Standard Desktop (256GB SSD, AMD Proc) | 3000193473536.1 | \$580.00 | 11BNCVP26 | \$682.00 | 12TBS0KQ00 | \$565.00 |
| | 1.2a | Mid-Range Desktop (Intel Proc) | 3000193473620.1 | \$698.00 | 12ANCVP26 | \$802.00 | 12YNS04X00 | \$769.00 |
| | 1.2b | Mid-Range Desktop (AMD Proc) | 3000193473646.1 | \$669.00 | 12BNCVP26 | \$771.00 | 12TBS0KR00 | \$699.00 |
| | 1.3 | Workstation 1 (i7 Proc, 8GB Video, 64GB Memory, 1TB SSD) | 3000193473671.1 | \$1,599.00 | 13ANCVP26 | \$1,559.00 | 30JRS1DF00 | \$1,372.00 |
| | 1.4 | Workstation 2 (i9 Proc, 16GB Video, 64GB Memory, 1TB SSD) | 3000193473694.1 | \$1,979.00 | 14ANCVP26 | \$2,023.00 | 30JRS1DE00 | \$1,949.00 |
| | 1.5a | Micro/Tiny Desktop (Intel 225T Proc, 512GB SSD) | 3000193473714.1 | \$603.00 | 15ANCVP26 | \$694.00 | 13A5S1P200 | \$590.00 |
| | 1.5b | Micro/Tiny Desktop (AMD Proc, 512GB SSD) | 3000193473738.1 | \$556.00 | 15BNCVP26 | \$576.00 | 12RRS93V00 | \$510.00 |
| | 1.6 | Micro/Tiny Desktop (Intel 245T Proc, 512GB SSD, Wireless card) | 3000193473763.1 | \$654.00 | 16ANCVP26 | \$717.00 | 13A5S1P100 | \$635.00 |

| Desktop and Workstation Options | | | Dell | | HP | | Lenovo | |
|---------------------------------|-------------|--|---------------------------------|----------------------------|--------------------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Standard Desktop | 1.07 | 16.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774044 (Intel model, 1.1a) | \$120.00 | A9TF1AA (Intel model, 1.1a) | \$153.00 | | |
| | | | AB883074 (AMD model, 1.1b) | \$120.00 | 4M9Y0AA (AMD model, 1.1b) | \$149.00 | | |
| Mid-Range Desktop | 1.08 | 16.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774044 (Intel model, 1.2a) | \$120.00 | A9TF1AA | \$153.00 | | |
| | | | AB883074 (AMD model, 1.2b) | \$120.00 | | | | |
| Tiny/Micro Desktop | 1.09 | 16.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774048 | \$120.00 | 79U71AA | \$140.00 | N/A | N/A |
| Standard Desktop | 1.10 | 32.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774043 (Intel model, 1.1a) | \$200.00 | A9TF3AA | \$243.00 | N/A | N/A |
| | | | AB883075 (AMD model, 1.1b) | \$200.00 | | | | |
| Mid-Range Desktop | 1.11 | 32.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774043 (Intel model, 1.2a) | \$200.00 | A9TF3AA (Intel model, 1.2a) | \$243.00 | N/A | N/A |
| | | | AB883075 (AMD model, 1.2b) | \$200.00 | 4M9Y2AA (AMD model, 1.2b) | \$282.00 | | |
| Workstation 1 | 1.12a | 32.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774043 | \$200.00 | 4M9Y0AA | \$149.00 | N/A | N/A |
| Workstation 2 | 1.12b | 32.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774043 | \$200.00 | A9TF3AA | \$243.00 | N/A | N/A |
| Tiny/Micro Desktop | 1.13 | 32.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774046 | \$200.00 | 79U72AA | \$266.00 | N/A | N/A |

| Desktop and Workstation Options | | | Dell | | HP | | Lenovo | |
|---------------------------------|-------------|---|-------------------------|----------------------------|-------------------------------------|----------------------------|---|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Workstation 1 | 1.14a | 64.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A |
| Workstation 2 | 1.14b | 64.0GB Non-ECC DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A |
| Tiny/Micro Desktop | 1.15 | Micro VESA Mount with adapter box | 452-BDUY | \$20.00 | 99T55AA | \$47.00 | 4XF0N03161 | \$15.19 |
| Tiny/Micro Desktop | 1.16 | Micro All-in-One Stand | 452-BDUB | \$65.00 | | | | |
| | | | | | | | | |
| Standard Desktop | 1.17 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$110.00 | UJ0F5E (Intel model, 1.1a) | \$17.00 | 5WS0T36207+5PS0D80974 (order both parts) | \$82.20 |
| | | | | | UF361E (AMD model, 1.1b) | \$17.00 | | |
| Mid-Range Desktop | 1.18 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$110.00 | UJ0F5E (Intel model, 1.2a) | \$17.00 | 5WS0T36207+5PS0D80974 (order both parts) | \$82.20 |
| | | | | | UF361E (AMD model, 1.2b) | \$17.00 | | |
| Workstation 1 & 2 | 1.19 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$110.00 | UJ0N6E | \$21.00 | 5WS0T36136+5PS0Q11739 (order both parts) | \$81.40 |
| Tiny/Micro Desktop | 1.20 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$110.00 | UJ0F5E (Intel model, 1.5a & 1.6) | \$17.00 | 5WS0T36207+5PS0D80974 (order both parts) | \$82.20 |
| | | | | | UG9N4E (AMD model, 1.5b) | \$26.00 | | |
| Standard Desktop | 1.21 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$220.00 | UJ0F6E (Intel model, 1.1a) | \$32.00 | 5WS0T36123+5PS0K26186 (order both parts) | \$118.00 |
| | | | | | UF362E (AMD model, 1.1b) | \$32.00 | | |

| Desktop and Workstation Options | | | Dell | | HP | | Lenovo | |
|---------------------------------|-------------|---|-------------------------|----------------------------|-------------------------------------|----------------------------|---|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Mid-Range Desktop | 1.22 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$220.00 | UJ0F6E (Intel model, 1.2a) | \$32.00 | 5WS0T36123+5PS0K26186 (order both parts) | \$118.00 |
| | | | | | UF362E (AMD model, 1.2b) | \$32.00 | | |
| Workstation 1 & 2 | 1.23 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$220.00 | UJ0N7E | \$37.00 | 5WS0T36135+5PS0Q11741 (order both parts) | \$113.20 |
| Tiny/Micro Desktop | 1.24 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Call for quote w/device | \$220.00 | UJ0F6E (Intel model, 1.5a & 1.6) | \$32.00 | 5WS0T36123+5PS0K26186 (order both parts) | \$118.00 |
| | | | | | UG9N5E (AMD model, 1.5b) | \$29.00 | | |

Portable/Laptop Model and Options Pricing

| Portable/Laptop Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|------------------------|-------------|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|--|--------------------|--|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Laptops | 2.1a | Standard Laptop (Intel, Non-Touchscreen, 256GB SSD) (Minimum 55Wh battery) | 3000193473834.1 | \$760.00 | 21ANCVP26 | \$742.00 | 21SYS2BJ00 | \$765.00 | | |
| | 2.1b | Standard Laptop (Intel, Non-Touchscreen, 512GB SSD) (Minimum 55Wh battery) | 3000193473888.1 | \$762.00 | 21BNCVP26 | \$752.00 | 21SYS2BM00 | \$785.00 | | |
| | 2.1c | Standard Laptop (Intel, Touchscreen, 256GB SSD) (Minimum 55Wh battery) | 3000200282010.1 | \$817.00 | 21CNCVP26 | \$769.00 | 21SYS2BF00 | \$802.00 | | |
| | 2.1d | Standard Laptop (Intel, Touchscreen, 512GB SSD) (Minimum 55Wh battery) | 3000200282101.1 | \$819.00 | 21DNCVP26 | \$780.00 | 21SYS2BE00 | \$822.00 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | 2.1d-ALT | ALTERNATE Standard Laptop (Intel, Touchscreen, 512GB SSD) (Minimum 55Wh battery) | | | | | | | Must Order 2 Parts | <u>Black Model</u> \$1,945.51 EP2-33235 - \$1655.99 (Laptop) ZWL-00042 - \$289.52 (3YR Warranty) |
| | | | | | | | | <u>Platinum Model</u> \$1,945.51 EPT2-33255 - \$1655.49 (Laptop) ZWL-00042 - \$289.52 (3YR Warranty) | | |

| Portable/Laptop Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|------------------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|--|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Laptops | 2.2a | Standard Laptop (AMD, Non-Touchscreen, 256GB SSD) (Minimum 55Wh battery) | 3000193474082.1 | \$659.00 | 22ANCV26 | \$694.00 | 21T1S0TG00 | \$735.00 | | |
| | 2.2b | Standard Laptop (AMD, Non-Touchscreen, 512GB SSD) (Minimum 55Wh battery) | 3000193474119.1 | \$660.00 | 22BNCV26 | \$707.00 | 21T1S0TA00 | \$755.00 | | |
| | 2.2c | Standard Laptop (AMD, Touchscreen, 256GB SSD) (Minimum 55Wh battery) | 3000193474163.1 | \$715.00 | 22CNCV26 | \$721.00 | 21T1S0TC00 | \$772.00 | | |
| | 2.2d | Standard Laptop (AMD, Touchscreen, 512GB SSD) (Minimum 55Wh battery) | 3000193474221.1 | \$717.00 | 22DNCV26 | \$733.00 | 21T1S0TH00 | \$792.00 | | |
| | | | | | | | | | | |
| | 2.3a | High End Laptop 1 (Intel Processor, non-vPro, Non-Touchscreen) (Minimum 55Wh battery) | 3000193474267.1 | \$942.00 | 23ANCV26 | \$929.00 | 21SBS1T600 | \$914.00 | | |
| | 2.3b | High End Laptop 1 (Intel Processor, non-vPro, Touchscreen) (Minimum 55Wh battery) | 3000193474321.1 | \$973.00 | 23BNCV26 | \$960.00 | 21SBS1TB00 | \$964.00 | | |
| | 2.3b-ALT | ALTERNATE High End Laptop 1 (Intel Processor, non-vPro, Touchscreen) (Minimum 55Wh battery) | | | | | | | Must Order 2 Parts | <u>Black Model</u> \$2,497.51 EP2-33240 - \$2207.99 (Laptop) ZWL-00042 - \$289.52 (3YR Warranty) |

| Portable/Laptop Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|------------------------|-------------|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|--|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Laptops | | | | | | | | | Must Order 2 Parts | Platinum Model \$2,497.51 EP2-33258 - \$2207.99 (Laptop) ZWL-00042 - \$289.52 (3YR Warranty) |
| | 2.3c | High End Laptop 1 (AMD Processor, non-vPro, Non-Touchscreen) (Minimum 55Wh battery) | 3000193474372.1 | \$983.00 | 23CNCVP26 | \$870.00 | 21SDS0P600 | \$854.00 | | |
| | 2.3d | High End Laptop 1 (AMD Processor, non-vPro, Touchscreen) (Minimum 55Wh battery) | 3000193474405.1 | \$913.00 | 23DNCVP26 | \$901.00 | 21SDS0P800 | \$904.00 | | |
| | | | | | | | | | | |
| | 2.4a | High End Laptop 2 (Intel 265U Processor, vPro, Non-Touchscreen) (Minimum 55Wh battery) | 3000193474448.1 | \$976.00 | 24ANCVP26 | \$1,001.00 | 21SBS1TD00 | \$953.00 | | |
| | 2.4b | High End Laptop 2 (Intel 265U Processor, vPro, Touchscreen) (Minimum 55Wh battery) | 3000193474472.1 | \$1,007.00 | 24BNCVP26 | \$1,032.00 | 21SBS1T700 | \$1,003.00 | | |
| | | | | | | | | | | |
| | 2.4c | High End Laptop 2 (Intel 265H Processor, vPro, Non-Touchscreen) (Minimum 55Wh battery) | 3000193042933.1 | \$1,150.00 | 24CNCVP26 | \$1,030.00 | 21QFS22S00 | \$988.00 | | |
| | 2.4d | High End Laptop 2 (Intel 265H Processor, vPro, Touchscreen) (Minimum 55Wh battery) | 3000193072062.1 | \$1,200.00 | 24DNCVP26 | \$1,061.00 | 21QFS22R00 | \$1,038.00 | | |

| Portable/Laptop Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|------------------------|--|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Laptops | | | | | | | | | | |
| | 2.5a | Elite Laptop 1 (Intel i7 vPro, 6GB Video, 32GB Memory, 512GB SSD, Non-Touch) | 3000193072087.1 | \$1,350.00 | 25ANCVP26 | \$1,448.00 | 21QWS05M00 | \$1,330.00 | | |
| | 2.5b | Elite Laptop 1 (Intel i7 vPro, 6GB Video, 32GB Memory, 512GB SSD, Touchscreen) | 3000193474537.1 | \$1,400.00 | 25BNCVP26 | \$1,480.00 | 21QWS05L00 | \$1,610.00 | | |
| | 2.6a | Elite Laptop 2 (Intel i9 285H vPro, 8GB Video, 32GB Memory, 1TB SSD, Non-Touch) | 3000193072236.1 | \$1,750.00 | 26ANCVP26 | \$1,938.00 | 21RTS05900 | \$1,839.00 | | |
| | 2.6b | Elite Laptop 2 (Intel i9 285H vPro, 8GB Video, 32GB Memory, 1TB SSD, Touchscreen) | 3000193072257.1 | \$1,800.00 | 26BNCVP26 | \$1,969.00 | 21RTS05A00 | \$2,099.00 | | |
| | 2.7a | Elite Laptop 3 (Intel i9 285HX vPro, 12GB Video, 64GB Memory, 1TB SSD, Non-Touch) | 3000193474593.1 | \$2,700.00 | 27ANCVP26 | \$2,922.00 | 21RRS06P00 | \$2,420.00 | | |
| | 2.7b | Elite Laptop 3 (Intel i9 285HX vPro, 12GB Video, 64GB Memory, 1TB SSD, Touchscreen) | 3000193072300.1 | \$2,900.00 | 27BNCVP26 | \$2,989.00 | 21RRS06M00 | \$2,770.00 | | |
| | | | | | | | | | | |
| | 2.8a | Ultralight Laptop (Intel Non-vPro) (Minimum 54.7Wh battery) | 3000193474668.1 | \$993.00 | 28ANCVP26 | \$987.00 | 21RLS41G00 | \$1,028.00 | | |
| | 2.8b | Ultralight Laptop (Intel vPro) (Minimum 54.7Wh battery) | 3000193474703.2 | \$1,031.00 | 28BNCVP26 | \$1,059.00 | 21RLS41E00 | \$1,118.00 | | |
| | | | | | | | | | | |
| 2.9a | Ultralight Laptop (AMD) (Minimum 54.7Wh battery) | 3000193474744.1 | \$931.00 | 2.9ANCVP26 | \$995.00 | 21QKS1GN00 | \$1,008.00 | | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|-------------------------|-------------|----------------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Standard Laptop | 2.09 | 32.0GB DDR SDRAM Memory (1 DIMM) | AC774046 | \$200.00 | | | N/A | N/A | | |
| High End Laptop 1 | 2.10a | 32.0GB DDR SDRAM Memory (1 DIMM) | AC774046 | \$200.00 | 83P92AA | \$274.00 | N/A | N/A | | |
| High End Laptop 2 | 2.10b | 32.0GB DDR SDRAM Memory (1 DIMM) | AC774046 | \$200.00 | 83P92AA | \$274.00 | | | | |
| Elite Laptop 1 | 2.11a | 32.0GB DDR SDRAM Memory (1 DIMM) | AC774046 | \$200.00 | 83P92AA | \$274.00 | N/A | N/A | | |
| Elite Laptop 2 | 2.11b | 32.0GB DDR SDRAM Memory (1 DIMM) | AC774046 | \$200.00 | 83P92AA | \$274.00 | N/A | N/A | | |
| Standard Laptop | 2.12 | 64.0GB DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | | | | |
| High End Laptop 1 | 2.13a | 64.0GB DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A | | |
| High End Laptop 2 | 2.13b | 64.0GB DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A | | |
| Elite Laptop 1 | 2.14a | 64.0GB DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A | | |
| Elite Laptop 2 | 2.14b | 64.0GB DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A | | |
| Elite Laptop 3 | 2.14c | 64.0GB DDR SDRAM Memory (1 DIMM) | AC774046 X 2 | \$400.00 | | | N/A | N/A | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|---------------------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Standard Laptop | 2.16 | Port Replicator (Docking Station) | 210-BRPX | \$150.00 | 5TW10AA | \$142.00 | 40AY0135US | \$176.00 | | |
| High End Laptop 1 | 2.17a | Port Replicator (Docking Station) | 210-BRPX | \$150.00 | 5TW10AA | \$142.00 | 40AY0135US | \$176.00 | | |
| High End Laptop 2 | 2.17b | Port Replicator (Docking Station) | 210-BRQK | \$166.00 | 5TW10AA | \$142.00 | 40AY0135US | \$176.00 | | |
| Elite Laptop 1 | 2.18a | Port Replicator (Docking Station) | 210-BRQK | \$166.00 | 9X481UT | \$263.00 | 40BA0265US | \$270.00 | | |
| Elite Laptop 2 | 2.18b | Port Replicator (Docking Station) | 210-BRQK | \$166.00 | 9X481UT | \$263.00 | 40BA0265US | \$270.00 | | |
| Elite Laptop 3 | 2.18c | Port Replicator (Docking Station) | 210-BRQS | \$277.00 | AW5M5UT | \$299.00 | 40BA0265US | \$270.00 | | |
| Ultralight Laptop | 2.19 | Port Replicator (Docking Station) | 210-BRPX | \$150.00 | 5TW10AA | \$142.00 | 40AY0135US | \$176.00 | | |
| All Laptop Configurations | 2.20 | USB/Thunderbolt Universal Docking Station | 210-BRQK | \$166.00 | 9X472UT | \$193.00 | 40B00135US | \$224.00 | T8I-00001 | \$263.99 |
| Standard Laptop | 2.21 | USB-C AC Adapter/Power Supply | 492-BDQM | \$20.00 | 1P3K6AA | \$36.00 | 4X21S91183 | \$58.00 | | |
| High End Laptop 1 | 2.22a | USB-C AC Adapter/Power Supply | 492-BDQM | \$20.00 | 1P3K6AA | \$36.00 | 4X21S91183 | \$58.00 | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|---------------------------|-------------|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| High End Laptop 2 | 2.22b | USB-C AC Adapter/Power Supply | 450-BBNN | \$30.00 | 1P3K6AA | \$36.00 | 4X21S91183 | \$58.00 | | |
| Elite Laptop 1 | 2.23a | USB-C AC Adapter/Power Supply | 450-AHOM | \$45.00 | B7NK0AA | \$68.00 | 4X21M37465 | \$66.00 | | |
| Elite Laptop 2 | 2.23b | USB-C AC Adapter/Power Supply | 450-AHOM | \$45.00 | B7NK0AA | \$68.00 | 4X21U28814 | \$78.00 | | |
| Elite Laptop 3 | 2.23c | USB-C AC Adapter/Power Supply | 492-BFCX | \$93.00 | AQ9X8AA | \$95.00 | 44X21U28831 | \$104.00 | | |
| Elite Laptop 1 | 2.24a | AC Adapter / Power Supply - (traditional 45 degree/right angle or barrel adapters) | | | | | N/A | N/A | | |
| Elite Laptop 2 | 2.24b | AC Adapter / Power Supply - (traditional 45 degree/right angle or barrel adapters) | | | | | N/A | N/A | | |
| Elite Laptop 3 | 2.24c | AC Adapter / Power Supply - (traditional 45 degree/right angle or barrel adapters) | | | | | N/A | N/A | | |
| Ultralight Laptop | 2.25 | USB-C AC Adapter/Power Supply | 492-BDQM | \$20.00 | 1P3K6AA | \$36.00 | 4X21S91183 | \$58.00 | | |
| All Laptop Configurations | 2.26 | Multiport Charger/AC Adapter | 470-AETL | \$60.00 | | | | | | |
| All Laptop Configurations | 2.27 | Nylon Carrying Case | 460-BDKB | \$18.00 | 1X645AA | \$23.00 | 4X41C12469 | \$27.00 | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|---------------------------|-------------|---|-------------------------------|----------------------------|--------------------|----------------------------|--|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| All Laptop Configurations | 2.29 | Laptop Backpack (nylon, water-resistant) | 460-BDSW | \$20.00 | 1X644AA | \$28.00 | 4X40T84059 | \$17.00 | | |
| All Laptop Configurations | 2.30 | Cable Lock | AA549668 | \$25.00 | 6UW42AA | \$27.00 | 4XE1B81916 | \$47.00 | | |
| All Laptop Configurations | 2.31 | 4-Port USB 3.0 Hub with cable | | | Z6A00AA | \$27.00 | 4X90X21427 | \$29.00 | | |
| All Laptop Configurations | 2.32 | USB-C Travel Hub - docking station - USB-C - VGA, HDMI - GigE | 470-AETL | \$60.00 | 86S97UT | \$50.00 | 40B90100US | \$90.00 | | |
| | | | | | | | | | | |
| Standard Laptop | 2.33 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$110.00 | U86E2E | \$73.00 | 5WS0T36121 + 5WS0L13023 (order both parts) | \$170.20 | | |
| High End Laptop 1 & 2 | 2.34 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$110.00 | U85GSE | \$82.00 | 5WS0T36185 + 5PS0G79465 (order both part) | \$159.20 | | |
| | | | | | | | 5WS0T36167 + 5PS0G79465 (order both parts) (High End Laptop 2 Items 2.4c-d only) | \$140.20 | | |
| Elite Laptop 1 - 3 | 2.35 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$110.00 | U85R4E | \$99.00 | 5WS1H31743 + 5PS1H31761 (order both parts) | \$96.00 | | |
| Ultralight Laptop | 2.36 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$110.00 | U85GSE | \$82.00 | 5WS0T36167 + 5PS0G79465 (order both parts) | \$140.20 | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|-------------------------|-------------|---|-------------------------------|----------------------------|-----------------------------|----------------------------|--|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| | | | | | | | | | | |
| Standard Laptop | 2.37 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$220.00 | U86E3E | \$152.00 | 5WS0T36181 + 5PS0K27099 (order both parts) | \$203.00 | | |
| High End Laptop 1 & 2 | 2.38 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$220.00 | U85GTE | \$170.00 | 5WS0T36204 + 5PS0K18198 (order both parts) | \$235.00 | | |
| Elite Laptop 1 - 3 | 2.39 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$220.00 | U85RDE | \$213.00 | 5WS1H31773 + 5PS1H31796 (order both parts) | \$221.60 | | |
| | | | | | | | 5WS0T36125 + 5PS0K18198 (order both parts) (High End Laptop 2 Items 2.4c-d Only) | \$209.00 | | |
| Ultralight Laptop | 2.40 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$220.00 | U85GTE | \$170.00 | 5WS0T36125 + 5PS0K18198 (order both parts) | \$209.00 | | |
| Standard Laptop | 2.41 | 3YR. Extended Battery Warranty to match 3YR Device warranty | Contact for quote with device | \$80.00 | Included with Base Warranty | \$0 | 5WS0L01988 | \$32.00 | | |
| High End Laptop 1 & 2 | 2.42 | 3YR. Extended Battery Warranty to match 3YR Device warranty | Contact for quote with device | \$80.00 | Included with Base Warranty | \$0 | 5WS0A23013 | \$32.00 | | |
| Elite Laptop 1 - 3 | 2.43 | 3YR. Extended Battery Warranty to match 3YR Device warranty | Contact for quote with device | \$80.00 | Included with Base Warranty | \$0 | 5WS1H31713 | \$32.00 | | |
| Ultralight Laptop | 2.44 | 3YR. Extended Battery Warranty to match 3YR Device warranty | Contact for quote with device | \$80.00 | Included with Base Warranty | \$0 | 5WS0A23013 | \$32.00 | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|-------------------------|-------------|-----------------------------------|-------------------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Standard Laptop | 2.45 | 3 Year Accidental Damage Warranty | Contact for quote with device | \$100.00 | U86E4E | \$143.00 | 5PS0L30075 | \$79.20 | ZWL-00042 | \$289.52 |
| High End Laptop 1 & 2 | 2.46 | 3 Year Accidental Damage Warranty | Contact for quote with device | \$100.00 | U85GVE | \$162.00 | 5PS0A23193 | \$87.00 | ZWL-00042 | \$289.52 |
| Elite Laptop 1 - 3 | 2.47 | 3 Year Accidental Damage Warranty | Contact for quote with device | \$100.00 | U85QYE | \$206.00 | 5PS1H31737 | \$87.00 | | |
| Ultralight Laptop | 2.48 | 3 Year Accidental Damage Warranty | Contact for quote with device | \$100.00 | U85GVE | \$162.00 | 5PS0A23193 | \$87.00 | | |
| Standard Laptop | 2.49 | 4 Year Accidental Damage Warranty | Contact for quote with device | \$150.00 | U86E5E | \$222.00 | 5PS0L30070 | \$111.20 | ZWM-00043 | \$333.52 |
| High End Laptop 1 & 2 | 2.50 | 4 Year Accidental Damage Warranty | Contact for quote with device | \$150.00 | U85GWE | \$250.00 | 5PS0A22966 | \$119.20 | ZWM-00043 | \$333.52 |
| Elite Laptop 1 - 3 | 2.51 | 4 Year Accidental Damage Warranty | Contact for quote with device | \$150.00 | U85R6E | \$320.00 | 5PS1H31762 | \$119.20 | | |
| Ultralight Laptop | 2.52 | 4 Year Accidental Damage Warranty | Contact for quote with device | \$150.00 | U85GWE | \$250.00 | 5PS0A22966 | \$119.20 | | |
| Standard Laptop | 2.53 | 5 Year Accidental Damage Warranty | Contact for quote with device | \$200.00 | U86E6E | \$332.00 | 5PS0K27092 | \$151.20 | | |
| High End Laptop 1 & 2 | 2.54 | 5 Year Accidental Damage Warranty | Contact for quote with device | \$200.00 | U85GXE | \$375.00 | 5PS0K18187 | \$143.20 | | |

| Portable/Laptop Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|-------------------------|-------------|-----------------------------------|-------------------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Elite Laptop 1 - 3 | 2.55 | 5 Year Accidental Damage Warranty | Contact for quote with device | \$200.00 | U85RGE | \$483.00 | 5PS1H31752 | \$143.20 | | |
| Ultralight Laptop | 2.56 | 5 Year Accidental Damage Warranty | Contact for quote with device | \$200.00 | U85GXE | \$375.00 | 5PS0K18187 | \$143.20 | | |

2-in-1 Laptop/Tablet Model and Options Pricing

| 2-in-1 Laptop/Tablet Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|-----------------------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|---|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| 2-in-1 Laptop / Tablet | 3.1a | 2-in-1 Laptop / Tablet (Non-vPro) (No WWAN) (13 inch - Minimum 54.7Wh battery) | 3000193541716.1 | \$1,204.00 | 31ANCVP26 | \$1,108.00 | 21R8S13V00 | \$1,119.00 | | |
| | 3.1b | 2-in-1 Laptop / Tablet (Non-vPro) (AT&T) (13 inch - Minimum 54.7Wh battery) | 3000193541963.1 | \$1,224.00 | 31BNCVP26 | \$1,212.00 | 21R8S13U00 | \$1,229.00 | | |
| | 3.1b-ALT | ALTERNATE 2-in-1 Laptop / Tablet (Non-vPro) (AT&T) (13 inch - Minimum 54.7Wh battery) | | | | | | | Must Order 2 Parts | Platinum Model \$2,589.51 EP2-14821 - \$2299.99 (Laptop) ZWL-00033 - \$289.52 (3YR Tablet Warranty) |
| | 3.1c | 2-in-1 Laptop / Tablet (Non-vPro) (T-Mobile) (13 inch - Minimum 54.7Wh battery) | 3000193541963.1 | \$1,224.00 | 31BNCVP26 | \$1,212.00 | 21R8S13U00 | \$1,129.00 | | |
| | 3.1c-ALT | ALTERNATE 2-in-1 Laptop / Tablet (Non-vPro) (T-Mobile) (13 inch - Minimum 54.7Wh battery) | | | | | | | Must Order 2 Parts | Platinum Model \$2,589.51 EP2-14821 - \$2299.99 (Laptop) ZWL-00033 - \$289.52 (3YR Tablet Warranty) |
| | 3.1d | 2-in-1 Laptop / Tablet (Non-vPro) (Verizon) (13 inch - Minimum 54.7Wh battery) | 3000193541963.1 | \$1,224.00 | 31BNCVP26 | \$1,212.00 | 21R8S13U00 | \$1,129.00 | | |

| 2-in-1 Laptop/Tablet Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|-----------------------------|---|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|---|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| 2-in-1 Laptop / Tablet | 3.1d-ALT | ALTERNATE 2-in-1 Laptop / Tablet (Non-vPro) (Verizon) (13 inch - Minimum 54.7Wh battery) | | | | | | | | Platinum Model \$2,589.51 EP2-14821 - \$2299.99 (Laptop) ZWL-00033 - \$289.52 (3YR Tablet Warranty) |
| | | | | | | | | | | |
| | 3.2a | 2-in-1 Laptop / Tablet (Non-vPro) (No WWAN) (14 inch - Minimum 54.7Wh battery) | 3000193557002.1 | \$1,263.00 | 32A2NCVP26 | \$1,310.00 | 21R4S16A00 | \$1,140.00 | | |
| | 3.2b | 2-in-1 Laptop / Tablet (Non-vPro) (AT&T) (14 inch - Minimum 54.7Wh battery) | 3000193545702.1 | \$1,283.00 | 32B2NCVP26 | \$1,446.00 | 21R4S16900 | \$1,250.00 | | |
| | 3.2c | 2-in-1 Laptop / Tablet (Non-vPro) (T-Mobile) (14 inch - Minimum 54.7Wh battery) | 3000193545702.1 | \$1,283.00 | 32B2NCVP26 | \$1,446.00 | 21R4S16900 | \$1,250.00 | | |
| | 3.2d | 2-in-1 Laptop / Tablet (Non-vPro) (Verizon) (14 inch - Minimum 54.7Wh battery) | 3000193545702.1 | \$1,283.00 | 32B2NCVP26 | \$1,446.00 | 21R4S16900 | \$1,250.00 | | |
| | | | | | | | | | | |
| | 3.3a | 2-in-1 Laptop / Tablet (No WWAN, Intel 265U) (13 inch - Minimum 54.7Wh battery) | 3000193542928.1 | \$1,236.00 | 33ANCVP26 | \$1,178.00 | 21R8S13Y00 | \$1,228.00 | | |
| | 3.3b | 2-in-1 Laptop / Tablet (AT&T, Intel 265U) (13 inch - Minimum 54.7Wh battery) | 3000193543100.1 | \$1,256.00 | 33BNCVP26 | \$1,281.00 | 21R8S14000 | \$1,279.00 | | |
| | 3.3c | 2-in-1 Laptop / Tablet (T-Mobile, Intel 265U) (13 inch - Minimum 54.7Wh battery) | 3000193543100.1 | \$1,256.00 | 33BNCVP26 | \$1,281.00 | 21R8S14000 | \$1,279.00 | | |
| | 3.3d | 2-in-1 Laptop / Tablet (Verizon, Intel 265U) (13 inch - Minimum 54.7Wh battery) | 3000193543100.1 | \$1,256.00 | 33BNCVP26 | \$1,281.00 | 21R8S14000 | \$1,279.00 | | |
| | | | | | | | | | | |
| 3.4a | 2-in-1 Laptop / Tablet (No WWAN, Intel 265U) (14 inch - Minimum 54.7Wh battery) | 3000193543393.1 | \$1,296.00 | | | 21R4S16800 | \$1,247.00 | | | |

| 2-in-1 Laptop/Tablet Models | | | Dell | | HP | | Lenovo | | Microsoft | |
|-----------------------------|-------------|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| 2-in-1 Laptop / Tablet | 3.4b | 2-in-1 Laptop / Tablet (AT&T, Intel 265U) (14 inch - Minimum 54.7Wh battery) | 3000193543616.1 | \$1,316.00 | | | 21R4S16B00 | \$1,337.00 | | |
| | 3.4c | 2-in-1 Laptop / Tablet (T-Mobile, Intel 265U) (14 inch - Minimum 54.7Wh battery) | 3000193543616.1 | \$1,316.00 | | | 21R4S16B00 | \$1,337.00 | | |
| | 3.4d | 2-in-1 Laptop / Tablet (Verizon, Intel 265U) (14 inch - Minimum 54.7Wh battery) | 3000193543616.1 | \$1,316.00 | | | 21R4S16B00 | \$1,337.00 | | |
| | | | | | | | | | | |
| | 3.6a | 2-in-1 Laptop / Tablet (No WWAN, Intel 268V) (14 inch - Minimum 54.7Wh battery) | | | 36A2NCVP26 | \$1,405.00 | 21NVS1B100 | \$1,539.00 | | |
| | 3.6b | 2-in-1 Laptop / Tablet (AT&T, Intel 268V) (14 inch - Minimum 54.7Wh battery) | | | 36B2NCVP26 | \$1,544.00 | 21NVS1B200 | \$1,709.00 | | |
| | 3.6c | 2-in-1 Laptop / Tablet (T-Mobile, Intel 268V) (14 inch - Minimum 54.7Wh battery) | | | 36B2NCVP26 | \$1,544.00 | 21NVS1B200 | \$1,709.00 | | |
| | 3.6d | 2-in-1 Laptop / Tablet (Verizon, Intel 268V) (14 inch - Minimum 54.7Wh battery) | | | 36B2NCVP26 | \$1,544.00 | 21NVS1B200 | \$1,709.00 | | |

| 2-in-1 Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|--|-------------|---|-------------------------------|----------------------------|--------------------|--|--|--|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| 2-in-1 Laptop / Tablet | 3.03a | Docking Station (USB-C/Thunderbolt Universal dock) (13 inch models) | 210-BRQK | \$166.00 | 9X472UT | \$193.00 | 40B00135US | \$224.00 | | |
| | 3.03b | Docking Station (USB-C/Thunderbolt Universal dock) (14 inch models) | 210-BRQK | \$166.00 | 9X472UT | \$193.00 | 40B00135US | \$224.00 | | |
| | 3.04a | AC Adapter / Power Supply (13 inch models) | 492-BDQM | \$20.00 | 1P3K6AA | \$36.00 | 4X21S91183 | \$58.00 | | |
| | 3.04b | AC Adapter / Power Supply (14 inch models) | 492-BDQM | \$20.00 | 1P3K6AA | \$36.00 | 4X21S91183 | \$58.00 | | |
| | 3.05 | Auto Adapter | 492-BBUN | \$50.00 | | | 40AK0065WW | \$58.00 | | |
| | 3.06 | Stylus | 750-ADQK | \$26.00 | 6SG43AA | \$92.00 | 4X81L12874 (L13 2-in-1) | \$37.00 | | |
| | | | | | | | 4X81Q95846 (T14s & X1 models) | \$47.00 | | |
| | 3.07 | Nylon Carrying Case | 460-BDKB | \$18.00 | 1X645AA | \$23.00 | 4X41C12469 | \$27.00 | | |
| | 3.09 | Laptop Backpack (nylon,water-resistant) | 460-BDSW | \$20.00 | 1X644AA | \$28.00 | 4X40T84059 | \$17.00 | | |
| | 3.10 | 4th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | | | U85BYE (Elitebook 8 Flip models – Items 3.1a-d & 3.3a-d) | \$65.00 | 5WS0T36185 + 5PS0G79465 (Items 3.1a-d and 3.3a-d only) | \$159.20 | |
| U80MWE (Elitebook X Flip models – Items 3.2a-d & 3.6a-d) | | | | | | \$65.00 | 5WS0T36167 + 5PS0G79465 (Items 3.2a-d and 3.4a-d only) | \$140.20 | | |
| | | | | | | | 5WS0T36146 + 5WS0F17636 (Items 3.6a-d only) | \$149.00 | | |

| 2-in-1 Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|------------------------|-------------|---|-------------------------------|----------------------------|---|----------------------------|---|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| 2-in-1 Laptop / Tablet | 3.11 | 5th Year Next Business Day, On-site w/hard drive retention warranty | Contact for quote with device | \$220.00 | U85BZE (Elitebook 8 Flip models – Items 3.1a-d & 3.3a-d) | \$122.00 | 5WS0T36204 + 5PS0K18198 (Items 3.1a-d and 3.3a-d only) | \$235.00 | | |
| | | | | | U80MXE (Elitebook X Flip models – Items 3.2a-d & 3.6a-d) | \$122.00 | 5WS0T36125 + 5PS0K18198 (Items 3.2a-d and 3.4a-d only) | \$209.00 | | |
| | | | | | | | 5WS0T36163 + 5PS0K18170 (Items 3.6a-d only) | \$217.00 | | |
| | 3.12 | 3 Year Accidental Damage Warranty | Contact for quote with device | \$100.00 | U85C0E (Elitebook 8 Flip models – Items 3.1a-d & 3.3a-d) | \$99.00 | 5PS0A23193 | \$87.00 | ZWL-00033 | \$289.52 |
| | | | | | U80MYE (Elitebook X Flip models – Items 3.2a-d & 3.6a-d) | \$99.00 | 5PS0F15928 (Items 3.6a-d only) | \$120.00 | | |
| | 3.13 | 4 Year Accidental Damage Warranty | Contact for quote with device | \$150.00 | U85C1E (Elitebook 8 Flip models – Items 3.1a-d & 3.3a-d) | \$213.00 | 5PS0A22966 | \$119.20 | | |
| | | | | | U80MZE (Elitebook X Flip models – Items 3.2a-d & 3.6a-d) | \$213.00 | 5PS0F17633 (Items 3.6a-d only) | \$184.80 | | |
| | 3.14 | 5 Year Accidental Damage Warranty | Contact for quote with device | \$200.00 | U85C2E (Elitebook 8 Flip models – Items 3.1a-d & 3.3a-d) | \$377.00 | 5PS0K18187 | \$143.20 | | |
| | | | | | U80N0E (Elitebook X Flip models – Items 3.2a-d & 3.6a-d) | \$377.00 | 5PS0K18166 (Items 3.6a-d only) | \$203.20 | | |

| 2-in-1 Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|------------------------|-------------|---|-------------------------------|----------------------------|-----------------------------|----------------------------|---|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| 2-in-1 Laptop / Tablet | | | | | | | | | | |
| | 3.15 | 3YR. Extended Battery Warranty to match 3YR Device warranty | Contact for quote with device | \$80.00 | Included with Base Warranty | | 5WS0A23013 5WS0F15923 (Items 3.6a-d only) | \$32.00 \$25.30 | | |
| | 3.16a | Surface Pro Keyboard (No Pen or Storage) - Black | | | | | | | EP2-00395 | \$149.59 |
| | 3.17a | Surface Pro Keyboard with Slim Pen and Pen storage - Black | | | | | | | 8X8-00141 | \$246.39 |
| | 3.18a | Surface Pro Keyboard with Slim Pen and Pen storage - Platinum | | | | | | | ZRA-00001 | \$351.99 |

Monitor and Monitor Options Pricing

| Monitor Models | | | Dell | | HP | | Lenovo | |
|----------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--|----------------------------------|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Monitors | 4.1a | Flat Panel Monitor, 24-inch (with USB-C Hub) | 210-BMKK | \$180.00 | 9D9V7AA | \$200.00 | 64B9GAR1UZ | \$180.00 |
| | 4.1b | Flat Panel Monitor, 24-inch (no USB-C Hub) (should be "sister" monitor to 4.1a) | 210-BMGH | \$139.00 | 9D9L6UT | \$149.00 | 64A4MARXUZ | \$150.00 |
| | 4.2a | Flat Panel Monitor, 27-inch (with USB-C hub) | 210-BRHW | \$235.00 | 9E0G5AA | \$258.00 | 64AAGAR2UZ | \$269.00 |
| | 4.2b | Flat Panel Monitor, 27-inch (no USB-C hub)(should be "sister" monitor to 4.2a) | 210-BRHV | \$210.00 | 9D9S0UT | \$211.00 | 64A6GAR6UZ | \$239.00 |
| | 4.3 | Flat Panel Monitor, 24-inch (High Resolution) | 210-BRHS | \$191.00 | | | 64B2GAR1UZ | \$220.00 |
| | 4.3-ALT | ALTERNATE Flat Panel Monitor, 24-inch (High Resolution) | | | 9D9A7AA | \$159.00 | | |
| | 4.4 | Flat Panel Monitor, 27-inch (High Resolution, 4K, with USB-C Hub) | 210-BRJB | \$315.00 | | | 64AFGAR2US | \$335.00 |
| | 4.5 | Flat Panel Monitor, 32-inch (High Resolution, 4K, with USB-C Hub) | 210-BQHS | \$520.00 | 6N4D6AA | \$464.00 | 64A8GAR2US | \$599.00 |
| | 4.6 | Flat Panel Monitor, 24-inch (Touchscreen) | 210-BHSF | \$275.00 | 6N6E6AA | \$253.00 | 62C5GAR1US | \$300.00 |
| | 4.7 | Flat Panel Monitor, 24-inch for Video Conferencing | 210-BGLQ | \$267.00 | 9E0G9UT | \$283.00 | 64B6MAR1UZ | \$190.00 |
| | 4.8 | Flat Panel Monitor, 27-inch for Video Conferencing | 210-BGMF | \$334.00 | 9E0Y9UT | \$325.00 | 64B8UAR1UZ | \$335.00 |
| | 4.9 | Flat Panel Monitor, 32-34 inch for Video Conferencing | 210-BGMM | \$500.00 | 9E0Z2UT | \$433.00 | 64AEGAR1UZ 4XC1K97399 4XD1K97400 | \$475.00 \$475.00 \$475.00 |
| | 4.10 | 34-inch Curved Monitor | 210-BRHY | \$400.00 | 21Y56AA | \$350.00 | 64AEGAR1UZ | \$382.00 |

| Monitor Models | | | Dell | | HP | | Lenovo | |
|-----------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Segment | Item Number | Configuration | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| Monitors | 4.11 | 38–40-inch Curved Monitor | 210-BHSM | \$820.00 | 8K167AA | \$1,066.00 | 62C1GAR6US | \$1,149.00 |
| | 4.12 | Portable 14-inch Monitor | 210-BQJT | \$217.00 | 1B065AA | \$283.00 | 63AAUAR6US | \$242.00 |
| | 4.13 | Portable 15-inch Monitor | | | | | 62CAUAR1UZ | \$200.00 |
| Monitor Options | 4.14 | Speaker Bar to work with all monitor configurations | 520-BBLX | \$59.00 | 5UU40AA | \$44.00 | 4XD1J05151 | \$23.00 |

Accessories for all Desktop and Laptop Pricing

| Accessories for All Configurations | | | Dell | | HP | | Lenovo | |
|---------------------------------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| All Desktop and Laptop Configurations | 5.01 | USB Wireless Keyboard & Mouse Combo | 580-AJIS | \$28.00 | 1Y4D0UT | \$24.00 | 4X31R64453 | \$24.00 |
| | 5.02 | Wireless Keyboard & Mouse Combo with Bluetooth and 128-bit AES encryption | 580-AJIX | \$50.00 | 9T5B0UT | \$76.00 | 4X31R64316 | \$75.00 |
| | 5.03 | Mouse, USB, 2-button, Optical/Scroll | 275-BBCB | \$11.00 | 265A9UT | \$8.40 | 4Y50R20863 | \$13.60 |
| | 5.04 | Mouse, USB, 2-button, Wireless | 570-AALK | \$10.00 | 8R3U1UT | \$20.00 | 4X30M56887 | \$18.00 |
| | 5.05 | Mouse, Bluetooth | 570-ABGK | \$15.00 | 8R3U1UT | \$20.00 | 4Y50X88822 | \$29.00 |
| | 5.06 | Mouse, Vertical/Handshake Ergonomic, Wireless | | | 6H1A5AA | \$92.00 | 4Y51C33792 | \$40.00 |
| | 5.07 | Keyboard, USB, Enhanced | 580-ADMT | \$12.00 | 9SR37UT | \$18.00 | 4Y41R64633 | \$18.00 |
| | 5.08 | Keyboard, USB, Wireless | 580-AKLJ | \$18.00 | 805T1AA | \$19.00 | 4X30H56841 | \$37.00 |
| | 5.09 | Keyboard, Bluetooth | 580-AKMM | \$39.00 | 7N7B9AA | \$39.00 | 4Y41K04031 | \$65.00 |
| | 5.11 | Keyboard, Ergonomic, Wireless | | | 7E756AA | \$112.00 | 4Y41C33748 | \$91.99 |
| | 5.12 | Keyboard, Ergonomic, Bluetooth | | | 7E756AA | \$112.00 | | |
| | 5.13 | External Speakers | AB117326 | \$36.00 | | | 4XD1C82055 | \$111.00 |
| | 5.14 | Webcam | 319-BBJQ | \$42.00 | 53X27AA | \$40.00 | 4XC1B34802 | \$27.99 |

| Accessories for All Configurations | | | Dell | | HP | | Lenovo | |
|---------------------------------------|-------------|--|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| All Desktop and Laptop Configurations | 5.15 | USB External DVD +/-RW Drive | 429-AAUQ | \$26.00 | F2B56AA | \$40.00 | 888015471 | \$46.00 |
| | 5.16 | USB External Headset for Business | 520-BBDS | \$34.00 | 8X214AA | \$22.00 | 4XD1M45627 | \$90.00 |
| | 5.17 | Bluetooth Dual-Ear (Stereo) Wireless Headset with Boom Mic - USB-C PC Compatible - Active Noise Canceling - Works with Teams | 520-BBFL | \$75.00 | 9T9J4AA | \$136.00 | 4XD1M80020 | \$72.00 |

Miscellaneous Cables and Options Pricing

| Miscellaneous Cables and Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|---------------------------------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| All Desktop and Laptop Configurations | 6.01 | HDMI to HDMI Adapter | A7657890 | \$10.00 | | | 0B47070 | \$12.00 | | |
| All Desktop and Laptop Configurations | 6.02 | DisplayPort to HDMI Adapter | 492-BBXU | \$17.00 | 2JA63AA | \$28.00 | 4X90R61023 | \$41.59 | | |
| All Desktop and Laptop Configurations | 6.03 | USB Gigabit Ethernet Dongle | 443-BBBD | \$20.00 | | | 4X91H17795 | \$30.00 | | |
| All Desktop and Laptop Configurations | 6.04 | USB-C to USB-A 3.0 Adapter | 470-ABNE | \$10.00 | Z6A00AA | \$27.00 | 4X90Q59481 | \$13.00 | | |
| All Desktop and Laptop Configurations | 6.05 | USB-C to Ethernet Adapter | 750-BBKR | \$20.00 | 4Z527AA | \$17.00 | N/A | N/A | | |
| All Desktop and Laptop Configurations | 6.06 | USB-C to HDMI 4.0 Adapter | 750-BBKP | \$20.00 | 1WC36AA | \$21.00 | 4X90R61022 | \$45.59 | | |
| All Desktop and Laptop Configurations | 6.07 | USB-C to DisplayPort Adapter | 470-ACFC | \$23.00 | 8Y8Y1AA | \$22.00 | 4X90Q93303 | \$41.00 | | |
| All Desktop and Laptop Configurations | 6.08 | HDMI Cable 3ft (M/M) | AA501173 | \$15.00 | | | 0B47070 | \$12.00 | | |
| All Desktop and Laptop Configurations | 6.09 | DisplayPort to HDMI (4K) Active Adapter (M/F) | A7719636 | \$15.00 | 2JA63AA | \$29.00 | | | | |
| All Desktop and Laptop Configurations | 6.10 | DP to DP cable | A7639742 | \$17.00 | VN567AA | \$18.00 | 0A36537 | \$18.00 | | |

| Miscellaneous Cables and Options | | | Dell | | HP | | Lenovo | | Microsoft | |
|---------------------------------------|-------------|---|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| Configuration | Item Number | Peripheral Option Description | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price | Vendor Part Number | Volume Purchase Unit Price |
| All Desktop and Laptop Configurations | 6.11 | DP to HDMI Cable | AA419443 | \$12.00 | 2JA63AA | \$28.00 | 4X90R61023 | \$41.59 | | |
| All Desktop and Laptop Configurations | 6.12 | USB-C to USB-C 100w cable | AC251905 | \$12.00 | 5AR72AA | \$34.00 | 4X90U90619 | \$23.19 | | |
| All Desktop and Laptop Configurations | 6.13 | 6-in-1 USB-C Multiport Adapter | 470-AFJI | \$50.00 | 6G843AA | \$63.00 | | | | |
| All Desktop and Laptop Configurations | 6.14 | Mini-DisplayPort to DisplayPort Adapter | | | | | 4X90L13971 | \$22.80 | | |
| All Desktop and Laptop Configurations | 6.15 | Mini-DisplayPort to DisplayPort 6FT Cable | AA419441 | \$10.00 | | | 0B47091 | \$18.00 | | |

SECTION 3: Model Configurations

Section 3 of this document contains detailed technical specifications for the awarded items.

Desktop and Workstation Configurations

| 1.1a Standard Desktop (256GB SSD, Intel Proc) | Dell | HP | Lenovo |
|---|--|--|--|
| Description | Est 4 Year Lifecycle, Entry-Level Word Processing, Spreadsheets, Mail viewing, PDF viewing, Presentation Viewing, etc. Dual Digital Monitor Capable (2 monitors @ 2560x1440 resolution) | | |
| Vendor Model Name and Number | Dell Pro Slim - QCS1250 | Prodesk 4 G1i SFF | ThinkCentre M70s Gen 6 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel(R) Core(TM) Ultra 5 235 vPro(R) (13 TOPS NPU, 14 cores, up to 5.0GHz) | Intel Core Ultra5 235 5.00G 24 MB 14 cores 65W CPU | Intel® Core™ Ultra 5 225 Processor (E-cores up to 4.40 GHz P-cores up to 4.90 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 16GB (2x8GB), DDR5, expandable to 64GB | 16GB (2x8GB) DDR5 Memory, expandable to 64.0GB by replacement | 16 GB DDR5-5600MT/s (UDIMM) - (2 x 8 GB) expandable to 128GB |
| Video Card | Integrated Graphics, supports 2 monitors at 2560x1440 resolution @ 60Hz | Intel® UHD Graphics, with support for up to 2 Digital Monitors via 1 DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports up to 3 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not Included | Not included | Not Included |
| 1st Hard Drive | M.2 2230 256GB PCIe NVMe SSD | 256GB 2280 PCIe NVMe Value Solid State Drive | 256 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | Two free slots | Three (3) Free Slots (1) M.2 PCIe x1 2230 (for WLAN/Bluetooth) (2) M.2 PCIe x4 2280 (for storage) | Two (2) Free Slots |
| USB Ports | Front Ports: (2) USB 2.0, (1) USB 3.2 Gen1 (1) USB 3.2 Gen1 USB-C Rear Ports: (2) USB 2.0, (2) USB 3.2 | Nine (9) Total: Front: (1) Type-C® SuperSpeed USB 10Gbps (3) Type-A SuperSpeed USB 10Gbps Rear: (2) Type-A Hi-Speed USB 480Mbps signaling rate port (2) Type-A SuperSpeed USB 5Gbps signaling rate port (1) Type-A Hi-Speed USB 480Mbps | Front Ports 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with 15W charging 2x USB-A (USB 5Gbps / USB 3.2 Gen 1) 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) Rear Ports 4x USB-A (USB 5Gbps / USB 3.2 Gen 1) |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | Realtek Wi-Fi 6E RTL8852CE 2x2 AX & Bluetooth® 5.3 |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Realtek ALC3204 Audio Controller | Realtek ALC3252 - Supports resolutions from 16 to 24-bit; 44.1 kHz to 192 kHz for DAC and ADC | High Definition (HD) Audio, Realtek® ALC623-CG codec |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |

| 1.1a Standard Desktop (256GB SSD, Intel Proc) | Dell | HP | Lenovo |
|--|---|--|--------------------------------------|
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 9.0 |
| Environmental | EPEAT Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (W) 3.74 x (D) 11.54, (H) 11.95; Weight 8.61lbs | 11.95 x 12.13 x 3.94 in 10 lbs. | 3.6 x 11.8 x 13.4 inches 11.2 lbs |

| 1.1b Standard Desktop (256GB SSD, AMD Proc) | Dell | HP | Lenovo |
|--|--|--|--|
| Description | Est 4 Year Lifecycle, Entry-Level Word Processing, Spreadsheets, Mail viewing, PDF viewing, Presentation Viewing, etc. Dual Digital Monitor Capable (2 monitors @ 2560x1440 resolution) | | |
| Vendor Model Name and Number | Dell Pro Slim - QCS1255 | Prodesk 805 G9 | ThinkCentre M75s Gen 5 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | AMD Ryzen(TM) 3 PRO 8300G (4 cores, up to 4.9GHz) | AMD Ryzen 3 PRO 8300G 4 Core, 8 Threads, 12MB Cache, 4.9GHz Boost/3.4GHz Base Frequency | AMD Ryzen™ 3 PRO 8300G Processor (3.45 GHz up to 4.90 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 16GB (2x8GB), DDR5, expandable to 64GB | 16GB (2x8GB) DDR5 Memory, expandable to 128.0GB by replacement | 16 GB DDR5-5200MHz (UDIMM) - (2 x 8 GB) expandable to 64GB |
| Video Card | AMD Integrated graphics, supports 2 monitors at 2560x1440 resolution @ 60Hz | AMD Radeon™ 740M (Integrated in R3Pro - 8300G), with support for up to 2 Digital Monitors via 1 DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports up to 3 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not included | Not Included | Not Included |
| 1st Hard Drive | M.2 2230 256GB PCIe NVMe SSD | 256GB 2280 PCIe NVMe Value Solid State Drive | 256 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | Two free slots | Three (3) Free Slots (1) M.2 PCIe 3 x1 2230 (for WLAN) (2) M.2 PCIe 4 x4 2280 (for storage) | Two (2) Free Slots |
| USB Ports | Front Ports: (2) USB 2.0, (1) USB 3.2 Gen1 (1) USB 3.2 Gen1 USB-C Rear Ports: (2) USB 2.0, (2) USB 3.2 | Eleven (11) Total: Front: (1) Type-C® SuperSpeed USB 10Gbps (4) Type-A SuperSpeed USB 10Gbps Rear: (4) Type-A Hi-Speed USB 480Mbps signaling rate port (2) Type-A SuperSpeed USB 5Gbps signaling rate port | Front Ports 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with 15W charging 4x USB-A (USB 5Gbps / USB 3.2 Gen 1) Rear Ports 4x USB-A (Hi-Speed USB / USB 2.0) |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | N/A |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Realtek ALC3204 Audio Controller | Realtek ALC3252 - Supports resolutions from 16 to 24-bit; 44.1 kHz to 192 kHz for DAC and ADC | High Definition (HD) Audio, Realtek® ALC623-CG codec |
| Resource CD | Not included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 8.0 |
| Environmental | EPEAT Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (W) 3.74 x (D) 11.54, (H) 11.95; Weight 8.61lbs | 13.3 x 12.12 x 3.94 in 11.11 lbs. | 3.6 x 11.7 x 13.4 inches 10.1 lbs |

| 1.2a Mid-Range Desktop (Intel Proc) | Dell | HP | Lenovo |
|-------------------------------------|---|--|--|
| Description | Est 6 year Lifecycle, General to Advanced Word Processing, Large Spreadsheets, Mail Viewing, PDF creation, Presentation Creation, etc. Dual Digital 4K Monitor Capable | | |
| Vendor Model Name and Number | Dell Pro Slim QCS - 1250 | Prodesk 4 G1i SFF | ThinkCentre M70s Gen 6 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel(R) Core(TM) Ultra 5 235 vPro(R) (13 TOPS NPU, 14 cores, up to 5.0GHz) | Intel® Core™ Ultra 5-235 Processor with Intel® UHD Graphics 3Xe (3.4GHz, up to 5GHz, 24MB L3 Cache, 14 Cores, 14 Threads) 65W, Supports Intel® vPro® Technology | Intel® Core™ Ultra 5 235 vPro® Processor (E-cores up to 4.40 GHz P-cores up to 5.00 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 32GB: 2 x 16GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 Memory, expandable to 64.0GB by replacement | 32 GB DDR5-5600MT/s (UDIMM) - (2 x 16 GB) expandable to 128GB |
| Video Card | Integrated Graphics, supports 2 monitors at 2560x1440 resolution @ 60Hz | Intel® UHD Graphics, with support for up to 2 Digital Monitors via 1 DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports up to 3 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not Included | Cabling contingent on monitor being used. New monitors will come with cables. For existing monitors: AG8M3AV HP DisplayPort Cable; Cost - \$4.80 AG8K0AV HP 1.8m HDMI Cable; Cost - \$2.00 *Parts ordered separately with the system | Must order separately: Display Port Cable PN 0A36537 \$31.19 |
| 1st Hard Drive | M.2 2230 512GB PCIe NVMe SSD | 512GB 2280 PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | Two free slots | Three (3) Free Slots (1) M.2 PCIe x1 2230 (for WLAN/Bluetooth) (2) M.2 PCIe x4 2280 (for storage) | Two (2) Free Slots |
| USB Ports | Front Ports: (2) USB 2.0, (1) USB 3.2 Gen1 (1) USB 3.2 Gen1 USB-C Rear Ports: (2) USB 2.0, (2) USB 3.2 | Nine (9) Total: Front: (1) Type-C® SuperSpeed USB 10Gbps (3) Type-A SuperSpeed USB 10Gbps Rear: (2) Type-A Hi-Speed USB 480Mbps signaling rate port (2) Type-A SuperSpeed USB 5Gbps signaling rate port (1) Type-A Hi-Speed USB 480Mbps | Front Ports 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with 15W charging 2x USB-A (USB 5Gbps / USB 3.2 Gen 1) 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) Rear Ports 4x USB-A (USB 5Gbps / USB 3.2 Gen 1) |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | Realtek Wi-Fi 6E RTL8852CE 2x2 AX & Bluetooth® 5.3 |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Realtek ALC3204 Audio Controller | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC623-CG codec |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 9.0 |
| Environmental | EPEAT Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (W) 3.74 x (D) 11.54, (H) 11.95; Weight 8.61lbs | 11.95 x 12.13 x 3.94 in 10 lbs. | 3.6 x 11.8 x 13.4 inches 11.2 lbs |

| 1.2b Mid-Range Desktop (AMD Proc) | Dell | HP | Lenovo |
|-------------------------------------|---|---|--|
| Description | Est 6 year Lifecycle, General to Advanced Word Processing, Large Spreadsheets, Mail Viewing, PDF creation, Presentation Creation, etc. Dual Digital 4K Monitor Capable | | |
| Vendor Model Name and Number | Dell Pro Slim - QCS1255 | Prodesk 805 G9 | ThinkCentre M75s Gen 5 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | AMD Ryzen(TM) 5 PRO 8500G (6 cores, up to 5.0GHz) | AMD Ryzen 5 PRO 8500G 6 Core, 12 Threads, 22MB Cache, 5.0GHz Boost/3.5GHz Base Frequency | AMD Ryzen™ 5 PRO 8500G Processor (3.55 GHz up to 5.00 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 32GB: 2 x 16GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 Memory, expandable to 128.0GB by replacement | 32 GB DDR5-5200MHz (UDIMM) - (2 x 16 GB) expandable to 64GB |
| Video Card | Integrated Graphics, supports 2 monitors at 2560x1440 resolution @ 60Hz | AMD Radeon™ 740M (Integrated in R5Pro - 8500G), with support for up to 2 Digital Monitors via 1 DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports up to 3 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not Included | Cabling contingent on monitor being used. New monitors will come with cables. For existing monitors: A09W2AV - HP DisplayPort Cable; Cost - \$5.00 A09VBAV - HP 1.8m HDMI Cable; Cost - \$3.20 *Parts ordered with the system | Must order Separately: 0A36537 - DisplayPort to DisplayPort cable |
| 1st Hard Drive | M.2 2230 256GB PCIe NVMe SSD | 512GB 2280 PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | Two free slots | Three (3) Free Slots (1) M.2 PCIe 3 x1 2230 (for WLAN) (2) M.2 PCIe 4 x4 2280 (for storage) | Two (2) Free Slots |
| USB Ports | Front Ports: (2) USB 2.0, (1) USB 3.2 Gen1 (1) USB 3.2 Gen1 USB-C Rear Ports: (2) USB 2.0, (2) USB 3.2 | Eleven (11) Total: Front: (1) Type-C® SuperSpeed USB 10Gbps (4) Type-A SuperSpeed USB 10Gbps Rear: (4) Type-A Hi-Speed USB 480Mbps signaling rate port (2) Type-A SuperSpeed USB 5Gbps signaling rate port | Front Ports 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with 15W charging 4x USB-A (USB 5Gbps / USB 3.2 Gen 1) Rear Ports 4x USB-A (Hi-Speed USB / USB 2.0) |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | N/A |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Realtek ALC3204 Audio Controller | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC623-CG codec |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 8.0 |
| Environmental | EPEAT Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (W) 3.74 x (D) 11.54, (H) 11.95; Weight 8.61lbs | 13.3 x 12.12 x 3.94 in 11.11 lbs. | 3.6 x 11.7 x 13.4 inches 10.1 lbs |

| 1.3 Workstation 1 (i7 Proc, 8GB Video, 64GB Memory, 1TB SSD) | Dell | HP | Lenovo |
|--|---|--|--|
| Description | Entry-Level GIS, CAD Design, 3D Modeling, Video Editing, Multiple Virtual Machines, Software Development, Engineering Tasks, Advanced System Management, etc. Support for up to 3 digital 4K monitors | | |
| Vendor Model Name and Number | Dell Pro Max Tower T2 FCT2250 | Z1 Tower G1i | ThinkStation P2 Tower Gen 2 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel Core Ultra 7 265 (30 MB cache, 20 cores, 20 threads, 1.8 GHz to 5.3 GHz, 65W) | Intel® Core™ Ultra 7-265 Processor (2.4GHz, up to 5.3GHz with Intel® Turbo Boost Max Technology, 30MB L3 Cache, 20 cores) 65W, Supports Intel® vPro® Technology | Intel® Core™ Ultra 7 265 vPro® Processor (E-cores up to 4.60 GHz P-cores up to 5.20 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 64GB: 2 x 32 GB, DDR5, expandable to 128GB | 64GB (2x32GB) DDR5 Memory, expandable to 128.0GB | 64GB - 32 GB DDR5-5600MT/s (UDIMM) QTY(2) expandable to 128GB |
| Video Card | NVIDIA(R) RTX(TM) A1000, 8 GB GDDR6, 4 mDP to DP adapters | NVIDIA RTX A1000 8 GB 4mDP Graphics Includes HP miniDP to DP Adapter (2pk) | NVIDIA® GeForce RTX™ 5060 8GB GDDR7 |
| Cables / Connectors | 4mDP to DP adapters are included | Cabling contingent on monitor being used. New monitors will come with cables. For existing monitors: A09W2AV - HP DisplayPort Cable A09VBAV - HP 1.8m HDMI Cable *Parts ordered separately with the system | Must order Separately: 0A36537 - DisplayPort to DisplayPort cable |
| 1st Hard Drive | 1TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready | 1TB 2280 PCIe NVMe Value Solid State Drive, with RAID support | 1 TB SSD M.2 2280 PCIe Gen4 Performance TLC Opal |
| 2nd Hard Drive | (3) Internal Bays | 2nd drive options M.2 or 3.5 inch SATA Hard Disk Drives | Expansion Bay Available |
| PCIe Slots | Three (3) slots - (2) available | Three (3) Free Slots (1) PCI Express Gen 5 x16 (2) PCI Express Gen3 x1 (1) PCI Express Gen4 x 16 | Two (2) Slots, at least one (1) available |
| USB Ports | Front Ports: (2) USB 3.2 Gen1 (5Gbps), (1) USB 3.2 Gen2 (10Gbps) Type-C, (1) USB 3.2 Gen2x2 (20Gbps) type-C Rear Ports: (2) USB 2.0; (2) USB 3.2 (10Gbps); (1) USB 3.2Gen 2x2 (20Gbps) Type-C; (1) Thunderbolt | Eleven (11) Total: Front: (2) Type-C® SuperSpeed USB 20Gbps (4) Type-A SuperSpeed USB 10Gbps Rear: (2) Type A Hi-Speed USB 480 Mbps (2) Type A SuperSpeed USB 5Gbps (1) Type-A Hi-Speed USB 480Mbps | Front Ports 1x USB-C® (USB 20Gbps / USB 3.2 Gen 2x2), data transfer only 2x USB-A (USB 5Gbps / USB 3.2 Gen 1) 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) Rear Ports 2x USB-A (Hi-Speed USB / USB 2.0) 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), one supports Smart Power On |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | N/A |

| 1.3 Workstation 1 (i7 Proc, 8GB Video, 64GB Memory, 1TB SSD) | Dell | HP | Lenovo |
|--|--|---|--|
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Stereo speakers with Waves MaxxAudio® 14 - Realtek ALC3204 Internal Speakers | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC623-CG codec |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | Per BAFO response: Yes, includes 3 internal expansion bays | Two (2) available: (1) Optical Drive (1) M.2 Drive | One (1) Available |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | ISV Certified | Yes ISV Certified | ISV Certified |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 9.0 |
| Environmental | EPEAT Gold w/Climate+ | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (H) 15.24in (W) 7.40 in (D) 17.24 in, Weight 18 lb min | 6.1 x 12.13 x 13.27 in 13.8 lbs. | 6.7 x 12.4 x 14.8 inches, with feet 21.32 lbs |

| 1.4 Workstation 2 (Intel i9 Proc, 16GB Video, 64GB Memory, 1TB SSD) | Dell | HP | Lenovo |
|--|---|---|--|
| Description | Advanced-Level GIS, CAD Design, 3D Modeling, Video Editing, Multiple Virtual Machines, Software Development, Engineering Tasks, Advanced System Management, etc. Support for up to 3 digital 4K monitors | | |
| Vendor Model Name and Number | Dell Pro Max Tower T2 FCT2250 | Z2 SFF G1i | ThinkStation P2 Tower Gen 2 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel Core Ultra 9 285 (36 MB cache, 24 cores, 24 threads, 1.9 GHz to 5.6 GHz, 65W) | Intel® Core™ Ultra 9 Processor 285 (1.9 GHz E-core base frequency, 2.5 GHz P-core base frequency, up to 4.6 GHz E-core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-cores and 16 E-cores, 24 threads) | Intel® Core™ Ultra 9 285 vPro® Processor (E-cores up to 4.60 GHz P-cores up to 5.40 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 64GB: 2 x 32 GB, DDR5, expandable to 128GB | 64GB (2x32GB) DDR5 Memory, expandable to 256GB | 64GB - 32 GB DDR5-5600MT/s (UDIMM) QTY(2) expandable to 128GB |
| Video Card | NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters | NVIDIA RTX 2000 Ada 16 GB 4mDP Graphics Includes HP miniDP to DP Adapter (2pk) | NVIDIA RTX™ 2000 Ada Generation 16GB GDDR6 |
| Cables / Connectors | 4mDP to DP adapters are included | Cabling contingent on monitor being used. New monitors will come with cables. For existing monitors: A09W2AV - HP DisplayPort Cable A09VBAV - HP 1.8m HDMI Cable *Parts ordered separately with the system | Must order Separately: 0A36537 - DisplayPort to DisplayPort cable |
| 1st Hard Drive | 1TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready | 1TB 2280 PCIe NVMe Value Solid State Drive, with RAID support | 1 TB SSD M.2 2280 PCIe Gen4 Performance TLC Opal |
| 2nd Hard Drive | (3) Internal Bays | 2nd drive options M.2 or 3.5 inch SATA Hard Disk Drives | Expansion Bay Available |
| PCIe Slots | Three (3) slots - (2) available | Three (3) Free Slots (1) PCI Express Gen 5 x16 (2) PCI Express Gen4 x 4 | Two (2) Slots, at least one (1) available |
| USB Ports | Front Ports: (2) USB 3.2 Gen1 (5Gbps), (1) USB 3.2 Gen2 (10Gbps) Type-C, (1) USB 3.2 Gen2x2 (20Gbps) type-C Rear Ports: (2) USB 2.0; (2) USB 3.2 (10Gbps); (1) USB 3.2Gen 2x2 (20Gbps) Type-C; (1) Thunderbolt | Twelve (12) Total: Front: (2) Type-C® SuperSpeed USB 20Gbps (4) Type-A SuperSpeed USB 10Gbps Rear: (3) Type A Hi-Speed USB 480 Mbps (2) Type A SuperSpeed USB 5Gbps (1) Type-A Hi-Speed USB 480Mbps | Front Ports 1x USB-C® (USB 20Gbps / USB 3.2 Gen 2x2), data transfer only 2x USB-A (USB 5Gbps / USB 3.2 Gen 1) 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) Rear Ports 2x USB-A (Hi-Speed USB / USB 2.0) 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), one supports Smart Power On |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | N/A |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Stereo speakers with Waves MaxxAudio® 14 - Realtek ALC3204 Internal Speakers | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC623-CG codec |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | Per BAFO response: Yes, includes 3 internal expansion bays | One (1) available: | One (1) Available |

| 1.4 Workstation 2 (Intel i9 Proc, 16GB Video, 64GB Memory, 1TB SSD) | Dell | HP | Lenovo |
|--|--|---|--|
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | ISV Certified | Yes ISV Certified | ISV Certified |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 9.0 |
| Environmental | EPEAT Gold w/Climate+ | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (H) 15.24in (W) 7.40 in (D) 17.24 in, Weight 18 lb min | 3.9 x 11.9 x 12.1 in 8.82lbs. | 6.7 x 12.4 x 14.8 inches, with feet 21.32 lbs |

| 1.5a Micro/Tiny Desktop (Intel 225T Proc, 512GB SSD) | Dell | HP | Lenovo |
|---|---|---|---|
| Description | Compact business class PC designed for basic tasks such as Entry-Level Word Processing, Spreadsheets, Mail viewing, PDF viewing, Presentation Viewing, etc. VESA mount capable. | | |
| Vendor Model Name and Number | Dell Pro Micro QCM1250 | Prodesk 4 Mini G1i | ThinkCentre M70q Gen 6 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel(R) Core(TM) Ultra 5 235T vPro(R) (13 TOPS NPU, 14 cores, up to 5.0GHz) | Intel® Core™ Ultra 5-225T Processor (2.5GHz, up to 4.9GHz, 20MB L3 Cache, 10 Cores, 10 Threads) 35W | Intel® Core™ Ultra 5 225T Processor (E-cores up to 4.40 GHz P-cores up to 4.90 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 64GB | 16GB (1x16GB) DDR5 Memory Expandable to 64 | 16 GB DDR5-5600MT/s (SODIMM) expandable to 64GB |
| Video Card | Intel® UHD Graphics: Supports dual digital monitors at 2560 X 1440 resolution | Intel® UHD Graphics 2Xe, with support for up to 3 Digital Monitors (2560 x 1440) via 2x DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports 2 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not Included | Not included | Not Included |
| 1st Hard Drive | M.2 2230 512GB PCIe NVMe SSD | 512GB 2280 PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | N/A | N/A | N/A |
| USB Ports | Front Ports: (1) USB 3.2 Gen1; (1) USB 3.2 Gen2 type-c Rear Ports: (2) USB 2.0; (2) USB 3.2 Gen1 | Eight (8) Total: Front: (1) Type-C® SuperSpeed USB 20Gbps (2) Type-A SuperSpeed USB 10Gbps Rear: (2) Type-A SuperSpeed USB 10Gbps signaling rate (2) Type A SuperSpeed USB 5Gbps signaling rate port (1) Type-C® USB 4.0 with Alt mode and 100W Power in | Front Ports 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2), data transfer only 2x USB-A (USB 10Gbps / USB 3.2 Gen 2), one supports Always On and 5V@2.1A charging Rear Ports 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), one supports Smart Power On |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | Realtek Wi-Fi 7 RTL8922AE 2x2 BE & Bluetooth® 5.4 |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Internal High-Definition Audio | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC233VB |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 9.0 |
| Environmental | EPEAT Registered Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (H) 7.17in (W) 1.42in (D) 7.01in, Weight 2.56lb | 6.97 x 7.13 x 1.35 in 2.64 lbs. | 7.05 x 7.2 x 1.44 inches 2.6 lbs |

| 1.5b Micro/Tiny Desktop (AMD Proc, 512GB SSD) | Dell | HP | Lenovo |
|--|---|---|---|
| Description | Compact business class PC designed for basic tasks such as Entry-Level Word Processing, Spreadsheets, Mail viewing, PDF viewing, Presentation Viewing, etc. VESA mount capable. | | |
| Vendor Model Name and Number | Dell Pro Micro QCM1255 | HP EliteDesk 8 Mini G1a | ThinkCentre M75q Gen 5 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | AMD Ryzen(TM) 3 8300GE (4 cores, up to 4.9GHz) | AMD Ryzen™ 3 210 (3.0 GHz base clock, up to 4.7 GHz max boost clock, 12 MB cache, 4 cores, 8 threads, 28W) | AMD Ryzen™ 3 PRO 8300GE Processor (3.50 GHz up to 4.90 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 64GB | 16GB (1x16GB) DDR5 Memory Expandable to 64 | 16 GB DDR5-5200MHz (SODIMM) expandable to 64GB |
| Video Card | Intel® UHD Graphics: Supports dual digital monitors at 2560 X 1440 resolution | Radeon™ 740M Graphics, with support for up to 3 Digital Monitors via (2560 x 1440) 2x DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports 2 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not Included | Not included | Not Included |
| 1st Hard Drive | M.2 2230 512GB PCIe NVMe SSD | 512GB 2280 PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | N/A | N/A | N/A |
| USB Ports | Front Ports: (1) USB 3.2 Gen1; (1) USB 3.2 Gen2 type-c Rear Ports: (2) USB 2.0; (2) USB 3.2 Gen1 | Eight (8) Total: Front: (1) Type-C® SuperSpeed USB 20Gbps (2) Type-A SuperSpeed USB 10Gbps Rear: (2) Type-A SuperSpeed USB 10Gbps signaling rate (2) Type A SuperSpeed USB 5Gbps signaling rate port (1) Type-C® USB 4.0 with Alt mode and 100W Power in | Front Ports 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2), with 5V@0.9A charging 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), with Always On and 5V@2.1A charging 1x USB-A (USB 10Gbps / USB 3.2 Gen 2) Rear Ports 1x USB-A (USB 10Gbps / USB 3.2 Gen 2) 3x USB-A (Hi-Speed USB / USB 2.0) |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | N/A | N/A | Realtek Wi-Fi 6 RTL8852BE 2x2 AX & Bluetooth® 5.1 or above |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Internal High-Definition Audio | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC233 codec |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 8.0 |
| Environmental | EPEAT Registered Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (H) 7.17in (W) 1.42in (D) 7.01in, Weight 2.56lb | 6.97 x 7.13 x 1.35 in 2.64 lbs. | 7.05 x 7.2 x 1.44 inches 2.76 lbs |

| 1.6 Micro/Tiny Desktop (Intel 245T Proc, 512GB SSD with Wireless Card) | Dell | HP | Lenovo |
|---|--|---|---|
| Description | Compact business class PC designed for basic tasks such as Entry-Level Word Processing, Spreadsheets, Mail viewing, PDF viewing, Presentation Viewing, etc. VESA mount capable with wireless card. | | |
| Vendor Model Name and Number | Dell Pro Micro QCM1250 | Prodesk 4 Mini G1i | ThinkCentre M70q Gen 6 |
| Type | Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel(R) Core(TM) Ultra 5 245T vPro(R) (13 TOPS NPU, 14 cores, up to 5.1GHz) | Intel® Core™ Ultra 5-245T Processor with Intel® UHD Graphics 4Xe (2.2GHz, up to 5.1GHz, 24MB L3 Cache, 14 Cores, 14 Threads) 35W, Supports Intel® vPro® Technology | Intel® Core™ Ultra 5 245T vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.10 GHz) |
| Trusted Platform Module | Yes | TPM 2.0 | Yes |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 64GB | 16GB (1x16GB) DDR5 Memory Expandable to 64 | 16 GB DDR5-5600MT/s (SODIMM) expandable to 64GB |
| Video Card | Intel® UHD Graphics: Supports dual digital monitors at 2560 X 1440 resolution | Intel® UHD Graphics 4Xe, with support for up to 3 Digital Monitors (2560 x 1440) via 2x DisplayPort™ 2.1 (rear) and 1 HDMI 2.1(rear) | Integrated Graphics, Supports 2 independent displays via onboard ports (2x DP and 1x HDMI®) |
| Cables / Connectors | Not Included | Not included | Not Included |
| 1st Hard Drive | M.2 2230 512GB PCIe NVMe SSD | 512GB 2280 PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal |
| 2nd Hard Drive | N/A | N/A | N/A |
| PCIe Slots | N/A | N/A | N/A |
| USB Ports | Front Ports: (1) USB 3.2 Gen1; (1) USB 3.2 Gen2 type-c Rear Ports: (2) USB 2.0; (2) USB 3.2 Gen1 | Eight (8) Total: Front: (1) Type-C® SuperSpeed USB 20Gbps (2) Type-A SuperSpeed USB 10Gbps Rear: (2) Type-A SuperSpeed USB 10Gbps signaling rate (2) Type A SuperSpeed USB 5Gbps signaling rate port (1) Type-C® USB 4.0 with Alt mode and 100W Power in | Front Ports 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2), data transfer only 2x USB-A (USB 10Gbps / USB 3.2 Gen 2), one supports Always On and 5V@2.1A charging Rear Ports 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), one supports Smart Power On |
| Operating System Software | No Media Disk Included | No Media Disk Included | Downloadable |
| Integrated NIC | Integrated RJ45 Ethernet port 10/100/1000 Mbps | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN | Integrated Gigabit Ethernet (10/100/1000) Card, Wake on LAN |
| Internal Wireless Card | Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, MU-MIMO, Bluetooth® wireless card | Intel AX211 Wi-Fi 6E +Bluetooth 5.3 WW WLAN | Intel® Wi-Fi 6 AX203 2x2 AX & Bluetooth® 5.1 or above |
| Keyboard | Dell KB216 Wired Multi-Media Keyboard | HP 125 v2 Black Wired USB Keyboard | USB, Traditional, Black - English (US) |
| Mouse | Dell MS116 Wired Mouse, Black - USB, 2- button, optical Mouse with scroll | HP Black 125 Wired USB Mouse, 2-button, Optical mouse with scroll | USB Calliope Mouse (Black) |
| Audio | Internal High-Definition Audio | Realtek ALC3252 - Supports resolutions from 16 to 24-bit | High Definition (HD) Audio, Realtek® ALC233VB |
| Resource CD | Not Included | Not Included | Downloadable |
| Expansion Bays | N/A | N/A | N/A |
| Hardware Warranty | 3 Year, Next Business Day Onsite with options to upgrade to years 4-5 NBD, On-site | 3 Year, HP Next Business Day, On-Site Included. Options to upgrade to years 4-5 NBD, On-Site | 3 Year Lenovo Premier Support |
| Keep Hard Drive | Yes, 3 year KYHD with options to upgrade to years 4-5 | 3 Year, HP Digital Media Retention Included. Options to upgrade to years 4-5 HP Digital Media Retention | 3 Year Lenovo Keep Your Drive |
| Certification | N/A | N/A | N/A |
| Energy Consumption | ENERGY STAR® certified | US ENERGY STAR® certified | ENERGY STAR® 9.0 |
| Environmental | EPEAT Registered Gold | EPEAT Gold | EPEAT™ Gold |
| Unit dimensions and weight | (H) 7.17in (W) 1.42in (D) 7.01in, Weight 2.56lb | 6.97 x 7.13 x 1.35 in 2.64 lbs. | 7.05 x 7.2 x 1.44 inches 2.6 lbs |

Portable/Laptop Configurations

| 2.1a Standard Laptop (Intel, Non-Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|--|--|---|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14250 | Probook 4 G1i 14" | ThinkPad E14 Gen 7 Intel | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 5 235U vPro(R) (12 TOPS NPU, 12 cores, up to 4.9 GHz) | Intel® Core™ Ultra5 processor 225U 12 cores 2 8 2 14 12 MB 4.80 GHz 3.80 GHz 12 TOPS | Intel® Core™ Ultra 5 225U Processor (E-cores up to 3.80 GHz P-cores up to 4.80 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | N/A | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory, expandable to 32.0GB by replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | Intel® Graphics Intel® ARC™ Graphics | Models with U or H series processor: supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™) <ul style="list-style-type: none"> • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 5120x2880@60Hz | |
| Video Display | 14", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 x 1200 | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fHDC 60Hz bnt LCD Panel, Non-Touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 300 nits, 60Hz | |
| Hard Drive | 256GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 256GB PCIe NVMe Value Solid State Drive | 256 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |

| 2.1a Standard Laptop (Intel, Non-Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|--|---|-----------|
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® AX211 (802.11AX) Wi-Fi 6E 2x2 | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 45 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 3-cell, 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | 318.60 mm (W) x 224.35 mm (D) x 10.90 mm 3.09lbs | 12.32 x 8.67 x 0.40/0.60 (front/rear 2.95 lbs | |

| 2.1b Standard Laptop (Intel, Non-Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|---|--|---|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14250 | Probook 4 G1i 14" | ThinkPad E14 Gen 7 Intel | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 5 235U vPro(R) (12 TOPS NPU, 12 cores, up to 4.9 GHz) | Intel® Core™ Ultra5 processor 225U 12 cores 2 8 2 14 12 MB 4.80 GHz 3.80 GHz 12 TOPS | Intel® Core™ Ultra 5 225U Processor (E-cores up to 3.80 GHz P-cores up to 4.80 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | N/A | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory, expandable to 32.0GB by replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | Intel® Graphics Intel® ARC™ Graphics | Models with U or H series processor: supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™) • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 5120x2880@60Hz | |
| Video Display | 14", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 x 1200 | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fHDC 60Hz bnt LCD Panel, Non-Touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 300 nits, 60Hz | |
| Hard Drive | 512GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |

| 2.1b Standard Laptop (Intel, Non-Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|--|---|-----------|
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® AX211 (802.11AX) Wi-Fi 6E 2x2 | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 45 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | 318.60 mm (W) x 224.35 mm (D) x 10.90 mm 3.09lbs | 12.32 x 8.67 x 0.40/0.60 (front/rear) 2.95 lbs | |

| 2.1c Standard Laptop (Intel, Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|--|---|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14250 | Probook 4 G1i 14" | ThinkPad E14 Gen 7 Intel | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 5 235U vPro(R) (12 TOPS NPU, 12 cores, up to 4.9 GHz) | Intel® Core™ Ultra5 processor 225U 12 cores 2 8 2 14 12 MB 4.80 GHz 3.80 GHz 12 TOPS | Intel® Core™ Ultra 5 225U Processor (E-cores up to 3.80 GHz P-cores up to 4.80 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | No | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory, expandable to 32.0GB by replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | Intel® Graphics Intel® ARC™ Graphics | Models with U or H series processor: supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™) <ul style="list-style-type: none"> • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 5120x2880@60Hz | |
| Video Display | 14", Touch, FHD+, 400 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 x 1200 | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fFHD 60Hz bnt LCD Panel, Touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 300 nits, 60Hz | |
| Hard Drive | 256GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 256GB PCIe NVMe Value Solid State Drive | 256 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |

| 2.1c Standard Laptop (Intel, Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|---|--|---|-----------|
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® AX211 (802.11AX) Wi-Fi 6E 2x2 | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 1080P FHD IR Hybrid with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 45 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | 318.60 mm (W) x 224.35 mm (D) x 10.90 mm 3.09lbs | 12.32 x 8.67 x 0.40/0.60 (front/rear) 2.95 lbs | |

| 2.1d Standard Laptop (Intel, Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft (ALTERNATE MODEL) |
|---|---|--|---|---|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14250 | Probook 4 G1i 14" | ThinkPad E14 Gen 7 Intel | Surface Laptop 7th Edition Intel 15" |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel(R) Core(TM) Ultra 5 235U vPro(R) (12 TOPS NPU, 12 cores, up to 4.9 GHz) | Intel® Core™ Ultra5 processor 225U 12 cores 2 8 2 14 12 MB 4.80 GHz 3.80 GHz 12 TOPS | Intel® Core™ Ultra 5 225U Processor (E-cores up to 3.80 GHz P-cores up to 4.80 GHz) | Intel® Core™ Ultra 5 238V 8 cores, 8 threads, 8MB, 1.5 GHz, up to 4.7 GHz |
| Trusted Platform Module | Yes | Yes | Yes | Yes |
| Intel vPro | vPro Disabled | No | No | No |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory, expandable to 32.0GB by replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | 16 GB LPDDR5x RAM. Memory is integrated via Memory on Package (MoP) and not user-configurable |
| Video | Integrated Intel(R) graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | Intel® Graphics Intel® ARC™ Graphics | Models with U or H series processor: supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™) • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 5120x2880@60Hz | Intel® Arc™ Graphics supports up to three external monitors, each with a resolution of 3840 × 2160 (4K) at 60Hz. |
| Video Display | 14", Touch, FHD+, 400 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 x 1200 | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fFHD 60Hz bnt LCD Panel, Touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 300 nits, 60Hz | PixelSense Flow™ touchscreen display with 3:2 aspect ratio, 2496 × 1664, anti-reflective coating (ISO 9241-307 certified) |
| Hard Drive | 512GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2242 PCIe Gen4 TLC Opal | Removable PCIe Gen 4 SSD: 512 GB. Uses BitLocker, Microsoft's built-in drive encryption software. |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | 2 ×USB-C with USB4/Thunderbolt 4 ports; 1xUSB-A 3.2 |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | 2 ×USB-C with USB4/Thunderbolt 4 ports with support for: charging, data transfer, DisplayPort 2.1 with support up to 2 x 4K monitor. Supports fast charging with minimum 60W charger via Surface Connect or USB-C |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | 2 ×USB-C with USB4/Thunderbolt 4 ports with support for: charging, data transfer, DisplayPort 2.1 with support up to 2 x 4K monitor. Supports fast charging with minimum 60W charger via Surface Connect or USB-C |

| 2.1d Standard Laptop (Intel, Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft (ALTERNATE MODEL) |
|--|---|--|---|--|
| Operating System Software | No Media Disk Included | Not included | Downloadable | Windows 11 Pro installed |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | Must order Thunderbolt 4 dock, PT# T8I-00001 |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | Yes |
| Internal Wireless Adapter | Intel® AX211 (802.11AX) Wi-Fi 6E 2x2 | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | Wi-Fi 7 |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 1080P FHD IR Hybrid with Microphone and Privacy Shutter | 1080p full HD camera with support for Windows Studio Effects; Windows Hello IR authentication camera; no integrated privacy shutter. |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | Omnisonic® Speakers with Dolby® Atmos®, Dual Studio Mics with voice focus |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 45 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | 65W PSU |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | Nominal (WH): 66 Min (WH): 64 |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | Not included |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | 3YR NBD with Accidental Damage coverage (must be added to order – part# ZWL-00042) Microsoft does not offer onsite |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | Included with 3 Year warranty part above |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | ENERGY STAR® certified |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | EPEAT Gold |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | 318.60 mm (W) x 224.35 mm (D) x 10.90 mm 3.09lbs | 12.32 x 8.67 x 0.40/0.60 (front/rear) 2.95 lbs | Length: 12.96" (329 mm) Width: 9.41" (239 mm) Height: 0.72" (18.29 mm) Weight: 3.66 lbs. (1.66 kg) |

| 2.2a Standard Laptop (AMD, Non-Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|---|--|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14255 | Probook 4 G1a 14" | ThinkPad E14 Gen 7 AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) 5 220 Processor (22 MB cache, 6 cores, 12 threads, up to 4.9 GHz) | HP IDS UMA Ryzen 5 220 4 14 inch G1ah Base NB PC | AMD Ryzen™ 5 220 Processor (3.20 GHz up to 4.90 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | No | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory Expandable to 32GB by Replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | AMD Radeon(TM) 740M integrated graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | AMD Radeon™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and USB4®) <ul style="list-style-type: none"> • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 4096x2160@60Hz • USB4® supports up to 7680x4320@60Hz | |
| Video Display | 14", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 x 1200 | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fFHDC 60Hz bnt LCD Panel, Non-touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 300 nits, 60Hz | |
| Hard Drive | 256GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 256GB PCIe NVMe Value Solid State Drive | 256 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with USB PD 3.1 and DisplayPort™ 1.4 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 2 USB Type-C® 10Gbps 1HDMI 2.1 | 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | N/A | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |

| 2.2a Standard Laptop (AMD, Non-Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|---|--|---|-----------|
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax | Mediatek RZ616 Wi-Fi 6E AIM-T 160 MHz | Wi-Fi 6E 2x2 AX & Bluetooth® 5.1 or above | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | Starting at 3.09 lb 318.60 mm (W) x 224.30 mm (D) x 10.90 mm | 12.32 x 8.67 x 0.40/0.60 (front/rear) 3.11 lbs | |

| 2.2b Standard Laptop (AMD, Non-Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|--|---|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14255 | Probook 4 G1a 14" | ThinkPad E14 Gen 7 AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) 5 220 Processor (22 MB cache, 6 cores, 12 threads, up to 4.9 GHz) | HP IDS UMA Ryzen 5 220 4 14 inch G1ah Base NB PC | AMD Ryzen™ 5 220 Processor (3.20 GHz up to 4.90 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory Expandable to 32GB by Replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | AMD Radeon(TM) 740M integrated graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | AMD Radeon™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and USB4®) <ul style="list-style-type: none"> • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 4096x2160@60Hz • USB4® supports up to 7680x4320@60Hz | |
| Video Display | 14", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 x 1200 | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fFHD 60Hz bnt LCD Panel, Non-touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 300 nits, 60Hz | |
| Hard Drive | 512GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with USB PD 3.1 and DisplayPort™ 1.4 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 2 USB Type-C® 10Gbps 1HDMI 2.1 | 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | N/A | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax | Mediatek RZ616 Wi-Fi 6E AIM-T 160 MHz | Wi-Fi 6E 2x2 AX & Bluetooth® 5.1 or above | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |

| 2.2b Standard Laptop (AMD, Non-Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|---|---|---|-----------|
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | Starting at 3.09 lb 318.60 mm (W) x 224.30 mm (D) x 10.90 mm | 12.32 x 8.67 x 0.40/0.60 (front/rear) 3.11 lbs | |

| 2.2c Standard Laptop (AMD, Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14255 | Probook 4 G1a 14" | ThinkPad E14 Gen 7 AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) 5 220 Processor (22 MB cache, 6 cores, 12 threads, up to 4.9 GHz) | HP IDS UMA Ryzen 5 220 4 14 inch G1ah Base NB PC | AMD Ryzen™ 5 220 Processor (3.20 GHz up to 4.90 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory Expandable to 32GB by Replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | AMD Radeon(TM) 740M integrated graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | AMD Radeon™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and USB4®) • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 4096x2160@60Hz • USB4® supports up to 7680x4320@60Hz | |
| Video Display | 14", Touch, FHD+ 1920 x 1200, 60Hz, IPS, Anti-Glare, 300 nit, 100% sRGB, FHD+IR Cam | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fFHD 60Hz bnt LCD Panel, Touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 300 nits, 60Hz, 1080P FHD IR Hybrid with Microphone, AL, Black | |
| Hard Drive | 256GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 256GB PCIe NVMe Value Solid State Drive | 256 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with USB PD 3.1 and DisplayPort™ 1.4 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 2 USB Type-C® 10Gbps 1HDMI 2.1 | 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | N/A | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax | Mediatek RZ616 Wi-Fi 6E AIM-T 160 MHz | Wi-Fi 6E 2x2 AX & Bluetooth® 5.1 or above | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Ruduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 1080P FHD IR Hybrid with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |

| 2.2c Standard Laptop (AMD, Touchscreen) (256GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|---|---|---|-----------|
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | Starting at 3.09 lb 318.60 mm (W) x 224.30 mm (D) x 10.90 mm | 12.32 x 8.67 x 0.40/0.60 (front/rear) 3.11 lbs | |

| 2.2d Standard Laptop (AMD, Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Description | General Purpose Business Class Laptop, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14255 | Probook 4 G1a 14" | ThinkPad E14 Gen 7 AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) 5 220 Processor (22 MB cache, 6 cores, 12 threads, up to 4.9 GHz) | HP IDS UMA Ryzen 5 220 4 14 inch G1ah Base NB PC | AMD Ryzen™ 5 220 Processor (3.20 GHz up to 4.90 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | | No | |
| Memory | 16 GB: 2 x 8 GB, DDR5, expandable to 32GB | 16GB (2x8GB) DDR5 5600 SODIMM Memory Expandable to 32GB by Replacement | 16 GB DDR5-5600MT/s (SODIMM) - (2 x 8 GB) expandable to 64GB | |
| Video | AMD Radeon(TM) 740M integrated graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | AMD Radeon™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and USB4®) <ul style="list-style-type: none"> • HDMI® supports up to 4096x2160@60Hz • USB-C® supports up to 4096x2160@60Hz • USB4® supports up to 7680x4320@60Hz | |
| Video Display | 14", Touch, FHD+ 1920 x 1200, 60Hz, IPS, Anti-Glare, 300 nit, 100% sRGB, FHD+IR Cam | 14.0 inch AG WUXGA (1920x1200) LED UWVA 300 fFHD 60Hz bnt LCD Panel, Touch | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 300 nits, 60Hz | |
| Hard Drive | 512GB SSD TLC M.2, PCIe Gen4(compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with USB PD 3.1 and DisplayPort™ 1.4 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 2 USB Type-C® 10Gbps 1HDMI 2.1 | 1x USB-C® (USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | N/A | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax | Mediatek RZ616 Wi-Fi 6E AIM-T 160 MHz | Wi-Fi 6E 2x2 AX & Bluetooth® 5.1 or above | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C Low Cost 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 64Wh Rechargeable Li-ion Battery | |

| 2.2d Standard Laptop (AMD, Touchscreen) (512GB SSD) | Dell | HP | Lenovo | Microsoft |
|---|---|---|---|-----------|
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Width: 12.3 in, Depth: 8.8 in, Height: 0.79 , Weight: 2.71lbs | Starting at 3.09 lb 318.60 mm (W) x 224.30 mm (D) x 10.90 mm | 12.32 x 8.67 x 0.40/0.60 (front/rear) 3.11 lbs | |

| 2.3a High End Laptop 1 (Intel Processor, non-vPro, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|--|---|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 16 PC16250 | EliteBook 6 G1i 16" | ThinkPad L16 Gen 2 Intel | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 255U (12 TOPS NPU, 12 cores, up to 5.2 GHz) | HP IDS UMA Ultra 7 255U 6 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 255U Processor (E-cores up to 4.20 GHz P-cores up to 5.20 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | No | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 5600 SODIMM Memory | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to (3) monitors, (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Video Display | 16", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 X 1200 | 16.0 inch AG WUXGA (1920x1200) UWVA 300 fFHD 60Hz bnt LCD Panel | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB SSD M.2 2230, PCIe Gen4 (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (Hi-Speed USB / USB 2.0) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® AX211 Wi-Fi 6E 2x2 802.11ax | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter, Microphone | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 720P HD RGB with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, optimized with Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C 90% PCC 2pin AC Adapter - US | |

| 2.3a High End Laptop 1 (Intel Processor, non-vPro, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|--|---|-----------|
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .74in front/.82 in rear (W) 14.09in (D) 9.9in; Weight 4.23lb | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.06 x 9.98 x 0.43/0.77 (front/rear) 3.96 lbs | |

| 2.3b High End Laptop 1 (Intel Processor, non-vPro, Touchscreen) | Dell | HP | Lenovo | Microsoft (ALTERNATE MODEL) |
|--|---|--|---|---|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 16 PC16250 | EliteBook 6 G1i 16" | ThinkPad L16 Gen 2 Intel | Surface Laptop 7th Edition Intel 15" |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit |
| Processor | Intel(R) Core(TM) Ultra 7 255U (12 TOPS NPU, 12 cores, up to 5.2 GHz) | Intel® Core™ Ultra 7 255U (12 MB cache, 12 cores, 14 threads, up to 5.2 GHz Turbo) | Intel® Core™ Ultra 7 255U Processor (E-cores up to 4.20 GHz P-cores up to 5.20 GHz) | Intel® Core™ Ultra 7 268V 8 cores, 8 threads, 8MB, 2.2 GHz, up to 5.0 GHz |
| Trusted Platform Module | Yes | Yes | Yes | Yes |
| Intel vPro | vPro Disabled | No | No | No |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | 32 GB LPDDR5x RAM. Memory is integrated via Memory on Package (MoP) and not user-configurable |
| Video | Integrated Intel(R) graphics, supports up to (3) monitors, (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | Intel® Arc™ Graphics supports up to three external monitors, each with a resolution of 3840 × 2160 (4K) at 60Hz |
| Video Display | 16", Touch, FHD+, 300 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 X 1200 | 16.0 inch AG WUXGA (1920x1200) UWVA 300 f5MP IR 60Hz Touchscreen bnt LCD Panel | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 400 nits, 60Hz | PixelSense Flow™ touchscreen display with 3:2 aspect ratio, 2496 × 1664, anti-reflective coating (ISO 9241-307 certified) |
| Hard Drive | 512GB SSD M.2 2230, PCIe Gen4 (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | Removable PCIe Gen 4 SSD: 512 GB. Uses BitLocker, Microsoft's built-in drive encryption software. |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (Hi-Speed USB / USB 2.0) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | 2 ×USB-C with USB4/Thunderbolt 4 ports; 1xUSB-A 3.2 |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | 2 ×USB-C with USB4/Thunderbolt 4 ports with support for: charging, data transfer, DisplayPort 2.1 with support up to 2 x 4K monitor. Supports fast charging with minimum 60W charger via Surface Connect or USB-C |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | 2 ×USB-C with USB4/Thunderbolt 4 ports with support for: charging, data transfer, DisplayPort 2.1 with support up to 2 x 4K monitor. Supports fast charging with minimum 60W charger via Surface Connect or USB-C |
| Operating System Software | No Media Disk Included | Not included | Downloadable | Windows 11 Pro installed |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | Requirement can be met via Thunderbolt 4 dock. |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | Yes |

| 2.3b High End Laptop 1 (Intel Processor, non-vPro, Touchscreen) | Dell | HP | Lenovo | Microsoft (ALTERNATE MODEL) |
|---|---|---|---|--|
| Internal Wireless Adapter | Intel® AX211 Wi-Fi 6E 2x2 802.11ax | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | Wi-Fi 7 |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter, Microphone | 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Dual Microphone and Privacy Shutter | 1080p full HD camera with support for Windows Studio Effects; Windows Hello IR authentication camera; no integrated privacy shutter. |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, optimized with Dolby Atmos® | Omnisonic® Speakers with Dolby® Atmos®, Dual Studio Mics with voice focus |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter - 1M cord | 65W USB-C 90% PCC 2pin AC Adapter - US | 65W PSU |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter | Nominal (WH): 66 Min (WH): 64 |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | Not included |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | 3YR NBD with Accidental Damage coverage (must be added to order – part# ZWL-00042) Microsoft does not offer onsite |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | Included with 3 Year warranty part above |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | ENERGY STAR® certified |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | EPEAT Gold |
| Unit dimensions and weight | (H) .74in front/.82 in rear (W) 14.09in (D) 9.9in; Weight 4.23lb | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.06 x 9.98 x 0.43/0.77 (front/rear) 3.96 lbs | Length: 12.96" (329 mm) Width: 9.41" (239 mm) Height: 0.72" (18.29 mm) Weight: 3.66 lbs. (1.66 kg) |

| 2.3c High End Laptop 1 (AMD Processor, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|--|--|--|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 16 PC16255 | EliteBook 6 G1a 16" | ThinkPad L16 Gen 2 AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) AI 7 PRO 350 Processor (24 MB cache, 8 cores, 16 threads, up to 5.0 GHz, 50 TOPS NPU) | AMD Ryzen 7-250 Pro (16MB cache, 8 cores, 16 threads, up to 5.1 GHz Turbo) | AMD Ryzen™ 7 PRO 250 Processor (3.30 GHz up to 5.10 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | No | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | AMD Radeon(TM) 860M graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Video Display | 16", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 X 1200 | 16.0 inch WUXGA(1920x1200) Anti-Glare, 300nit, Non-Touch | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB SSD M.2 2230, PCIe Gen4 (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (Hi-Speed USB / USB 2.0) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax | Intel AX211 Wi-Fi 6E | MediaTek Wi-Fi 7 MT7925 2x2 BE & Bluetooth® 5.4 | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter, Microphone | FHD USB2 NFOV Integrated Camera with privacy shutter | 720P HD RGB with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, optimized with Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter - 1M cord | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |

| 2.3c High End Laptop 1 (AMD Processor, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|---|---|-----------|
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .74in front/.82 in rear (W) 14.09in (D) 9.9in; Weight 4.23lb | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.06 x 9.98 x 0.43/0.77 (front/rear) 3.96 lbs | |

| 2.3d High End Laptop 1 (AMD Processor, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 16 PC16255 | EliteBook 6 G1a 16" | ThinkPad L16 Gen AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) AI 7 PRO 350 Processor (24 MB cache, 8 cores, 16 threads, up to 5.0 GHz, 50 TOPS NPU) | AMD Ryzen 7-250 Pro (16MB cache, 8 cores, 16 threads, up to 5.1 GHz Turbo) | AMD Ryzen™ 7 PRO 250 Processor (3.30 GHz up to 5.10 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | No | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | AMD Radeon(TM) 860M graphics, supports up to 3 monitors; (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Video Display | 16", Touch, FHD+ 1920 x 1200, 60Hz, IPS, Anti-Glare, 300 nit, 45% NTSC, FHD+IR Cam | 16.0 inch WUXGA(1920x1200) Touch, Anti-Glare, 300nit | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB SSD M.2 2230, PCIe Gen4 (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (Hi-Speed USB / USB 2.0) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | N/A | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 1.4a | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax | Intel AX211 Wi-Fi 6E | MediaTek Wi-Fi 7 MT7925 2x2 BE & Bluetooth® 5.4 | |
| Webcam | FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter, Microphone | 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, optimized with Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter - 1M cord | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter | |

| 2.3d High End Laptop 1 (AMD Processor, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .74in front/.82 in rear (W) 14.09in (D) 9.9in; Weight 4.23lb | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.06 x 9.98 x 0.43/0.77 (front/rear) 3.96 lbs | |

| 2.4a High End Laptop 2 (Intel 265U Processor, vPro, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|--|---|---|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 16 PC16250 | EliteBook 6 G1i 16" | ThinkPad L16 Gen 2 Intel | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 265U vPro(R) (12 TOPS NPU, 12 cores, up to 5.3 GHz) | HP IDS UMA Ultra 7 265U 6 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 265U vPro® Processor (E-cores up to 4.20 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | Yes - vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to (3) monitors, (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Video Display | 16", Non-Touch, FHD+, 300 nit, 45% NTSC, Anti-Glare, FHD Cam, 1920 X 1200 | 16.0 inch WUXGA(1920x1200) Touch, Anti-Glare, 300nit | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB SSD M.2 2230, PCIe Gen4 (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (Hi-Speed USB / USB 2.0) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | One (1) Thunderbolt 4 Port | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® AX211 Wi-Fi 6E 2x2 802.11ax | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 6E AX211 2x2 AX vPro® & Bluetooth® 5.3 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 720P HD RGB with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, optimized with Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |

| 2.4a High End Laptop 2 (Intel 265U Processor, vPro, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|---|---|-----------|
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .74in front/.82 in rear (W) 14.09in (D) 9.9in; Weight 4.23lb | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.06 x 9.98 x 0.43/0.77 (front/rear) 3.96 lbs | |

| 2.4b High End Laptop 2 (Intel 265U Processor, vPro, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|---|--|---|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 16 PC16250 | EliteBook 6 G1i 16" | ThinkPad L16 Gen 2 Intel | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 265U vPro(R) (12 TOPS NPU, 12 cores, up to 5.3 GHz) | HP IDS UMA Ultra 7 265U 6 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 265U vPro® Processor (E-cores up to 4.20 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | Yes - vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to (3) monitors, (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Video Display | 16", Touch, FHD+, 300 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 X 1200 | 16.0 inch AG WUXGA (1920x1200) UWVA 300 f5MP IR 60Hz Touchscreen bnt LCD Panel | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB SSD M.2 2230, PCIe Gen4 (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 2xUSB 3.2 Gen1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (Hi-Speed USB / USB 2.0) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 2.1 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 1xUSB Type-C w/PD 3.1 & DP 2.0 | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C Thunderbolt 4.0 w/PD 3.1 & DP 2.1 | One (1) Thunderbolt 4 Port | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® AX211 Wi-Fi 6E 2x2 802.11ax | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 6E AX211 2x2 AX vPro® & Bluetooth® 5.3 | |
| Webcam | FHD HDR + IR Camera, Facial Recognition, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, optimized with Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter | |

| 2.4b High End Laptop 2 (Intel 265U Processor, vPro, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|---|---|---|-----------|
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .74in front/.82 in rear (W) 14.09in (D) 9.9in; Weight 4.23lb | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.06 x 9.98 x 0.43/0.77 (front/rear) 3.96 lbs | |

| 2.4c High End Laptop 2 (Intel 265H Processor, vPro, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|--|--|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16/16XE MC16250 | EliteBook 6 G1i 16" | ThinkPad T16 Gen 4 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 7 265H, vPro Enterprise (24MB, 16 cores, 16 threads, up to 5.30 GHz Turbo, 45W) | HP IDS UMA Ultra 7 265H for WWAN 6 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 265H vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to (3) monitors, (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Video Display | 16" FHD+ LCD with 300 nits, Non-touch, FHD HDR RGB Camera, Microphone, WLAN, 1920 X 1200 | 16.0 inch AG WUXGA (1920x1200) UWVA 300 for WWAN fHDC 60Hz bnt LCD Panel | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB, M.2 2230, Gen4 PCIe NVMe, SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 1xUSB Type-c w/PD 3.1 & DP2.0 2xUSB Type-A 3.2 Gen1 | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-c thunderbolt 4.0 | One (1) Thunderbolt 4 Port | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 100W AC adapter, USB Type C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 100W USB-C Slim 90% PCC 3pin AC Adapter - US | |
| Battery | 4-cell, 64 Wh, ExpressCharge | RX Long Life 56Whr Fast Charge 3 cell Battery | 86Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 100W AC adapter | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |

| 2.4c High End Laptop 2 (Intel 265H Processor, vPro, Non-Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|--|--|-----------|
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .75in rear/.59in front, (W) 14.09in, (D) 10.08 in; Weight 4.65lbs | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.16 x 9.87 x 0.46/0.71 (front/rear) 3.89 lbs | |

| 2.4d High End Laptop 2 (Intel 265H Processor, vPro, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|---|--|-----------|
| Description | Business Class laptop designed for increased performance and productivity, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16/16XE MC16250 | EliteBook 6 G1i 16" | ThinkPad T16 Gen 4 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 7 265H, vPro Enterprise (24MB, 16 cores, 16 threads, up to 5.30 GHz Turbo, 45W) | HP IDS UMA Ultra 7 265H for WWAN 6 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 265H vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) Expandable to 64GB | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | Integrated Intel(R) graphics, supports up to (3) monitors, (2) 4K monitors and laptop screen | Intel® Graphics Intel® Arc™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Video Display | 16" FHD+ LCD with 300 nits, Touch, FHD HDR IR Camera, Microphone, WLAN and WWAN, 1920 X 1200 | 16.0 inch AG WUXGA (1920x1200) UWVA 300 for WWAN f5MP IR 60Hz Touchscreen bnt LCD Panel | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB, M.2 2230, Gen4 PCIe NVMe, SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 1xUSB Type-c w/PD 3.1 & DP2.0 2xUSB Type-A 3.2 Gen1 | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 2 USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-c thunderbolt 4.0 | One (1) Thunderbolt 4 Port | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 100W AC adapter, USB Type C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 100W USB-C Slim 90% PCC 3pin AC Adapter - US | |

| 2.4d High End Laptop 2 (Intel 265H Processor, vPro, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|---|---|--|-----------|
| Battery | Battery - 4 cell, 64Whr, ExpressCharge(TM) Capable, standard battery | RX Long Life 56Whr Fast Charge 3 cell Battery | 86Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) with 100W AC adapter | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .75in rear/.59in front, (W) 14.09in, (D) 10.08 in; Weight 4.65lbs | Starting at (3.86 lb) 359.40 mm (W) x 251.00 mm (D) x 10.90 mm | 14.16 x 9.87 x 0.46/0.71 (front/rear) 3.89 lbs | |

| 2.5a Elite Laptop 1 (Intel i7, 4GB Video, 32GB Memory, Non-Touch) | Dell | HP | Lenovo | Microsoft |
|--|--|--|--|-----------|
| Description | Business Class Entry Mobile Workstation Laptop that is thin and lightweight for easier portability, under 4.1lbs. and provides increased performance and productivity for multi-tasking across collaboration, business and office applications, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16/16XE MC16250 | ZBook 8 G1i 16" | ThinkPad P16s Gen 4 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 7 265H, vPro Enterprise (24MB, 16 cores, 16 threads, up to 5.30 GHz Turbo, 45W) | HP IDS DSC Ultra 7 265H 8 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 265H vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 5600 SODIMM Memory Expandable to 64GB By Replacement | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | NVIDIA RTX 500 Blackwell 6GB GDDR7 (support up to 3 external 4K displays plus laptop display) | NVIDIA RTX™ 500 Ada Laptop GPU (4 GB GDDR6 dedicated) Supports up to 3 monitors including 2x 4K External and Laptop screen | NVIDIA RTX PRO™ 500 Blackwell Laptop GPU 6GB GDDR7 | |
| Video Display | 16" FHD+ (1920x1200) LCD with 300 nits, Non-touch, FHD HDR RGB Camera, Microphone, WLAN | 16.0 inch AG WUXGA(1920x1200) 300nit, for 5MP | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | 512GB, M.2 2230, Gen4 PCIe NVMe, SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 1xUSB Type-c w/PD 3.1 & DP2.0 2xUSB Type-A 3.2 Gen1 | 1 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 1 USB Type-C® 10Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-c thunderbolt 4.0 | 2 Thunderbolt™ 4 with USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.4 vPro WW WLAN | Yes | |
| Internal Wireless Adapter | Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card | Intel BE201 Wi-Fi 7 | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 WFOV Integrated Camera with privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |

| 2.5a Elite Laptop 1 (Intel i7, 4GB Video, 32GB Memory, Non-Touch) | Dell | HP | Lenovo | Microsoft |
|---|---|--|--|-----------|
| Power | 130W AC adapter, USB Type C, 3' power cord | HP 140W Slim USB-C AC Adapter Premium Packaging | 100W USB-C Slim 90% PCC 3pin AC Adapter - US | |
| Battery | 6 cell, 96Whr, ExpressCharge(TM) Capable, standard battery | MW Long Life 77Whr Fast Charge 8 cell Battery | 3 Cell Rechargeable Li-ion 75Wh | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR MWS | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Certification | Yes, ISV Certified | ISV Certified | ISV Certified | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .75in rear/.59in front, (W) 14.09in, (D) 10.08 in; Weight 4.65lbs | Starting at 3.79 lb 359.0 (W) x 250 (D) x 11.55 | 14.24 x 9.79 x 0.49 (front) / 0.71 (rear) 4.01lbs | |

| 2.5b Elite Laptop 1 (Intel i7, 4GB Video, 32GB Memory, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|--|--|--|-----------|
| Description | Business Class Entry Mobile Workstation Laptop that is thin and lightweight for easier portability, under 4.1lbs. and provides increased performance and productivity for multi-tasking across collaboration, business and office applications, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16/16XE MC16250 | ZBook 8 G1i 16" | ThinkPad P16s Gen 4 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 7 265H, vPro Enterprise (24MB, 16 cores, 16 threads, up to 5.30 GHz Turbo, 45W) | HP IDS DSC Ultra 7 265H 8 16 inch G1i Base NB PC | Intel® Core™ Ultra 7 265H vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 5600 SODIMM Memory Expandable to 64GB By Replacement | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | NVIDIA RTX 500 Blackwell 6GB GDDR7 (support up to 3 external 4K displays plus laptop) | NVIDIA RTX™ 500 Ada Laptop GPU (4 GB GDDR6 dedicated) Supports up to 3 monitors including 2x 4K External and Laptop screen | NVIDIA RTX PRO™ 500 Blackwell Laptop GPU 6GB GDDR7 | |
| Video Display | 16" FHD+ LCD with 300 nits, Touch, FHD HDR IR Camera, Microphone, WLAN and WWAN, 1920 X 1200 | 16.0 inch AG WUXGA(1920x1200) Touch, 300nit, for 5MP+IR | 16" WQUXGA (3840 x 2400), OLED, Anti-Reflection/Anti-Smudge, Dolby Vision™, Touch, 100%DCI-P3, 400 nits, 60Hz, Low Blue Light | |
| Hard Drive | 512GB, M.2 2230, Gen4 PCIe NVMe, SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 1xUSB Type-c w/PD 3.1 & DP2.0 2xUSB Type-A 3.2 Gen1 | 1 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 1 USB Type-C® 10Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-c thunderbolt 4.0 | 2 Thunderbolt™ 4 with USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.4 vPro WW WLAN | Yes | |
| Internal Wireless Adapter | Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card | Intel BE201 Wi-Fi 7 | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 IR AI WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 130W AC adapter, USB Type C, 3' power cord | HP 140W Slim USB-C AC Adapter Premium Packaging | 100W USB-C Slim 90% PCC 3pin AC Adapter - US | |

| 2.5b Elite Laptop 1 (Intel i7, 4GB Video, 32GB Memory, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|---|--|-----------|
| Battery | 6 cell, 96Whr, ExpressCharge(TM) Capable, | MW Long Life 77Whr Fast Charge 8 cell Battery | 3 Cell Rechargeable Li-ion 75Wh | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR MWS | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Certification | Yes, ISV Certified | ISV Certified | ISV Certified | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .75in rear/.59in front, (W) 14.09in, (D) 10.08 in; Weight 4.65lbs | Starting at 3.79 lb 359.0 (W) x 250 (D) x 11.55 | 14.24 x 9.79 x 0.49 (front) / 0.71 (rear) 4.01lbs | |

| 2.6a Elite Laptop 2 (Intel vPro, 8GB Video, 32GB Memory, Non-Touch) | Dell | HP | Lenovo | Microsoft |
|--|--|--|--|-----------|
| Description | Mobile Workstation intended for users that have high technology requirements such as video/animation production, application development, etc., support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16/16XE MC16250 | ZBook X G1i 16" | ThinkPad P16v Gen 3 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 9 285H, vPro Enterprise (24MB, 16 cores, 16 threads, up to 5.40 GHz Turbo, 45W) | HP IDS DSC RTX PRO 2000 8GB Ultra 9 285H X 16 inch G1i Base NB PC | Intel® Core™ Ultra 9 285H vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.40 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32GB: 2x16GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 5600 SODIMM Memory Expandable to 64GB By Replacement | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | NVIDIA RTX 1000 Blackwell 8GB GDDR7 (support up to 3 external 4K displays plus laptop display) | Nvidia RTX Pro 2000 8GB Supports up to 3 monitors including 2x 4K External and Laptop screen | NVIDIA RTX PRO™ 2000 Blackwell Laptop GPU 8GB GDDR7 | |
| Video Display | 16" FHD+ LCD with 300 nits, Non-touch, FHD HDR RGB Camera, Microphone, WLAN, 1920 X 1200 | 16.0 inch WUXGA(1920x1200) Anti-Glare, 300nit, for FHD Cam | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 100% sRGB, 500 nits, 60Hz, Low Power | |
| Hard Drive | 1TB, M.2 2280, Gen4 PCIe NVMe (compatibel with drive encryption software) | 1TB PCIe NVMe Value Solid State Drive | 1 TB SSD M.2 2280 PCIe Gen4 TLC Opal and up to 3 x 4TB drives | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 1xUSB Type-c w/PD 3.1 & DP2.0 2xUSB Type-A 3.2 Gen1 | 2 SuperSpeed USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 Port | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-c thunderbolt 4.0 | 1 Thunderbolt™ 4 with USB4 Type-C | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel Wi-Fi 6E AX211, 2x2, 802.11ax | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 130W AC adapter, USB Type C, 3' power cord | HP 150W Slim 4.5mm PFC Smart (3-pin) AC Adapter | 140W USB-C GaN 90% PCC 3pin AC Adapter - US | |
| Battery | 6 cell, 96Whr, ExpressCharge(TM) Capable, | Long Life 83Whr Fast Charge 6 cell Battery | 4 Cell Rechargeable Li-ion 90Wh | |

| 2.6a Elite Laptop 2 (Intel vPro, 8GB Video, 32GB Memory, Non-Touch) | Dell | HP | Lenovo | Microsoft |
|---|---|---|--|-----------|
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR MWS | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Certification | Yes, ISV Certified | ISV Certified | ISV Certified | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .75in rear/.59in front, (W) 14.09in, (D) 10.08 in; Weight 4.65lbs | Starting at 4.5 lbs 14.15 inches x 9.88 inches x 0.90 inches | 14.23 x 9.79 x 0.50 / 0.77, 1.04in 4.6lbs | |

| 2.6b Elite Laptop 2 (Intel vPro, 8GB Video, 32GB Memory, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|--|--|--|-----------|
| Description | Mobile Workstation intended for users that have high technology requirements such as video/animation production, application development, etc., support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16/16XE MC16250 | ZBook X G1i 16" | ThinkPad P16v Gen 3 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 9 285H, vPro Enterprise (24MB, 16 cores, 16 threads, up to 5.40 GHz Turbo, 45W) | HP IDS DSC RTX PRO 2000 8GB Ultra 9 285H X 16 inch G1i Base NB PC | Intel® Core™ Ultra 9 285H vPro® Processor (E-cores up to 4.50 GHz P-cores up to 5.40 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 32GB: 2x16GB, DDR5, expandable to 64GB | 32GB (2x16GB) DDR5 5600 SODIMM Memory Expandable to 64GB By Replacement | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) expandable to 64GB | |
| Video | NVIDIA RTX 1000 Blackwell 8GB GDDR7 (support up to 3 external 4K displays plus laptop display) | Nvidia RTX Pro 2000 8GB Supports up to 3 monitors including 2x 4K External and Laptop screen | NVIDIA RTX PRO™ 2000 Blackwell Laptop GPU 8GB GDDR7 | |
| Video Display | 16" FHD+ LCD with 300 nits, Touch, FHD HDR IR Camera, Microphone, WLAN and WWAN, 1920 X 1200 | 16.0 inch WUXGA(1920x1200) Touch, Anti-Glare, 300nit, for 5MP+IR | 16" WQUXGA (3840 x 2400), OLED, Anti-Reflection/Anti-Smudge, Dolby Vision™, Touch, 100%DCI-P3, 400 nits, 60Hz, Low Blue Light | |
| Hard Drive | 1TB, M.2 2280, Gen4 PCIe NVMe (compatibel with drive encryption software) | 1TB PCIe NVMe Value Solid State Drive | 1 TB SSD M.2 2280 PCIe Gen4 TLC Opal and up to 3 x 4TB drives | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 1xUSB Type-c w/PD 3.1 & DP2.0 2xUSB Type-A 3.2 Gen1 | 2 SuperSpeed USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 Port | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-c thunderbolt 4.0 | 1 Thunderbolt™ 4 with USB4 Type-C | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel Wi-Fi 6E AX211, 2x2, 802.11ax | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 130W AC adapter, USB Type C, 3' power cord | HP 150W Slim 4.5mm PFC Smart (3-pin) AC Adapter | 140W USB-C GaN 90% PCC 3pin AC Adapter - US | |

| 2.6b Elite Laptop 2 (Intel vPro, 8GB Video, 32GB Memory, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|---|---|--|-----------|
| Battery | 6 cell, 96Whr, ExpressCharge(TM) Capable, | Long Life 83Whr Fast Charge 6 cell Battery | 4 Cell Rechargeable Li-ion 90Wh | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR MWS | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Certification | Yes, ISV Certified | ISV Certified | ISV Certified | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) .75in rear/.59in front, (W) 14.09in, (D) 10.08 in; Weight 4.65lbs | Starting at 4.5 lbs 14.15 inches x 9.88 inches x 0.90 inches | 14.23 x 9.79 x 0.50 / 0.77, 1.04in 4.6lbs | |

| 2.7a Elite Laptop 3 (Intel vPro, 12GB Video, 64GB Memory, Non-Touch) | Dell | HP | Lenovo | Microsoft |
|--|---|---|--|-----------|
| Description | Mobile Workstation intended for users that have high technology requirements such as video/animation production, application development, etc., support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16 Plus MB16250 | Zbook Fury G1i 16" | ThinkPad P16 Gen 3 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel (R) Core (TM) Ultra 9 processor 285HX, 55W vPro | HP IDS Ultra 9 285HX no WWAN Fury 16 inch G1i Base NB PC | Intel® Core™ Ultra 9 285HX vPro® Processor (E-cores up to 4.60 GHz P-cores up to 5.50 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | v Pro Enterprise | vPro Enterprise | |
| Memory | 64GB: 2x32GB 6400 MTs DDR5 | 64GB (2x32GB) DDR5 5600 SODIMM Memory | 64 GB DDR5-5600MT/s (SODIMM) - (2 x 32 GB) expandable to 192GB | |
| Video | NVIDIA RTX PRO 3000 Blackwell 12GB GDDR7 (support up to 3 external 4K displays plus laptop display) | NVIDIA RTX PRO 3000 Blackwell 105W+ 12 GB Graphics | NVIDIA RTX PRO™ 3000 Blackwell Laptop GPU 12GB GDDR7 | |
| Video Display | 16" FHD LCD 1920x1200 with 300nits, 45% NTSC, 60Hz, Non-touch, WLAN, RGB Camera, Microphone | 16.0 inch WUXGA(1920x1200) Anti-Glare, 400nit, LowPower, LowBlueLight, for 5MP+IR | 16" WUXGA (1920 x 1200), IPS, Anti-Glare, Non-Touch, 100%sRGB, 500 nits, 60Hz, Low Power | |
| Hard Drive | 1TB Performance SSD Gen5, SED Ready (compatible with drive encryption software) | 1TB PCIe-5x4 2280 NVMe Solid State Drive | 1 TB SSD M.2 2280 PCIe Gen5 Performance TLC Opal and up to 3 x 4TB drives | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 2xUSB Type-c thunderbolt 5 2xUSB Type-A 3.2 Gen1 | 1 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C thunderbolt 4 2xUSB Type-c thunderbolt 5 | 1 Thunderbolt™ 5 with USB Type-C® 80Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.4 vPro WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth® 5.4 | Intel BE200 Wi-Fi 7 | Intel® Wi-Fi 7 BE200 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | FHD RGB Camera, HDR, TNr4, includes a privacy shutter | Dual AryMic 5MP USB2 IR AI WFOV Integrated Camera with privacy shutter | 5MP RGB with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 280W AC adapter, USB Type C | HP 280W Std 4.5mm Smart (3-pin) AC Adapter | 180W USB-C GaN 90% PCC 3pin AC Adapter - US | |
| Battery | 6 cell, 96Whr, ExpressCharge(TM) Capable, | GT Long Life 99Whr Fast Charge 8 cell Battery | 4 Cell Rechargeable Li-ion 99.9Wh | |
| Resource CD | Not included. Order as Option | Not included | Downloadable | |

| 2.7a Elite Laptop 3 (Intel vPro, 12GB Video, 64GB Memory, Non-Touch) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR MWS | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Certification | Yes, ISV Certified | ISV Certified | ISV Certified | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) Rear .75in; (H) Front .68in; (W) 14.17in; (D) 10.18in; Weight 5.63 lbs | 14.16 x 9.81 x 1.09 in Starting at 5.36 lb | 14.25 x 9.92 x 0.62 / 0.82, 1.17in 5.6lbs | |

| 2.7b Elite Laptop 3 (Intel vPro, 12GB Video, 64GB Memory, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|---|--|--|--|-----------|
| Description | Mobile Workstation intended for users that have high technology requirements such as video/animation production, application development, etc., support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro Max 16 Plus MB16250 | Zbook Fury G1i 16" | ThinkPad P16 Gen 3 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel Core Ultra 9 285HX vPro Enterprise (36MB cache, 24 cores, 24 threads, up to 5.5 GHz, 55W) | HP IDS Ultra 9 285HX no WWAN Fury 16 inch G1i Base NB PC | Intel® Core™ Ultra 9 285HX vPro® Processor (E-cores up to 4.60 GHz P-cores up to 5.50 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | vPro Enterprise | vPro Enterprise | |
| Memory | 64GB: 2x32GB 6400 MTs DDR5 | 64GB (2x32GB) DDR5 5600 SODIMM Memory | 64 GB DDR5-5600MT/s (SODIMM) - (2 x 32 GB) expandable to 192GB | |
| Video | NVIDIA RTX PRO 3000 Blackwell 12GB GDDR7 (support up to 3 external 4K displays plus laptop display) | NVIDIA RTX PRO 3000 Blackwell 105W+ 12 GB Graphics | NVIDIA RTX PRO™ 3000 Blackwell Laptop GPU 12GB GDDR7 | |
| Video Display | 16" UHD+ OLED 3840x2400 with 500nits, VESA HDR-1000 TrueBlack, Touch, WLAN, IR Camera, Microphone | 16.0 inch WUXGA(1920x1200) Touch, BrightView, 400nit, LowPower, LowBlueLight, for 5MP+IR | 16 3.2OLED AGARAS600n MTRVP3 T (Touch) 3840x2400 | |
| Hard Drive | 1TB Performance SSD Gen5, SED Ready (compatible with drive encryption software) | 1TB PCIe-5x4 2280 NVMe Solid State Drive | 1 TB SSD M.2 2280 PCIe Gen5 Performance TLC Opal and up to 3 x 4TB drives | |
| USB Ports | 1xUSB Type-c thunderbolt 4.0 2xUSB Type-c thunderbolt 5 2xUSB Type-A 3.2 Gen1 | 1 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1xHDMI 1xUSB Type-C | 1 HDMI 2.1 | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1xUSB Type-C thunderbolt 4 2xUSB Type-c thunderbolt 5 | 1 Thunderbolt™ 5 with USB Type-C® 80Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.4 vPro WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth® 5.4 | Intel BE200 Wi-Fi 7 | Intel® Wi-Fi 7 BE200 2x2 BE vPro® & Bluetooth® 5.4 | |
| Webcam | 8MP IR with USB Synapctics Camera, HDR with UPD ready, TNR5, includes a privacy shutter | Dual AryMic 5MP USB2 IR AI WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Dual Microphone, Computer Vision and Privacy Shutter | |
| Audio | 2 x 2W speakers | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 280W AC adapter, USB Type C | HP 280W Std 4.5mm Smart (3-pin) AC Adapter | 180W USB-C GaN 90% PCC 3pin AC Adapter - US | |
| Battery | 6 cell, 96Whr, ExpressCharge(TM) Capable, | GT Long Life 99Whr Fast Charge 8 cell Battery | 4 Cell Rechargeable Li-ion 99.9Wh | |

| 2.7b Elite Laptop 3 (Intel vPro, 12GB Video, 64GB Memory, Touchscreen) | Dell | HP | Lenovo | Microsoft |
|--|---|---|--|-----------|
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR MWS | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Certification | Yes, ISV Certified | ISV Certified | ISV Certified | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | (H) Rear .75in; (H) Front .68in; (W) 14.17in; (D) 10.18in; Weight 5.63 lbs | 14.16 x 9.81 x 1.09 in Starting at 5.36 lb | 14.25 x 9.92 x 0.62 / 0.82, 1.17in 5.6lbs | |

| 2.8a Ultralight Laptop | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Description | Business Class Laptop that is thin and lightweight for easier portability, under 3.4lbs, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14250 | Elitebook 6 G1i 13" | ThinkPad X13 Gen 6 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 255U (12 TOPS NPU, 12 cores, up to 5.2 GHz) | HP IDS UMA Ultra 7 255U 6 13 inch G1i Base NB PC | Intel® Core™ Ultra 7 255U Processor (E-cores up to 4.20 GHz P-cores up to 5.20 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | No | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, | 32GB (2x16GB) DDR5 5600 SODIMM Memory | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Video | Integrated Intel(R) graphics (supports up to 2 external 4K displays plus laptop) | Intel® Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Video Display | 14", Touch, FHD+, 300 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 x 1200 | 13.3 inch AG WUXGA (1920x1200) LED UWVA 300 fFHDC 60Hz Touchscreen bnt LCD Panel | 13.3" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 100% sRGB, 400 nits, 60Hz | |
| Hard Drive | M.2 512GB PCIe NVMe SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB 3.2 Gen 1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1 x HDMI 2.1 | 1 HDMI 2.1 | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1 x USB Type-C Thunderbolt 4.0 | 2 Thunderbolt™ 4 with USB Type-C® 40Gbp | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | Mobile Ethernet Adapter Included | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® Wi-Fi 6E (6 where 6E unavailable) AX211, 2x2, 802.11ax, | Intel AX211 Wi-Fi 6E | Intel® Wi-Fi 7 BE201 2x2 BE & Bluetooth® 5.4 | |
| Webcam | FHD HDR + IR Camera, Facial Recognition, TNR, Camera Shutter, Microphone | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 54.7Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |

| 2.8a Ultralight Laptop | Dell | HP | Lenovo | Microsoft |
|-----------------------------------|---|--|--|-----------|
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Height: 0.74in, Width: 12.35in, Depth: 8.87in, Weight: 2.97lbs | 2.87 lb with 48.00 Wh battery 2.91 lb with 56.00 Wh battery 303.10 mm (W) x 215.05 mm (D) x 10.90 mm | 11.78 x 8.15 x 0.39/0.51 (front/rear) 2.12 lbs | |

| 2.8b Ultralight Laptop (Intel vPro) | Dell | HP | Lenovo | Microsoft |
|--|---|---|--|-----------|
| Description | Business Class Laptop that is thin and lightweight for easier portability, under 3.4lbs, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14250 | Elitebook 6 G1i 13" | ThinkPad X13 Gen 6 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 265U vPro(R) (12 TOPS NPU, 12 cores, up to 5.3 GHz) | HP IDS UMA Ultra 7 265U 6 13 inch G1i Base NB PC | Intel® Core™ Ultra 7 265U vPro® Processor (E-cores up to 4.20 GHz P-cores up to 5.30 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | Yes - vPro Enterprise | vPro enterprise | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, | 32GB (2x16GB) DDR5 5600 SODIMM Memory | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Video | Integrated Intel(R) graphics (supports up to 2 external 4K displays plus laptop) | Intel® Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Video Display | 14", Touch, FHD+, 300 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 x 1200 | 13.3 inch AG WUXGA (1920x1200) LED UWVA 300 fFHD 60Hz Touchscreen bnt LCD Panel | 13.3" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 100%sRGB, 400 nits, 60Hz | |
| Hard Drive | M.2 512GB PCIe NVMe SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB 3.2 Gen 1 Type-A | 2 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1 x HDMI 2.1 | 1 HDMI 2.1 | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1 x USB Type-C Thunderbolt 4.0 | 2 Thunderbolt™ 4 with USB Type-C® 40Gbp | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | Downloadable | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | Mobile Ethernet Adapter Included | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | Intel® Wi-Fi 6E (6 where 6E unavailable) AX211, 2x2, 802.11ax, | Intel AX211 Wi-Fi 6E vPro 160 MHz | Intel® Wi-Fi 7 BE201 2x2 BE & Bluetooth® 5.4 | |
| Webcam | FHD HDR + IR Camera, Facial Recognition, TNR, Camera Shutter, Microphone | Dual AryMic FHD USB2 NFOV Integrated Camera with privacy shutter | 5MP RGB with Dual Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Atmos® | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 54.7Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |

| 2.8b Ultralight Laptop (Intel vPro) | Dell | HP | Lenovo | Microsoft |
|-------------------------------------|---|---|--|-----------|
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Height: 0.74in, Width: 12.35in, Depth: 8.87in, Weight: 2.97lbs | 2.87 lb) with 48.00 Wh battery 2.91 lb with 56.00 Wh battery 303.10 mm (W) x 215.05 mm (D) x 10.90 mm | 11.78 x 8.15 x 0.39/0.51 (front/rear) 2.12 lbs | |

| 2.9 Ultralight Laptop (AMD Proc) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Description | Business Class Laptop that is thin and lightweight for easier portability, under 3.4lbs, support for up to 3 monitors (two (2) 4k monitors and laptop screen) | | | |
| Vendor Model Name and Number | Dell Pro 14 PC14255 | Elitebook 6 G1a 14" | ThinkPad T14 Gen 6 AMD | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | AMD Ryzen(TM) AI 7 PRO 350 Processor (24 MB cache, 8 cores, 16 threads, up to 5.0 GHz, 50 TOPS NPU) | HP IDS UMA Ryzen AI 7 PRO 350 for WWAN 6 14 inch G1a Base NB PC | AMD Ryzen™ AI 7 PRO 350 Processor (2.00 GHz up to 5.00 GHz) | |
| Trusted Platform Module | Yes | Yes | Yes | |
| Intel vPro | No | No | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, | 32GB (2x16GB) DDR5 5600 SODIMM Memory | 32 GB DDR5-5600MT/s (SODIMM) - (2 x 16 GB) | |
| Video | AMD Radeon™ 860M Integrated graphics (supports up to 2 external 4K displays plus laptop) | AMD Radeon™ Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@30Hz | |
| Video Display | 14", Touch, FHD+ 1920 x 1200, 60Hz, IPS, Anti-Glare, 300 nit, 100% sRGB, FHD+IR Cam | 14.0 inch WUXGA(1920x1200) Touch, Anti-Glare, 300nit, for 5MP+IR, WWAN | 14" WUXGA (1920 x 1200), IPS, Anti-Glare, Touch, 45%NTSC, 400 nits, 60Hz | |
| Hard Drive | M.2 512GB PCIe NVMe SSD (compatible with drive encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB 3.2 Gen 1 Type-A | 1 USB Type-A 5Gbps | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort or USB-C Port | 1 x HDMI 2.1 | 1 HDMI 2.1 | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 1 x USB Type-C Thunderbolt 4.0 | 2 Thunderbolt™ 4 with USB Type-C® 40Gbps | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Operating System Software | No Media Disk Included | Not included | | |
| Integrated Ethernet Port or Mobile Ethernet Adapter | Integrated ethernet RJ45 | RJ45 Ethernet port | 1x Ethernet (RJ-45) | |
| Bluetooth | Yes | Bluetooth 5.3 WW WLAN | Yes | |
| Internal Wireless Adapter | MediaTek Wi-Fi 6E MT7922 2x2 | Mediatek RZ616 Wi-Fi 6E AIM-T 160 MHz | MediaTek Wi-Fi 7 MT7925 2x2 BE & Bluetooth® 5.4 | |
| Webcam | FHD HDR + IR Camera, Facial Recognition, TNR, Camera Shutter, Microphone | Dual AryMic 5MP USB2 IR WFOV Integrated Camera with privacy shutter | 5MP RGB+IR with Microphone and Privacy Shutter | |
| Audio | 2 x 2W Speakers, Waves MaxxAudio® Pro audio output processing | Yes | Stereo speakers, 2W x2, Dolby Audio™ | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | RX Long Life 56Whr Fast Charge 3 cell Battery | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |

| 2.9 Ultralight Laptop (AMD Proc) | Dell | HP | Lenovo | Microsoft |
|-----------------------------------|---|---|---|-----------|
| Resource CD | Not Included. Order as Option | Not included | Downloadable | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Above warranty includes DMR (Disk Media Retention) | 3 Year Lenovo Keep Your Drive | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Certified | ENERGY STAR® 9.0 | |
| Environmental | EPEAT Gold | EPEAT GOLD | EPEAT™ Gold | |
| Unit dimensions and weight | Height: 0.74in, Width: 12.35in, Depth: 8.87in, Weight: 2.97lbs | Starting at 1.40kg (3.09 lb) with 56Whr battery 318.60 mm (W) x 224.35 mm (D) x 10.90 mm | 12.44 x 8.81 x 0.43/0.64 (front/rear) 3.05 lbs | |

2-in-1 Laptop/Tablet Configurations

| 3.1a-d 2-in-1 Laptop/Tablet (non-vPro) (13 inch) | Dell | HP | Lenovo | Microsoft |
|--|---|--|--|-----------|
| Description | Device that can function in a traditional 'clam-shell' laptop configuration or as a light weight, touch screen tablet through a conversion using an integrated or detachable keyboard and mouse/trackpad; Support for dual 4K digital monitors | | | |
| Vendor Model Name and Number | Dell Pro 13 Plus 2-in-1 PB13250 | Elitebook 8 Flip G1i 13" | ThinkPad L13 2 in 1 Gen 6 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 255U (12 TOPS NPU, 12 cores, up to 5.2 GHz) | Intel® Core™ Ultra 7 255U (12MB cache, 12 cores, 14 threads, up to 5.2 GHz Turbo) (non-vPro) | Intel® Core™ Ultra 7 255U Processor (E-cores up to 4.20 GHz P-cores up to 5.20 GHz) | |
| Trusted Memory Platform | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | No | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, 5600 MT/s | 32 GB LPDDR5X-7500 MT/s soldered | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Resolution | 13.3" 16:10 FHD+ (1920 x 1200), 60Hz, IPS | 1920 x 1200 | 1920x1200 | |
| Video Display | 13.3" 16:10 FHD+ (1920 x 1200), 60Hz, IPS, Touch, Anti-Reflective, Anti-Smudge, Gorilla Glass Victus, 300 nit, 100% sRGB, 6-bit + FRC, Active Pen Support | 13.0 Inch Corning® Gorilla® Glass | 13.3" WUXGA (1920 x 1200), IPS, Anti-Reflection/Anti-Smudge, Touch, 100%sRGB, 400 nits, 60Hz | |
| Video | Integrated Intel graphics | Intel Integrated Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Storage | 512 GB PCIe NVMe SSD (compatible with encryption software) | 512GB PCIe NVMe SSD (compatible with drive encryption software) | 512 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 2 x USB 3.2 Gen 1 Type-A (1x with Power share) | 2x Thunderbolt 4 w/ USB-C + 1 USB-c + 1 USB-a | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort | 1 x HDMI 2.1 | (1x)HDMI 2.1, USB Type-C® 10Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4) | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 | (2x)Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Bluetooth | Yes | Yes | Yes | |
| Front Camera | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | 5MP Camera with privacy shutter | 720P HD RGB with Microphone and Privacy Shutter | |
| Mobile Ethernet Adapter | Order as an option - Dell Adapter USB-C to Ethernet, (750-BBKR) | Order as an option - HP USB-C to RJ45 Adapter G2, (4Z527AA) | Order as an option – Lenovo USB-C to Ethernet, (4X90S91830) | |

| 3.1a-d 2-in-1 Laptop/Tablet (non-vPro) (13 inch) | Dell | HP | Lenovo | Microsoft |
|--|---|--|---|-----------|
| Internal Wireless Adapter | Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, | Supports 802.11 AX | Intel® Wi-Fi 6E AX211 2x2 AX & Bluetooth® 5.3 | |
| WWAN | 4G CAT12 - Qualcomm Snapdragon X12 Global LTE-Advanced (DW5826e), eSIM capable | 3.1a is no WWAN version; 3.1b-d models include eSIMm;.Customer can program the eSIMm or get a physical SIM from provider. HP no long including WWAN Service Provider | Quectel EM061K-GL 4G CAT6 | |
| Keyboard | Integrated English US backlit Copilot key keyboard | Integrated Keyboard | Integrated ThinkPad Keyboard | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter w. 1M cord | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | MC Long Life 62Whr Fast Charge 3 cell Battery | 54.7Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Compliant | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT Gold | EPEAT™ Gold | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Included in Warranty | 3 Year Lenovo Keep Your Drive | |
| Unit dimensions and weight | Height: 0.79", Width: 11.8", Depth: 8.5", 3.18lbs. | 11.88 in (W) x 8.51 in (D) x 0.47 in (front)/ 0.61 in (rear); 3.08 lbs | 11.77 x 8.46 x 0.47/0.62 (front/rear) 2.87 lbs | |

| 3.2a-d 2-in-1 Laptop/Tablet (non-vPro) (14 inch) | Dell | HP | Lenovo | Microsoft |
|--|---|---|--|-----------|
| Description | Device that can function in a traditional 'clam-shell' laptop configuration or as a light weight, touch screen tablet through a conversion using an integrated or detachable keyboard and mouse/trackpad; Support for dual 4K digital monitors | | | |
| Vendor Model Name and Number | Dell Pro 14 Plus 2-in1 PB14250 | Elitebook X Flip G1i 14" | ThinkPad T14s 2 in 1 Gen 1 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 255U (12 TOPS NPU, 12 cores, up to 5.2 GHz) | Intel Core Ultra 7 258V NGAI | Intel® Core™ Ultra 7 255U Processor (E-cores up to 4.20 GHz P-cores up to 5.20 GHz) | |
| Trusted Memory Platform | Yes | Yes | Yes | |
| Intel vPro | vPro Disabled | Yes - vPro Enterprise | No | |
| Memory | 32 GB: 2 x 16 GB, DDR5, 5600 MT/s | 32.0GB (2x16GB) | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Resolution | 14" 16:10 FHD+ (1920 x 1200), 60Hz, IPS | 14.0 inch WUXGA (1920x1200) Touch, BrightView, 400nit, LowPower, LowBlueLight, for 5MP+IR+ISP, WLAN | 1920x1200 | |
| Video Display | 14" 16:10 FHD+ (1920 x 1200), 60Hz, IPS, Touch, Anti-Reflective, Anti-Smudge, Gorilla Glass Victus, 300 nit, 100% sRGB, 6-bit + FRC, Active Pen Support | 14" Gorilla Glass Equivalent | 14" WUXGA (1920 x 1200), IPS, Anti-Reflection/Anti-Smudge, Touch, 45%NTSC, 400 nits, 60Hz, DBEF5 | |
| Video | Integrated Intel graphics | Intel Integrated Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Storage | 512 GB PCIe NVMe SSD (compatible with encryption software) | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 2 x USB 3.2 Gen 1 Type-A (1x with Power share) | Four (4) USB ports, 3 type C and 1 Type A | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort | 1 x HDMI 2.1 | 1x HDMI | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 | 2x Thunderbolt | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Bluetooth | Yes | Yes | Yes | |
| Front Camera | 5MP HDR + IR Camera with Presence Detection, Facial Recognition, TNR, Camera Shutter, Microphone | 5MP+IR+ISP w/ integrated privacy shutter | 5MP RGB with Microphone and Privacy Shutter | |
| Mobile Ethernet Adapter | Order as an option - Dell Adapter USB-C to Ethernet, (750-BBKR) | Order as an option - HP USB-C to RJ45 Adapter G2, (4Z527AA) | Order as an option – Lenovo USB-C to Ethernet, (4X90S91830) | |
| Internal Wireless Adapter | Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, | Supports 802.11.ax | Intel® Wi-Fi 7 BE201 2x2 BE & Bluetooth® 5.4 | |

| 3.2a-d 2-in-1 Laptop/Tablet (non-vPro) (14 inch) | Dell | HP | Lenovo | Microsoft |
|--|---|---|---|-----------|
| WWAN | G CAT12 - Qualcomm(R) Snapdragon(TM) X12 Global LTE-Advanced (DW5826e), eSIM capable | 3.2a is no WWAN version; 3.2b-d models include eSIMm;. Customer can program the eSIMm or get a physical SIM from provider. HP no long including WWAN Service Provider | Quectel EM061K-GL 4G CAT6 | |
| Keyboard | Integrated English US backlit Copilot key keyboard | Integrated Keyboard | Integrated ThinkPad Keyboard | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter w/ 1M power cord | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | 68Whr | 58Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | 3-Year, Next Business Day, On-Site (minimum) with options to upgrade to years 4-5 NBD, OnSite | 3 Year Lenovo Premier Support | |
| Energy Consumption | ENERGY STAR® certified | Energy Star | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT Gold | EPEAT™ Gold | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Included in standard warranty and upgrades available | 3 Year Lenovo Keep Your Drive | |
| Unit dimensions and weight | Height: 0.79", Width: 12.3", Depth: 8.5", 3.43lbs. | Starting at 1.40 kg (3.09 lb) with 56.00 Wh battery, (12.36 in (W) x 8.66 in (D) x 0.41 in (front)/ 0.58 in (rear) | 12.35 x 8.77 x 0.51/0.76 (front/rear) 3.08 lbs | |

| 3.3a-d 2-in-1 Laptop/Tablet (vPro Essentials) (13 inch) | Dell | HP | Lenovo | Microsoft |
|---|---|---|--|-----------|
| Description | Device that can function in a traditional 'clam-shell' laptop configuration or as a light weight, touch screen tablet through a conversion using an integrated or detachable keyboard and mouse/trackpad; Support for dual 4K digital monitors | | | |
| Vendor Model Name and Number | Dell Pro 13 Plus 2-in-1 PB13250 | Elitebook 8 Flip G1i 13" | ThinkPad L13 2 in 1 Gen 6 | |
| Type | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel(R) Core(TM) Ultra 7 265U vPro(R) (12 TOPS NPU, 12 cores, up to 5.3 GHz) | Intel® Core™ Ultra 7 265U (12MB cache, 12 cores, 14 threads, up to 5.3 GHz Turbo) (vPro Enterprise) | Intel® Core™ Ultra 7 265U vPro® Processor (E-cores up to 4.20 GHz P-cores up to 5.30 GHz) | |
| Trusted Memory Platform | Yes | Yes | Yes | |
| Intel vPro | vPro Enterprise | YES | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, 5600 MT/s | 32 GB LPDDR5X-7500 MT/s soldered | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Resolution | 13.3" 16:10 FHD+ (1920 x 1200), 60Hz, IPS | 1920 x 1200 | 1920x1200 | |
| Video Display | 13.3" 16:10 FHD+ (1920 x 1200), 60Hz, IPS, Touch, Anti-Reflective, Anti-Smudge, Gorilla Glass Victus, 300 nit, 100% sRGB, 6-bit + FRC, Active Pen Support | 13.0 Inch Corning® Gorilla® Glass | 13.3" WUXGA (1920 x 1200), IPS, Anti-Reflection/Anti-Smudge, Touch, 100%sRGB, 400 nits, 60Hz | |
| Video | Integrated Intel graphics | Intel Integrated Graphics | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 3840x2160@60Hz • Thunderbolt™ supports up to 7680x4320@60Hz | |
| Storage | 512 GB PCIe NVMe SSD (compatible with encryption software) | 512GB PCIe NVMe SSD (compatible with drive encryption software) | 512 GB SSD M.2 2242 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 2 x USB 3.2 Gen 1 Type-A (1x with Power share) | 2x Thunderbolt 4 w/ USB-C + 1 USB-c + 1 USB-a | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort | 1 x HDMI 2.1 | (1x)HDMI 2.1, USB Type-C® 10Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4) | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 | (2x)Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Bluetooth | Yes | Yes | Yes | |
| Front Camera | FHD HDR RGB Camera, TNR, Camera Shutter, Microphone | 5MP Camera with privacy shutter | 720P HD RGB with Microphone and Privacy Shutter | |
| Mobile Ethernet Adapter | Order as an option - Dell Adapter USB-C to Ethernet, (750-BBKR) | Order as an option - HP USB-C to RJ45 Adapter G2, (4Z527AA) | Order as an option – Lenovo USB-C to Ethernet, (4X90S91830) | |
| Internal Wireless Adapter | Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, | Supports 802.11 AX | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |

| 3.3a-d 2-in-1 Laptop/Tablet (vPro Essentials) (13 inch) | Dell | HP | Lenovo | Microsoft |
|---|---|--|---|-----------|
| WWAN | 4G CAT12 - Qualcomm Snapdragon X12 Global LTE-Advanced (DW5826e), eSIM capable | 3.3A is no WWAN version; 3.3b-d models include eSIMm; Customer can program the eSIMm or get a physical SIM from provider. HP no long including WWAN Service Provider | Quectel EM061K-GL 4G CAT6 | |
| Keyboard | Integrated English US backlit Copilot key keyboard | Integrated Keyboard | Integrated ThinkPad Keyboard | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | 65 Watt nPFC USB-C Straight AC Adapter w. 1M cord | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | MC Long Life 62Whr Fast Charge 3 cell Battery | 54.7Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | HP 3y Onsite w/DMR Notebook | 3 Year Lenovo Premier Support | |
| Energy Consumption | ENERGY STAR® certified | Energy Star Compliant | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | EPEAT Gold | EPEAT™ Gold | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | Included in Warranty | 3 Year Lenovo Keep Your Drive | |
| Unit dimensions and weight | Height: 0.79", Width: 11.8", Depth: 8.5", 3.18lbs. | 11.88 in (W) x 8.51 in (D) x 0.47 in (front)/ 0.61 in (rear) 3.08 lbs | 11.77 x 8.46 x 0.47/0.62 (front/rear) 2.87 lbs | |

| 3.4a-d 2-in-1 Laptop/Tablet (vPro Essentials) (14 inch) | Dell | HP | Lenovo | Microsoft |
|---|---|----|--|-----------|
| Description | Device that can function in a traditional 'clam-shell' laptop configuration or as a light weight, touch screen tablet through a conversion using an integrated or detachable keyboard and mouse/trackpad; Support for dual 4K digital monitors | | | |
| Vendor Model Name and Number | Dell Pro 14 Plus 2-in-1 PB14250 | | ThinkPad T14s 2 in 1 Gen 1 | |
| Type | Microsoft Windows 11 Pro 64 bit | | Microsoft Windows 11 Pro 64 bit | |
| Processor | Intel® Core™ Ultra 7 265U (12MB cache, 12 cores, 14 threads, up to 5.3 GHz Turbo) (vPro Enterprise) | | Intel® Core™ Ultra 7 265U vPro® Processor (E-cores up to 4.20 GHz P-cores up to 5.30 GHz) | |
| Trusted Memory Platform | Yes | | Yes | |
| Intel vPro | v-Pro Enterprise | | vPro Enterprise | |
| Memory | 32 GB: 2 x 16 GB, DDR5, 5600 MT/s | | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Resolution | 14" 16:10 FHD+ (1920 x 1200), 60Hz, IPS | | 1920x1200 | |
| Video Display | 14" 16:10 FHD+ (1920 x 1200), 60Hz, IPS, Touch, Anti-Reflective, Anti-Smudge, Gorilla Glass Victus, 300 nit, 100% sRGB, 6-bit + FRC, Active Pen Support | | 14" WUXGA (1920 x 1200), IPS, Anti-Reflection/Anti-Smudge, Touch, 45%NTSC, 400 nits, 60Hz, DBEF5 | |
| Video | Integrated Intel graphics | | Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Storage | 512 GB PCIe NVMe SSD (compatible with encryption software) | | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 2 x USB 3.2 Gen 1 Type-A (1x with Power share) | | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort | 1 x HDMI 2.1 | | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | 2 x USB Type-C Thunderbolt™ 4.0 with Power Delivery 3.1 & Display Port 2.1 | | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1 | |
| Bluetooth | Yes | | Yes | |
| Front Camera | 5MP HDR + IR Camera with Presence Detection, Facial Recognition, TNR, Camera Shutter, Microphone | | 5MP RGB with Microphone and Privacy Shutter | |
| Mobile Ethernet Adapter | Order as an option - Dell Adapter USB-C to Ethernet, (750-BBKR) | | Order as an option – Lenovo USB-C to Ethernet, (4X90S91830) | |
| Internal Wireless Adapter | Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, | | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |

| 3.4a-d 2-in-1 Laptop/Tablet (vPro Essentials) (14 inch) | Dell | HP | Lenovo | Microsoft |
|---|---|----|---|-----------|
| WWAN | G CAT12 - Qualcomm(R) Snapdragon(TM) X12 Global LTE-Advanced (DW5826e), eSIM capable | | Quectel EM061K-GL 4G CAT6 | |
| Keyboard | Integrated English US backlit Copilot key keyboard | | Integrated ThinkPad Keyboard | |
| Power | 65W AC adapter, USB Type-C, 3' power cord | | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | 55 Wh, ExpressCharge / ExpressCharge Boost Capable | | 58Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Hardware Warranty | ProSupport: Next Business Day Onsite, 3 Years, with options to upgrade to years 4-5 NBD, OnSite | | 3 Year Lenovo Premier Support | |
| Energy Consumption | ENERGY STAR® certified | | ENERGY STAR® 9.0 | |
| Environmental | EPEAT® Gold | | EPEAT™ Gold | |
| Keep Hard Drive | Keep Your Hard Drive, 3 Year, with options to upgrade to years 4-5 KYHD | | 3 Year Lenovo Keep Your Drive | |
| Unit dimensions and weight | Height: 0.79", Width: 12.3", Depth: 8.5", 3.43lbs. | | 12.35 x 8.77 x 0.51/0.76 (front/rear) 3.08 lbs | |

| 3.6a-d 2-in-1 Laptop/Tablet (vPro Enterprise) (14 inch) | Dell | HP | Lenovo | Microsoft |
|---|---|---|--|-----------|
| Description | Device that can function in a traditional 'clam-shell' laptop configuration or as a light weight, touch screen tablet through a conversion using an integrated or detachable keyboard and mouse/trackpad; Support for dual 4K digital monitors | | | |
| Vendor Model Name and Number | | Elitebook X Flip G1i 14" | X1 2 in 1 Gen 10 | |
| Type | | Microsoft Windows 11 Pro 64 bit | Microsoft Windows 11 Pro 64 bit | |
| Processor | | Intel® Core™ Ultra 7 268V (12MB cache, 8 cores, 8 threads, up to 5.0 GHz Turbo) (vPro) | Intel® Core™ Ultra 7 268V vPro® Processor (LPE-cores up to 3.70 GHz P-cores up to 5.00 GHz / 32 GB MOP) | |
| Trusted Memory Platform | | Yes | Yes | |
| Intel vPro | | Yes - vPro Enterprise | vPro Enterprise | |
| Memory | | 32.0GB (2x16GB) (State will accept 1x32GB if vendor does not have a 2x16GB option) | 32 GB LPDDR5X-8533MT/s (Soldered) | |
| Resolution | | 14.0 inch WUXGA (1920x1200) Touch, BrightView, 400nit, LowPower, LowBlueLight, for 5MP+IR+ISP, WLAN | 1920x1200 | |
| Video Display | | 14" Gorilla Glass Equivalent | 14" WUXGA (1920 x 1200), IPS, Anti-Reflection, Touch, 100% sRGB, 500 nits, 60Hz, Low Power | |
| Video | | Intel Integrated Graphics | Supports up to 3 independent displays (native display and 2 external monitors via HDMI® and Thunderbolt™) • HDMI® supports up to 4K@60Hz • Thunderbolt™ supports up to 8K@60Hz | |
| Storage | | 512GB PCIe NVMe Value Solid State Drive | 512 GB SSD M.2 2280 PCIe Gen4 TLC Opal | |
| USB Ports | | Four (4) USB ports, 3 type C and 1 Type A | 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| HDMI or DisplayPort | | 1x HDMI | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 1x HDMI® 2.1, up to 4K/60Hz | |
| Thunderbolt Port | | 2x Thunderbolt | 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 | |
| Bluetooth | | Yes | Yes | |
| Front Camera | | 5MP+IR+ISP w/ integrated privacy shutter | 1080P FHD RGB+IR and Privacy Shutter | |
| Mobile Ethernet Adapter | | Order as an option - HP USB-C to RJ45 Adapter G2, (4Z527AA) | Order as an option – Lenovo USB-C to Ethernet, (4X90S91830) | |
| Internal Wireless Adapter | | Supports 802.11.ax | Intel® Wi-Fi 7 BE201 2x2 BE vPro® & Bluetooth® 5.4 | |

| 3.6a-d 2-in-1 Laptop/Tablet (vPro Enterprise) (14 inch) | Dell | HP | Lenovo | Microsoft |
|---|------|---|---|-----------|
| WWAN | | 3.6A is no WWAN version; 3.6b-d models include eSIMm;. Customer can program the eSIMm or get a physical SIM from provider. HP no long including WWAN Service Provider | Quectel RM520N-GL 5G Sub6 | |
| Keyboard | | Integrated Keyboard | Integrated ThinkPad Keyboard | |
| Power | | 65 Watt nPFC USB-C Straight AC Adapter w/ 1M power cord | 65W USB-C 90% PCC 2pin AC Adapter - US | |
| Battery | | 68Whr e | 57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr) | |
| Hardware Warranty | | 3-Year, Next Business Day, On-Site (minimum) with options to upgrade to years 4-5 NBD, OnSite | 3 Year Lenovo Premier Support | |
| Energy Consumption | | Energy Star | ENERGY STAR® 9.0 | |
| Environmental | | EPEAT Gold | EPEAT™ Gold | |
| Keep Hard Drive | | Included in standard warranty and upgrades available | 3 Year Lenovo Keep Your Drive | |
| Unit dimensions and weight | | Starting at 1.40 kg (3.09 lb) with 56.00 Wh battery, (12.36 in (W) x 8.66 in (D) x 0.41 in (front)/ 0.58 in (rear) | 12.31 x 8.57 x 0.64-0.72 inches 2.87 lbs | |

Monitor Configurations

| 4.1a Flat Panel Monitor, 24-inch (with USB-C Hub) | Dell | HP | Lenovo |
|---|---|--|--|
| Vendor Model Name and Number | P2425HE | 524PU | T24D-40 |
| Display Type | IPS | IPS | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 1920 X 1080 @ 60Hz | 1920 x 1080 @ 100 Hz | 1920 x 1080 120Hz |
| Response Time | 5 ms (Fast mode), 8 ms (Normal mode) | Gtg 5Ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1500: 1 (typical) | Contrast ratio static 1500:1 | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 250 cd/m ² (typical) | Edge-lit, WLED 350 nit | 250 cd/m ² |
| Pixel Pitch | 0.2745 mm x 0.2745 mm | 0.27 mm x 0.27 mm | 0.2745 x 0.2745 mm |
| Angle | 178 deg. H/V | 178 ° H 178 ° V | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 mill color | 16.7 million colors supported | 16.7 Million |
| Input Signal | (1) DP; (1) DP out; (1) HDMI; (2) USB-C; (3) USB-A; (1) RJ-45 | 1 x DP 1.4, 1 x HDMI 2.0, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 100W Power Delivery) | 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 1.4, supports 1920x1080@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x DisplayPort™ 1.4 (Out) |
| Cables Included | Display Port (DP-to-DP) USB 3.2 Gen2 (C-C) | USB 3.2 C-C cable (1.8m) | 1x DP 1.4 cable (1.8m) 1x USB-C® to USB-C® Gen 1 cable (1.8m) |
| Tilt Base | Tilt (-5° to +21°) | 5 to +23° | "-5° to +23.5° tilt" |
| Swivel | Swivel (45° to 45°) | (-45 to +45) | left & right 45 swivel |
| Height Adjustable | YES | yes | up to 155mm lift |
| Rotation Capable | Pivot (90° clockwise) | pivot 90 ° | "-90° to +90° pivot" |
| Mount | VESA comp. | 100 x 100 mm | Supports VESA mount 100 x 100 mm |
| Ports | (1) DP; (1) DP out; (1) HDMI; (2) USB-C; (3) USB-A; (1) RJ-45 | 1 x RJ-45 (1 GbE), daisy chain DP 1.4-out, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 100W Power Delivery), 3 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) | Ethernet Gigabit Ethernet, 1x RJ-45 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 1.4, supports 1920x1080@120Hz |

| 4.1a Flat Panel Monitor, 24-inch (with USB-C Hub) | Dell | HP | Lenovo |
|--|---|--|--|
| | | | 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x DisplayPort™ 1.4 (Out) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 14.33 in compressed, 19.55 extended; (W) 21.21 in; (D) 7.16 in; Weight 15.96lbs | 4.33 kg (without stand) 5.93 kg (with stand) Product Dimensions (Unpacked with stand) (W x D x H) 53.94 x 18.95 x 50.32 cm | (21.25 x 7.48 x 13.81 inches) 12.4 lbs |

| 4.1b Flat Panel Monitor, 24-inch (no USB-C hub) "sister" monitor to 4.1a | Dell | HP | Lenovo |
|--|---|---|---|
| Vendor Model Name and Number | P2425H | 524pf | T24-40 |
| Display Type | IPS | IPS | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 1920x1080 @ 60Hz | 1920 x 1080 @ 100 Hz | 1920 x 1080 120Hz |
| Response Time | 5 ms (Fast mode), 8 ms (Normal mode) | Gtg 5Ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1500: 1 (typical) | Contrast ratio static 1500:1 | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 250 cd/m ² (typical) | Edge-lit, WLED 350 Nit | 250 cd/m ² |
| Pixel Pitch | 0.2745 mm x 0.2745 mm | 0.28 mm x 0.28 mm | 0.2745 x 0.2745 mm |
| Angle | 178° H/V | 178° H 178° V | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 million colors | 16.7 million colors supported | 16.7 Million |
| Input Signal | (1) HDMI; (1) DP; (3) USB-A; (1) USB-B; (1) USB-C | 1 DisplayPort™ 1.2 HDMI 1 HDMI 1.4 ,4 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging) | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 1.4, supports 1920x1080@120Hz 1x DisplayPort™ 1.2 1x VGA |
| Cables Included | DisplayPort (DP-DP) USB 3.2 Gen 1 (A-B) | HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DisplayPort™ 1.2 cable (1.8m) | 1x DP 1.4 cable (1.8m) 1x USB-B to USB-A Gen 1 cable (1.8m) |
| Tilt Base | Tilt (-5° to +21°) | 5 to +23° | "-5° to +23.5° tilt" |
| Swivel | Swivel (45° to 45°) | (-45 to +45) | left & right 45 swivel |
| Height Adjustable | Yes | yes | up to 155mm lift |
| Rotation Capable | Pivot (90° clockwise) | pivot 90 ° | "-90° to +90° pivot" |
| Mount | VESA comp | 100 x 100 mm | Supports VESA mount 100 x 100 mm |
| Ports | (1) HDMI; (1) DP; (3) USB-A; (1) USB-B; (1) USB-C | 4 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) no daisy chaining, no usb-c hub built in | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 1.4, supports 1920x1080@120Hz 1x DisplayPort™ 1.2 1x VGA |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 14.33 in compressed, 19.55 extended; (W) 21.21 in; (D) 7.16 in; Weight 14.95lbs | (Unpacked with stand) (W x D x H) 53.94 x 18.95 x 50.32 cm 5.5 kg (without stand) 7.2 kg (with stand) | 21.25 x 7.48 x 13.81 inches 11.2 lbs |

| 4.2a Flat Panel Monitor, 27-inch (with USB-C hub) | Dell | HP | Lenovo |
|---|---|--|---|
| Vendor Model Name and Number | P2725DE | 527pu | T27QD-40 |
| Display Type | IPS | IPS | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 2560 x 1440 @ 60Hz | 2560 x 1440 QHD | 2560 x 1440 120Hz |
| Response Time | Normal mode: 8.0 ms (gray to gray) Fast mode: 5.0 ms (gray to gray) | GtG 5ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1500: 1 (typical) | 1500:1 static, 10000000:1 = 10M:1 dynamic | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 350, LED Backlight | Edge-lit, WLED 350 Nit | 350 cd/m ² WLED |
| Pixel Pitch | Horizontal: 0.2331 mm Vertical: 0.2331 mm | pixel pitch 0.23 mm x 0.23 mm | 0.2331 x 0.2331 mm |
| Angle | viewing angle at 178°/ 178 | 178 ° H 178 ° V | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 million colors | 16.7 mill color | 16.7 Million |
| Input Signal | 1 x HDMI port 1 x Display Port 1.4 1 x DisplayPort (out) port with MST (HDCP 1.4) 1 x USB-C 5Gbps upstream port (DisplayPort 1.4 Alternate mode, Power Delivery up to 90W) | 1 DisplayPort™ 1.4 DisplayPort™ Out 1 DisplayPort™ 1.4-out HDMI 1 HDMI 2.0 HDCP Yes, DisplayPort™, HDMI and USB Type-C® USB Type-C® Video Input & Data Transfer 1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 100W USB Power Delivery, Alt Mode DisplayPort™ 1.4) USB Type-C® Data Transfer Only 1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 15W USB Power Delivery) USB- A 3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging) | 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 2560x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x DisplayPort™ 1.4 (Out) |
| Cables Included | DisplayPort (DP-DP); USB-C (C-A); USB-C (C-C) | USB Type-C to Type-C cable | 1x DP 1.4 cable (1.8m) 1x USB-C® to USB-C® Gen 1 cable (1.8m) |
| Tilt Base | Tilt (-5° to 21°) | 5 to +20° | "-5° to +23.5° tilt" |
| Swivel | Swivel (-45° to 45°) | (-45 to +45) | left & right 45 swivel |
| Height Adjustable | Yes | Yes | up to 155mm lift |
| Rotation Capable | Pivot 90°, clockwise and counterclockwise | pivot 90 ° | "-90° to +90° pivot" |
| Mount | VESA comp | 100 x 100 mm | Supports VESA mount 100 x 100 mm |

| 4.2a Flat Panel Monitor, 27-inch (with USB-C hub) | Dell | HP | Lenovo |
|--|--|--|---|
| Ports | 1 x HDMI port 1 x Display Port 1.4 1 x DisplayPort (out) port with MST (HDCP 1.4) 1 x USB-C 5Gbps upstream port (DisplayPort 1.4 Alternate mode, Power Delivery up to 90W) 1 x USB-C 5Gbps downstream port 3 x USB 5Gbps Type-A downstream ports Ethernet port 1 x RJ45 Ethernet port, 1GbE | DP 1.4-out daisy chain , 1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 100W USB Power Delivery, Alt Mode DisplayPort™ 1.4) , 1 RJ-45 (10/100/1000 Mbps) | Ethernet Support 10M / 100M / 1000M 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 2560x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x DisplayPort™ 1.4 (Out) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large DisplayHardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 21.09 in; (W) 24.11 in; (D) 7.57 in; Weight 14.53lbs | 5.5 kg (without stand) 7.2 kg (with stand) (Unpacked with stand) (W x D x H) 61.34 x 20.70 x54.38 cm | 24.15 x 7.68 x 15.12 inches 15.0 lbs |

| 4.2b Flat Panel Monitor, 27-inch (no USB-C hub) "sister" monitor to 4.2a | Dell | HP | Lenovo |
|--|---|---|--|
| Vendor Model Name and Number | P2725D | 527pq | T27Q-40 |
| Display Type | IPS | IPS | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 2560 x 1440 @ 60Hz | QHD (2560 x 1440 @ 100 Hz) | 2560 x 1440 120Hz |
| Response Time | 5ms (Fast mode), 8ms (Normal mode) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1500: 1 (typical) | 1500:1 Static, 10000000:1 Dynamic | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 350, LED Backlight | 350 Nits LED Backlight | 350 cd/m ² WLED |
| Pixel Pitch | Horizontal: 0.2331 mm Vertical: 0.2331 mm | 0.23 mm x 0.23 mm | 0.2331 x 0.2331 mm |
| Angle | viewing angle at 178°/ 178 | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 million colors | 16.7 million colors (100% sRGB) | 16.7 Million |
| Input Signal | 1 x HDMI port 1 x Display Port 1.4 1 x USB 5Gbps Type-B upstream port | (1) x DP 1.4, (1) x HDMI 1.4 | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 2.1 TMDS, supports 2560x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max. bandwidth 21.6/32.4Gbps |
| Cables Included | 1 x DisplayPort to DisplayPort 1.4 cable - 1.80 m 1 x USB Type-A to Type-B 5Gbps cable – 1.80 m | DisplayPort cable HDMI cable USB Type-B to Type-A cable | 1x HDMI® 2.0 cable (1.8m) 1x USB-B to USB-A Gen 1 cable (1.8m) |
| Tilt Base | Tilt (-5° to 21°) | -5 to +20° | "-5° to +23.5° tilt" |
| Swivel | Swivel (-45° to 45°) | ±45° | left & right 45 swivel |
| Height Adjustable | Yes | Yes | up to 155mm lift |
| Rotation Capable | Pivot 90°, clockwise and counterclockwise | Pivot ±90° | "-90° to +90° pivot" |
| Mount | VESA comp | Yes - per product literature in bid | Supports VESA mount 100 x 100 mm |
| Ports | 1 x HDMI port 1 x Display Port 1.4 1 x USB 5Gbps Type-B upstream port 1 x USB-C 5Gbps downstream port 3 x USB 5Gbps Type-A downstream ports | 4 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 2.1 TMDS, supports 2560x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max. bandwidth 21.6/32.4Gbps |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 21.09 in; (W) 24.11 in; (D) 7.57 in; Weight 13.82lbs | 24.15 x 9.01 x 21.41 in, 13.7 lb Unpacked | 24.16 x 7.68 x 15.13 inches 14.3 lbs |

| 4.3 Flat Panel Monitor, 24-inch (High Resolution) | Dell | HP (ALTERNATE MODEL) | Lenovo |
|---|--|---|--|
| Vendor Model Name and Number | P2425D | 524pn (HP offering as an Alternate model) | P24Q-40 |
| Display Type | IPS | IPS | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 2560 x 1440 up to 100 Hz | WUXGA (1920 x 1200 @ 100 Hz) | 2560 x 1440 120Hz |
| Response Time | Normal mode: 8 ms (gray to gray) Fast mode: 5 ms (gray to gray) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1500:1 (typical) | 1500:1 | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 350 cd/m ² (typical) | 350 Nits LED Backlight | 300 cd/m ² WLED |
| Pixel Pitch | Horizontal: 0.2058 mm Vertical: 0.2058 mm | 0.27 mm x 0.27 mm | 0.2058 x 0.2058 mm |
| Angle | Horizontal: 178° Vertical: 178° | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 million colors | 16.7 million colors (100% sRGB) | 16.7 Million |
| Input Signal | (1) HDMI; (1) DP; (1) USB Type-B; (1) USB-C; (3) USB-A | (1) x DP 1.4, (1) x HDMI 1.4 | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 2.1 TMDS, supports 2560x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x DisplayPort™ 1.4 (Out), supports max.bandwidth 21.6Gbps |
| Cables Included | 1 x DisplayPort to DisplayPort 1.4 cable - 1.80 m • 1 x USB Type-A to Type-B 5Gbps cable - 1.80 m | DisplayPort cable USB Type-A to B cable USB Type-C to Type-C cable | 1x DP 1.4 cable (1.8m) 1x HDMI® 2.0 cable (1.8m) |
| Tilt Base | Tilt -5°/+21° | -5 to +23° | "-5° to +23.5° tilt" |
| Swivel | Swivel -45°/+45° | ±45° | left & right 45 swivel |
| Height Adjustable | Yes | Yes | up to 155mm lift |
| Rotation Capable | Pivot -90°/+90° | Pivot ±90° | "-90° to +90° pivot" |
| Mount | VESA comp | Yes - per product literature in bid | Supports VESA mount 100 x 100 mm |
| Ports | (1) HDMI; (1) DP; (1) USB Type-B; (1) USB-C; (3) USB-A | 4 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 2.1 TMDS, supports 2560x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x DisplayPort™ 1.4 (Out), supports max.bandwidth 21.6Gbps |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 19.55 in; (W) 21.21 in; (D) 7.15 in; Weight 11.20 lbs | 21.24 x 7.46 x 19.81 in, 14.55 lb Unpacked | 21.25 x 7.48 x 13.81 inches 11.2 lbs |

| 4.4 Flat Panel Monitor, 27-inch (High Resolution, 4K, with USB-C Hub) | Dell | HP | Lenovo |
|---|---|----|--|
| Vendor Model Name and Number | P2725QE | | T27UD-40 |
| Display Type | IPS | | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | | N/A |
| Aspect Ratio | 16:9 | | "16:9" |
| Max / Native Resolution | 3840 x 2160 up to 100 Hz | | 3840 x 2160 60Hz |
| Response Time | Normal mode: 8.0 ms (gray to gray) Fast mode: 5.0 ms (gray to gray) | | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1500:1 (typical) | | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 350 cd/m ² (typical) | | 350 cd/m ² WLED |
| Pixel Pitch | Horizontal: 0.1554 mm Vertical: 0.1554 mm | | 0.1554 x 0.1554 mm |
| Angle | Horizontal: 178° Vertical: 178° | | Horizontal: 178°, Vertical: 178° |
| Colors | 1.07 Billion colors | | 1.07 Billion |
| Input Signal | (1) DP; (1) HDMI; (2) USB-C (90W power delivery); (3) USB-A; (1) RJ-45 | | 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR3, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3840x2160@60Hz 1x DisplayPort™ 1.4 (HBR3), supports max.bandwidth 32.4Gbps |
| Cables Included | 1 x DisplayPort to DisplayPort 1.4 cable - 1.80 m • 1 x USB-C to C 10Gbps, 100W cable -1.00 m • 1 x USB Type-C to Type-A 5Gbps cable - 1.80 m | | 1x DP 1.4 cable (1.8m) 1x USB-C® to USB-C® Gen 2 cable (1.5m) |
| Tilt Base | Tilt -5°/+21° | | "-5° to +23.5° tilt" |
| Swivel | -45°/+45° | | left & right 45 swivel |
| Height Adjustable | Yes | | up to 155mm lift |
| Rotation Capable | Pivot -90°/+90° | | "-90° to +90° pivot" |
| Mount | VESA comp | | Supports VESA mount 100 x 100 mm |
| Ports | (1) DP; (1) HDMI; (2) USB-C (90W power delivery); (3) USB-A; (1) RJ-45 | | Ethernet Support 10M / 100M / 1000M 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR3, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3840x2160@60Hz 1x DisplayPort™ 1.4 (HBR3), supports max.bandwidth 32.4Gbps |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 21.09 in; (W) 24.11; (D) 7.57 in; Weight 14.55 lbs | | 24.15 x 7.68 x 15.12 inches 14.8 lbs |

| 4.5 Flat Panel Monitor, 32-inch (High Resolution, 4K, with USB-C Hub) | Dell | HP | Lenovo |
|---|---|---|--|
| Vendor Model Name and Number | U3225QE | E32K G5 | P32UD-40 |
| Display Type | (IPS) Black | IPS | 4-side Ultra Thin, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 3840 x 2160 up to 120 Hz | 4K UHD (3840 x 2160) | 3840 x 2160 120Hz |
| Response Time | Normal mode: 8.0 ms (gray to gray) Fast mode: 5.0 ms (gray to gray) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 3000:1 (typical) | 1000:1 Static, 8000000:1 Dynamic | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 450 cd/m ² (typical) 600 cd/m ² (HDR peak) | 350 Nits LED Backlight | 350 cd/m ² WLED |
| Pixel Pitch | Horizontal: 0.18159 mm Vertical: 0.18159 mm | 0.18 mm x 0.18 mm | 0.1815 mm x 0.1815 mm |
| Angle | Horizontal: 178° Vertical: 178° | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 1.07 billion colors | 1.07 billion per product literature with bid | 1.07 Billion |
| Input Signal | DisplayPort (DP-DP); USB (A-C); USB (C-C); HDMI 2.1 | 1 x DP 1.4, 1 x HDMI 2.0, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 65W Power Delivery), 1 x USB-C 3.2 Gen1 Upstream Port (Data only, w/ 15 PD), 1 x USB-C 3.2 Gen1 Downstream Port (w/ 15W PD) | 1 x Thunderbolt™ 4 (40 Gbps) 1 x Thunderbolt™ 4 Out (15W) 1 x HDMI 2.11 1 x DP 1.4 ² (HBR3) 1 x DP 1.4 Out |
| Cables Included | 1 x Power cable • 1 x DisplayPort-DisplayPort cable - 1.80 m • 1 x USB Type-A to Type-C upstream cable 1.00 m • 1 x Thunderbolt™ 4 passive cable - 1.00 m | USB 3.2 C-C cable (1.0m) | DP Cable (Cable Length) 1 x DP 1.4 Cable (1.8 m) USB Cable (Cable Length) 1 x USB-A to USB-B Cable (1.8m) Thunderbolt™ Cable (Cable Length) 1 x Thunderbolt™ Cable (1.5m, 40Gbps) |
| Tilt Base | Tilt -5°/+21° | -5°~+20° | "-5° to +23.5° tilt" |
| Swivel | Swivel -30°/+30° | ±45° | left & right 45 swivel |
| Height Adjustable | | Yes | up to 155mm lift |
| Rotation Capable | Pivot -90°/+90° | Pivot ±90° | "-90° to +90° pivot" |
| Mount | VESA comp | Yes | Supports VESA mount 100 x 100 mm |
| Ports | (2) DP; (1) HDMI; (2) TB4; (3) USB-C; (5) USB-A; (1) RJ-45; (1) Analog 2.0 audio | 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 65W Power Delivery)(Hub Enablement), 3 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging), 1 - RJ45 port (per product literature) | Ethernet (RJ45) Yes (1000M/2.5G) USB Upstream 1 x USB-B (USB 3.2 Gen1; 5Gbps) ³ 1 x Thunderbolt™ 4 (40Gbps, PD3.1 140W, DP1.4 HBR3 Alt Mode) USB Downstream 3 x USB-A (USB 3.2 Gen1; 5Gbps) ³ 1 x USB-A (USB 3.2 Gen1; 5Gbps) ³ with 1 x BC 1.2 1 x USB-C (USB 3.2 Gen1; 5Gbps) ³ 15W Power, Data Only |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 18.46in - 24.37 in extended; (W) 28.08 in; (D) 8.46in; Weight 20.59 lbs | 28.11x8.94x23.76 inch, 18.52 lb Unpacked | 28.12 x 8.58 x 17.30 inches 17.40 lbs |

| 4.6 Flat Panel Monitor, 24-inch (Touchscreen) | Dell | HP | Lenovo |
|---|--|---|--|
| Vendor Model Name and Number | P2424HT | E24T G5 | T24t-20 |
| Display Type | IPS | TFT, Active Matrix, Touchscreen, 10 points capacitive touch | 3-side NearEdgeless, In-Plane Switching 10-Point Touch |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | Full HD (1920 x 1080) at 60 Hz | 1920 X 1080 @ 75Hz Full HD | 1920 x 1080 60Hz |
| Response Time | Normal mode: 8.0 ms (gray to gray) Fast mode: 5.0 ms (gray to gray) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1,000:1 (typical) | 41.66736 | Contrast Ratio: 1000:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 300 cd/m ² (typ) | 300; LED Edgelit | 300 cd/m ² |
| Pixel Pitch | 0.2745 mm x 0.2745 mm | 27mm | 0.2745 x 0.2745 mm |
| Angle | 178° vertical / 178° horizontal | 178 deg. H/V | Horizontal: 178°, Vertical: 178° |
| Colors | Up to 16.78 million | 16.7 Million Colors | 16.7 Million |
| Input Signal | (1) HDMI; (1) DP; (2) USB-C | 1x DP 1.2, 1x HDMI 1.4 | 1x USB-C® 3.2 Gen 1 (DP 1.2 Alt Mode and up to 90W PD), USB upstream 4x USB 3.2 Gen 1 (1x BC 1.2), USB downstream 1x HDMI® 1.4[3] 1x DisplayPort™ 1.2 1x Power Connector 1x audio-out (3.5mm) |
| Cables Included | DP 1.2 DP-DP (1.8m) ; USB 3.2Gen1 Type C-C (1.8m); USB 3.2Gen1 Type C-A (1.8m) | HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DP 1.2 cable (1.8m) | 1x DP cable (1.8m) (for US, Canada only) 1x USB-C® to USB-A cable (1.8m) (for US, Canada only) 1x USB-C® to USB-C® cable |
| Tilt Base | Tilt -5°/+60° | -5~+23° | 5° to +70° tilt |
| Swivel | -30° / 30 | +45° | N/A |
| Height Adjustable | Yes per product literature included with bid response. | Yes | up to 90mm lift |
| Rotation Capable | N/A | Pivot ±90 | N?A |
| Mount | VESA comp | Yes | Supports VESA mount 100 x 100 mm |
| Ports | (1) HDMI; (1) DP; (2) USB-C; (4) USB; (1) RJ-45; (1) Audio | 4x USB-A, 1x USB-B | 1x USB-C® 3.2 Gen 1 (DP 1.2 Alt Mode and up to 90W PD), USB upstream 4x USB 3.2 Gen 1 (1x BC 1.2), USB downstream 1x HDMI® 1.4[3] 1x DisplayPort™ 1.2 1x Power Connector 1x audio-out (3.5mm) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 12.64 in; (W) 21.21 in; (D) 2.13 in | 21.24 x 8.31 x 19.96 inch / 12.72 lb unpacked | 21.25 x 9.61 x 13.41 inches 12.90 lbs |

| 4.7 Flat Panel Monitor, 24-inch for Video Conferencing | Dell | HP | Lenovo |
|--|---|--|--|
| Vendor Model Name and Number | P2424HEB | 524pm | T24-4v |
| Display Type | IPS | IPS | 3-side NearEdgeless, In-Plane Switching |
| Video Conference Capable | Yes - Camera - 1080p, FHD, IR Built-in Dual Digital Microphones; Speaker | 5MP Webcam (Windows Hello support, IR sensor, Pop-up privacy, Auto Lock and Awake, tilt -20° to 5°) Microphone/Speakers | Integrated webcam, 5.0-megapixel, IR + RGB Integrated microphone Integrated Speakers, 3W x2 |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | 1920 x 1080 @ 60Hz | FHD (1920 x 1080 @ 100 Hz) | 1920 x 1080 120Hz |
| Response Time | 8 ms (normal); 5 ms (fast) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1000: 1 (typical) | 1500:1 | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 250 cd/m ² (typical) | 350 Nits, LED Backlight | 250 cd/m ² |
| Pixel Pitch | 0.2745 mm x 0.2745 mm | 0.27 mm x 0.27 mm | 0.2745 x 0.2745 mm |
| Angle | (178° vertical / 178° horizontal) | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 million colors | 16.7 mill color | 16.7 Million |
| Input Signal | (1) HDMI; (1) DP; (1) RJ45; (1) USB-B; (3) USB-A; (1) USB-C; (1) headphone/microphone jack | 1 x DP 1.4, 1 x DP 1.4-out, 1 x HDMI 2.0, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 100W Power Delivery), 1 x USB-C 3.2 Gen1 Downstream Port (w/ 15W PD) | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 1.4, supports 1920x1080@120Hz 1x DisplayPort™ 1.2 1x VGA 1x audio-combo (3.5mm, In/Out) |
| Cables Included | DP (DP-DP); USB-C (C-C); USB (A-B) | DisplayPort cable USB Type-A to B cable USB Type-C to Type-C cable | 1x HDMI® 2.0 cable (1.8m) 1x USB-A to USB-B Gen 1 cable (1.8m, 5Gbps) |
| Tilt Base | (-5° to 21°) | -5 to +23° | "-5° to +23.5° tilt" |
| Swivel | (-45° to 45°) | ±45° | left & right 45 swivel |
| Height Adjustable | Yes | Yes per product literature | up to 155mm lift |
| Rotation Capable | Pivot (90° clockwise) | Pivot ±90 | "-90° to +90° pivot" |
| Mount | VESA comp | Yes | Supports VESA mount 100 x 100 mm |
| Ports | (1) HDMI; (1) DP; (1) DP-out (1) RJ45; (1) USB-B; (3) USB-A; (1) USB-C; (1) headphone/microphone jack | 3 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 1.4, supports 1920x1080@120Hz 1x DisplayPort™ 1.2 1x VGA 1x audio-combo (3.5mm, In/Out) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 15.81; (W) 21.20 in; (D) 7.3 in; Weight 13.4lbs | 21.24 x 7.46 x 19.81 in, 14.55 lb Unpacked | 21.25 x 7.48 x 15. inches 11.7 lbs |

| 4.8 Flat Panel Monitor, 27-inch for Video Conferencing | Dell | HP | Lenovo |
|--|---|--|--|
| Vendor Model Name and Number | P2724DEB | 527pm | T27QD-4v |
| Display Type | IPS | IPS | 3-side NearEdgeless, In-Plane Switching |
| Video Conference Capable | Yes - Camera - 1080p, FHD, IR Built-in Dual Digital Microphones; Speakers | 5MP Webcam (Windows Hello support, IR sensor, Pop-up privacy, Auto Lock and Awake, tilt -20° to 5°) Microphone/Speakers | Integrated webcam, 5.0-megapixel, IR + RGB Integrated microphone Integrated Speakers, 5W x2 |
| Aspect Ratio | 16:9 | 16:9 | "16:9" |
| Max / Native Resolution | QHD 2560 X 1440 @ 60Hz | QHD, (2560x1440@100Hz) | 2560 x 1440 120Hz |
| Response Time | 5ms gray to gray (fast) 8ms gray to gray (normal) | 5ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1,000:1 (typical) | 1500:1 Static, 10000000:1 Dynamic | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 350 cd/m ² (typ) | 350 Nits LED Backlight | 350 cd/m ² WLED |
| Pixel Pitch | 0.2331 mm x 0.2331 mm | 0.23 mm x 0.23 mm | 0.2331 x 0.2331 mm |
| Angle | 178° vertical / 178° horizontal | 178° x 178° | 178 deg. H/V |
| Colors | 16.7 mill color | 16.7 mill color | 16.7 mill color |
| Input Signal | (1) HDMI; (2) DP; (2) USB-C; (1) USB-B; (3) USB-A; (1) headphone/microphone jack | 1 x DP 1.4, 1 x DP 1.4-out, 1 x HDMI 2.0, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 100W Power Delivery), 1 x USB-C 3.2 Gen1 Downstream Port (w/ 15W PD) | 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), USB downstream 1x USB-B (USB 5Gbps / USB 3.2 Gen 1), USB upstream 1x HDMI® 1.4, supports 1920x1080@120Hz 1x DisplayPort™ 1.2 1x VGA 1x audio-combo (3.5mm, In/Out) |
| Cables Included | 1x DP-to-DP cable (1.8m) 1x USB 3.2 Gen2 Type C-to-C cable (1.0m) 1x USB 3.2 Gen1 Type A-to-B upstream cable (1.8m) | DisplayPort cable USB Type-A to B cable USB Type-C to Type-C cable | 1x DP 1.4 cable (1.8m) 1x USB-C® to USB-C® Gen 2 cable (1.5m) |
| Tilt Base | (-5° to 21°) | 5 to +20° | "-5° to +23.5° tilt" |
| Swivel | (-45° to 45°) | ±45° | left & right 45 swivel |
| Height Adjustable | Yes | Yes | up to 155mm lift |
| Rotation Capable | Bi-directional 90° / 90° | Pivot ±90 | "-90° to +90° pivot" |
| Mount | VESA comp | Yes | Supports VESA mount 100 x 100 mm |
| Ports | (3) USB-A; (2) USB-C; (1) USB-B | 3 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) 1x USB B, 2x USB-C | Ethernet Support 10M / 100M / 1000M 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR3, USB upstream[3] 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3840x2160@60Hz 1x DisplayPort™ 1.4 (HBR3), supports max.bandwidth 32.4Gbps |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 17.35 in; (W) 24.09 in; (D) 2.35 in; Weight 18.2 lbs | 24.15 x 8.15 x 21.41 in, 17.37 lb Unpacked | 24.16 x 7.87 x 16.9 inches 15.90 lbs |

| 4.9 Flat Panel Monitor, 32-34 inch for Video Conferencing | Dell | HP | Lenovo |
|---|---|--|---|
| Vendor Model Name and Number | P3424WEB | 534pm | T34WD-40 |
| Display Type | IPS | VA, Curved 1500R | 4-side Ultra Thin, Vertical Alignment (VA) |
| Video Conference Capable | 1 x 4MP RGB + 2K camera at 30 fps (FHD at 60 fps), built in dual digital microphones and speakers | 5MP Webcam (Windows Hello support, IR sensor, Pop-up privacy, Auto Lock and Awake, tilt -20° to 5°) Microphone/Speakers | FHD 1080P, IR Speakers and Microphone must be ordered separately with the following part numbers: Monitor webcam: 4XC1K97399 - \$69.00 Monitor soundbar: 4XD1K97400 - \$24.00 |
| Aspect Ratio | 21:9 | 21:9 | "21:9" |
| Max / Native Resolution | WQHD (3440 x 1440) at 60 Hz | WQHD, (3440X1440@100Hz) | 3440 x 1440 120Hz |
| Response Time | 5ms gray to gray (fast) 8ms gray to gray (normal) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1,000:1 (typical) | 4000:1 Static, 10000000:1 Dynamic | Contrast Ratio (Typical): 3000:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 300 cd/m ² (typ) | 400 Nits, Led Backlight | 300 cd/m ² WLED |
| Pixel Pitch | 0.2325 mm x 0.2325 mm | 0.23 mm x 0.23 mm | 0.2318 x 0.2318 mm |
| Angle | 178° vertical / 178° horizontal | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | Up to 1.07 billion | 16.7 mill color | 16.7 Million |
| Input Signal | (1) HDMI, (1) DP, (2) USB-C | 1 x DP 1.4, 1 x HDMI 2.0, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.4, 100W Power Delivery), 1 x USB-C 3.2 Gen1 Downstream Port (w/ 15W PD) | 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3440x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps |
| Cables Included | (1) DP to DP (1.8m), (1) USB 3.2 Gen 1 Type C-C (1.8m), (1) USB Gen 1 Type A-B (1.8m) | DisplayPort cable USB Type-A to B cable USB Type-C to Type-C cable | 1x DP 1.4 cable (1.8m) 1x USB-C® to USB-C® Gen 1 cable (1.8m) |
| Tilt Base | -5° / 21° | -5 to +20° | "-5° to +23.5° tilt" |
| Swivel | Bi-directional 30° / 30° | ±30° | left & right 45 swivel |
| Height Adjustable | Yes | Yes | up to 155mm lift |
| Rotation Capable | N/A | VESA Only, not recommended | N/A |
| Mount | VESA comp | Yes | Supports VESA mount 100 x 100 mm |

| 4.9 Flat Panel Monitor, 32-34 inch for Video Conferencing | Dell | HP | Lenovo |
|---|--|--|--|
| Ports | (2) USB-C; (1) USB-B; (2) USB-A | 3 x USB-A 3.2 Gen1 Downstream Port (w/ 1 fast charging) 1x USB B, 2x USB-C | Ethernet Support 10M / 100M / 1000M 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3440x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x Ethernet (RJ-45) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large DisplayHardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 17.55" (W) 32.11" (D) 9.55" | 31.81 x 10.61 x 21.54 in, 25.27 lb Unpacked | 31.74 x 8.66 x 15.37 inches 20.3 lbs |

| 4.10 34-inch Curved Monitor | Dell | HP | Lenovo |
|-------------------------------------|--|---|--|
| Vendor Model Name and Number | P3425WE | P34hc | T34wd-40 |
| Display Type | IPS, Curved Screen (3800R) | VA, Curved 1500R | 4-side Ultra Thin, Vertical Alignment (VA) |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 21:9 | 21:9 | "21:9" |
| Max / Native Resolution | WQHD 3440 x 1440 at 60 Hz | WQHD, 3440 × 440@ 99.982Hz | 3440 x 1440 120Hz |
| Response Time | 8 ms (normal); 5 ms (fast) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 1000: 1 (dynamic) | 3,500:1 Static, 5,000,000:1 Dynamic | Contrast Ratio (Typical): 3000:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 350 cd/m ² (typical), LED Backlight | 250 Nits, LED Backlight | 300 cd/m ² WLED |
| Pixel Pitch | 0.2325 mm x 0.2325 mm | 0.07725 mm x 0.23175 mm | 0.2318 x 0.2318 mm |
| Angle | (178° vertical / 178° horizontal) | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 1.07 Billion colors | 16.7 Million | 16.7 Million |
| Input Signal | 1xHDMI 1xDP 1.4 1xUSB-C | 1 x DP 1.2, 1 x HDMI 2.0, 1 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.2, 65W Power Delivery) | 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3440x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps |
| Cables Included | Display Port (DP-DP); USB (C-C); USB (A-B) | USB C-C cable (1.8m) DP cable (1.8m) HDMI cable (1.8m) | 1x DP 1.4 cable (1.8m) 1x USB-C® to USB-C® Gen 1 cable (1.8m) |
| Tilt Base | Tilt (-5° to 21°) | -5 to +21° | "-5° to +23.5° tilt" |
| Swivel | (-30° to 30°) | N/A | left & right 45 swivel |
| Height Adjustable | Yes, per product literature | Yes | up to 155mm lift |
| Rotation Capable | N/A | VESA Only, not recommended | N/A |
| Mount | VESA comp. | Yes | Supports VESA mount 100 x 100 mm |
| Ports | (6) USB Ports | 4 USB-A 3.2 Gen 1 | Ethernet Support 10M / 100M / 1000M 1x USB-C® (USB 5Gbps / 3.2 Gen 1) with USB PD 3.0 up to 100W and DisplayPort™ 1.4 Alt Mode HBR2, USB upstream 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1) with 15W PD, data transfer only, USB downstream 3x USB-A (USB 5Gbps / USB 3.2 Gen 1, 1x BC 1.2), USB downstream 1x HDMI® 2.1 TMDS, supports 3440x1440@120Hz 1x DisplayPort™ 1.4 (HBR2), supports max.bandwidth 21.6Gbps 1x Ethernet (RJ-45) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 21.31; (W) 32.12 in; (D) 9.03 in; Weight 21.85lbs | 31.89 x 9.25 x 20.40 in, 36.8lb Unpacked | 31.74 x 4.52 x 14.04 inches 20.3 lbs |

| 4.11 38 inch to 40 inch Curved Monitor | Dell | HP | Lenovo |
|--|---|--|--|
| Vendor Model Name and Number | U3824DW | 738pu | P40w-20 |
| Display Type | IPS, Curved Screen (2300R) | IPS Black, 2300 Curved | 3-side NearEdgeless, In-Plane Switching |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 21:9 | 21:9 | "21:9" |
| Max / Native Resolution | WQHD+ (3840 x 1600 @ 60 Hz) | WQHD+ (3840 x 1600) | 5120 x 2160 75Hz |
| Response Time | 5 ms (Fast mode), 8 ms (Normal mode) | 5 ms | Extreme Mode: 4 ms Normal Mode: 6 ms |
| Image Contrast Ratio | 2000: 1 (typical) | 2000:1 Static | Contrast Ratio: 1000:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 300 cd/m ² (typical), LED Backlight | 400N, LED BackLight | 300 cd/m ² WLED |
| Pixel Pitch | 0.22908 mm x 0.22908 mm | 0.23 x 0.23 mm | 0.1815 x 0.1815 mm |
| Angle | viewing angle at 178°/ 178° | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 1.07 billion colors | Up to 1.07 billion color (A-FRC) | 1.07 Billion |
| Input Signal | (1) DP; (2) HDMI; (2) USB-C; | 1 DisplayPort-In, 1 DisplayPort-Out (DC), 1 HDMI, 1 x USB-C 3.2 Gen2 Type-C Upstream Port (Alt mode DP 1.4, 65W Power Delivery), 1 x USB-C 3.2 Gen2 Downstream Port (w/ 15W PD), 2 Thunderbolt 4 | 2x Thunderbolt™ 4 (up to 100W PD, one USB upstream, one USB downstream) 1x USB-C® 3.2 Gen 1 (27W), USB downstream 1x USB-B 3.2 Gen 1, USB upstream 4x USB 3.2 Gen 1, USB downstream 1x HDMI® 2.0 1x DisplayPort™ 1.4 |
| Cables Included | HDMI (HDMI-HDMI); DisplayPort (DP-DP); USB-C (C-C); USB 3.2 (A-C) | DisplayPort cable HDMI cable Thunderbolt cable USB Type-C to Type-A cable | 1x Power cable (1.8m) 1x Thunderbolt™ 4 cable (40Gbps) |
| Tilt Base | (-5° to 21°) | -5 to +20° | "-5° to +23.5° tilt" |
| Swivel | (-30° to 30°) | ±10° or ±30° | left & right 45 swivel |
| Height Adjustable | Yes | Yes per product literature | up to 130mm lift |
| Rotation Capable | N/A | VESA Only, not recommended | N/A |
| Mount | VESA comp | Yes | Supports VESA mount 100 x 100 mm & 200 x 100 mm |
| Ports | (4) USB-C; (4) USB-A | USB Type-A port 10Gbps signaling rate (dedicated port for Text-to-Speech Adapter), 2 USB Type-A port 10Gbps signaling rate, USB Type-A 10Gbps signaling rate (charging) | Ethernet Support 10M / 100M / 1000M 2x Thunderbolt™ 4 (up to 100W PD, one USB upstream, one USB downstream) 1x USB-C® 3.2 Gen 1 (27W), USB downstream 1x USB-B 3.2 Gen 1, USB upstream 4x USB 3.2 Gen 1, USB downstream 1x HDMI® 2.0 1x DisplayPort™ 1.4 1x Ethernet (RJ-45) 1x Power Connector 1x audio-out (3.5mm) |

| 4.11 38 inch to 40 inch Curved Monitor | Dell | HP | Lenovo |
|--|---|---|--|
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 17.47 in compressed, 22.20 in extended; (W) 35.21 in; (D) 9.89 in; Weight 29.25lbs | 41.73 x 8.9 x 20.75 in, 41.7 lb Unpacked | 37.30 x 3.96 x 16.88 inches 32.19 lbs |

| 4.12 Portable 14 inch Monitor | Dell | HP | Lenovo |
|-------------------------------------|---|---|--|
| Vendor Model Name and Number | P1425 | E14G4 | M14d |
| Display Type | IPS / LED | IPS LED | In-Plane Switching (IPS) |
| Video Conference Capable | N/A | N/A | N/A |
| Aspect Ratio | 16:9 | 16:9 | "16:10" |
| Max / Native Resolution | 1920 x 1200 up to 60 Hz/1200 x 1920 up to 60 Hz | 1920 x 1080 @ 60 Hz | 2240 x 1400 60Hz |
| Response Time | 7 ms (gray to gray) | 5 ms | Extreme Mode: 6 ms Normal Mode: 8 ms |
| Image Contrast Ratio | 1500:1 (typical) | 800:1 per product literature | Contrast Ratio (Typical): 1500:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | 400 cd/m ² (typical) | 400N, LED BackLight | Peak: 375 cd/m ² Typical: 300 cd/m ² |
| Pixel Pitch | Horizontal: 0.15708 mm Vertical: 0.15708 mm | 0.161 mm x 0.161 mm | 0.135 x 0.135 mm |
| Angle | 178° H/V | 178° x 178° | Horizontal: 178°, Vertical: 178° |
| Colors | 16.7 million colors | 72% NTSC (~16.7 millions) | 16.7 Million |
| Input Signal | 2 x USB-C ports (DisplayPort 1.2 Alt Mode, Power pass-through of up to 65W) (HDCP 1.4) (Supports up to 1920 x 1200 60 Hz) | 2 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.2, Power Delivery) | 2x USB-C® 3.1 Gen 1 (DP 1.2 Alt Mode, USB 2.0 data transfer) |
| Cables Included | 1 x USB Type-C to C upstream cable 1.00 m | USB Type-C® cable | 1x USB-C® to USB-C® cable (1m) |
| Tilt Base | (10° to 90°) | N/A | "-5° to +95° tilt" |
| Swivel | N/A | N/A | N/A |
| Height Adjustable | No | | 11mm lift |
| Rotation Capable | Portrait +16.5° | N/A | N/A |
| Mount | VESA comp | N/A | Supports VESA mount 100 x 100 mm |
| Ports | (2) USB-C | 2 x USB-C 3.2 Gen1 Type-C Upstream Port (Alt mode DP 1.2, Power Delivery) | 2x USB-C® 3.1 Gen 1 (DP 1.2 Alt Mode, USB 2.0 data transfer) |
| Hardware Warranty | 3-Year Advanced Exchange Service and Premium Panel Guarantee | HP 3y Next Business Day Response Advanced Exchange Large Display Hardware Support | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | (H) 8.80in; (W) 12.41in; (D) .58in; Weight 1.36lb | 12.65X0.60X8.27 in, 1.41 lb Unpacked | 12.38 x 4.19 x 8.52 inches 1.3 lbs |

| 4.13 Portable 15 inch Monitor | Dell | HP | Lenovo |
|-------------------------------|------|----|---|
| Vendor Model Name and Number | | | M15 |
| Display Type | | | In-Plane Switching (IPS) |
| Video Conference Capable | | | N/A |
| Aspect Ratio | | | "16:9" |
| Max / Native Resolution | | | 1920 x 1080 60Hz |
| Response Time | | | Extreme Mode: 6 ms Normal Mode: 14 ms |
| Image Contrast Ratio | | | Contrast Ratio: 1000:1 Dynamic Contrast Ratio (Typical): 3000000:1 |
| Brightness | | | 250 cd/m ² |
| Pixel Pitch | | | 0.179 x 0.179 mm |
| Angle | | | Horizontal: 178°, Vertical: 178° |
| Colors | | | 16.7 Million |
| Input Signal | | | 2x USB-C® 3.2 Gen 1 (DP 1.2 Alt Mode, one USB upstream, one USB downstream and USB 2.0 data transfer) |
| Cables Included | | | 1x USB-C® to USB-C® cable (1m) |
| Tilt Base | | | "-5° to +95° tilt" |
| Swivel | | | N/A |
| Height Adjustable | | | 11mm lift |
| Rotation Capable | | | N/A |
| Mount | | | Supports VESA mount 100 x 100 mm |
| Ports | | | 2x USB-C® 3.1 Gen 1 (DP 1.2 Alt Mode, USB 2.0 data transfer) |
| Hardware Warranty | | | Three (3) year next business day advanced exchange with return shipping included |
| Unit Dimensions and Weight | | | 4.27 x 9.27 x 14.17 inches 1.9 lbs |

SECTION 4: Updates to Award

- 2025-10-01:** New contract award posted.
- 2025-10-03:** Corrected formatting & HP part number for Items 2.1d and 5.16.
- 2025-11-21:** Corrected part numbers: For the 2.5a item, vendor part number should be 25ANCVP26 (duplicates the 2.6a) for the 2.5b item, vendor part number should be 25BNCVP26 (duplicates the 2.6b).
- 2026-01-13:** Corrected processor for Microsoft 2.3b-ALT High End Laptop 1 model configuration. Correct processor is the Intel Ultra 7 268V.
- 2026-02-12:** Updated Dell contact information
- 2026-02-18:** Item 5.17 – Part No. 77Y85AA went EOL and the replacement is 9T9J4AA at the same price.
Item 4.1b - Flat Panel Monitor, 24-inch (no USB-C Hub) changed to "sister" monitor to 4.1a
Item 4.2b - Flat Panel Monitor, 27-inch (no USB-C hub) changed to "sister" monitor to 4.2a
- 2026-03-06:** Removed Microsoft Item 3.1a – ALT (2-in-1 Laptop / Tablet (Non-vPro) (No WWAN) (13 inch - Minimum 54.7Wh battery) and Item 3.13 (4 Year Accidental Damage Warranty). Removed HP Item 4.4 (Flat Panel Monitor, 27-inch (High Resolution, 4K, with USB-C Hub).
- 2026-03-18:** Dell retired the 300 nit screens and are using 400 nit screens (for both touch and non-touch)
2.1c - New quote #3000200282010.1 - 14", Touch, FHD+, 400 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 x 1200. Previously 300 nit.
2.1d - New quote #3000200282101.1 - 14", Touch, FHD+, 400 nit, 100% sRGB, Anti-Glare, FHD+IR Cam, 1920 x 1200. Previously 300 nit
- 2026-03-20:** Webcam description FHD HDR Camera, 1080p HDR video, Temporal Noise Reduction, Camera Shutter updated to ---- 14", Touch, FHD+, IPS, 400 nits, 100% sRGB, Anti-Glare,FHD+IR Cam for 2.1c and 2.1d.
- 2026-04-10:** Lenovo Monitors have been updated to the most current generation, with most part numbers changing from ending in US to UZ (4.1a.- 4.13).
Lenovo Memory is no longer being sold due to trends of the industry. The accessories are now reflected as N/A (Desktops 1.07 – 1.14b & Portables 2.09 – 2.15).
Lenovo Docks transitioned to updated models and aligned to appropriate systems (2.16 – 2.23c).
Lenovo Keyboards and other Accessories transitioned for better availability (2.4c - 6.05).