

North Carolina Geodetic Survey (NCGS): Positioning NC today and for the future!



State Mapping Advisory Committee October 12, 2022


Geodetic Control



North Carolina Emergency Management



North Carolina (NC) Continuously Operating Reference Station (CORS) Network




Future CORS location = ★
 CORS installed = ★
 Earthquake CORS = ★


North Carolina Emergency Management



OPUS-Projects 5.0

- Inclusion of previously processed GNSS vectors
 - Single-base Real Time Kinematic (RTK) vectors
 - Network RTK vectors
 - Vectors processed in other software





NOAA NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
UNITED STATES DEPARTMENT OF COMMERCE

NGS Releases BETA OPUS Projects 5.0 — Now accepting RTK data!
NOAA's National Ocean Service sent this bulletin at 09/16/2021 11:24 AM EDT

National Geodetic Survey

Test New Features in
BETA OPUS Projects 5.0

Users can now upload GNSS vectors into OPUS projects, including vectors derived from either a single-base real-time kinematic (RTK) setup or from a real-time network (RTN), for evaluation, quality assessment, and inclusion in a GNSS survey network for least squares adjustment. Use the new GNSS Vector Exchange (GVX) file format to transfer data from various manufacturer hardware to OPUS Projects 5.0.

Getting started:

- Use **sample data** that are available online and in the GVX file format.
- Talk to your vendor about converting your own GNSS vector data to the GVX file format.

Learn More about OPUS Projects 5.0
For an overview of the new features check out the recent [NGS webinar](#) from May 20, 2021.

OPUS-Projects for RTK/RTN Vectors
NGS is developing OPUS-Projects so that GNSS vectors, including those from real-time kinematic (RTK) surveys, can be uploaded to a survey network for least-squares adjustment and submittal to NGS for publication. This has required developing a standardized GNSS vector exchange format known as GVX.

*Technical Content Rating: Advanced - Prior knowledge of this topic is suggested.

NGS Welcomes Your Feedback
NGS continually works to improve our services and releases beta versions of new or improved products for external testing and feedback. Please look for the new **Feedback** icon that appears on the right side of our OPUS pages. Click the icon to answer a short survey with your feedback, which will be used to make future improvements to OPUS. Or try uploading and working with GVX files in Beta OPUS Projects 5.0 and email your feedback to ngs.feedback@noaa.gov.


Send feedback on Beta OPUS Projects 5.0 at any time, by emailing ngs.feedback@noaa.gov.

NOAA's National Geodetic Survey
geodesy.noaa.gov

Stay Connected with NOAA's National Ocean Service
[Manage Subscriptions](#)

National Geodetic Survey GPS on Bench Marks 2020

- 2020
 - NGS has prepared a list of geodetic monuments that we review for possible GNSS data collection




North Carolina Emergency Management



National Geodetic Survey GPS on Bench Marks 2020/2021

- 2021
 - Status of 06/28/2022




North Carolina Emergency Management



National Geodetic Survey GPS on Bench Marks 2022

- Projects in progress




North Carolina Emergency Management




National Geodetic Survey GPS on Bench Marks 2022

- Projects in progress



North Carolina's Progress Dashboard



10km Priority A Remaining

24

10 Km Priority B Remaining


140 (100 in progress)




North Carolina Emergency Management



Gravity Data Collection



Gravity Data Collection




North Carolina Emergency Management



New Datums are Coming! 2024- 2025

National Geodetic Survey Positioning America for the Future geodesy.noaa.gov



New Datums Are Coming!

NOAA is Replacing NAD 83 and NAVD 88. NOAA's National Geodetic Survey (NGS) will be replacing the datums of the National Spatial Reference System (NSRS), including the **North American Datum of 1983 (NAD 83)** and the **North American Vertical Datum of 1988 (NAVD 88)**. NGS will provide the tools to easily transform between the new and old datums. Read the NGS Ten-Year Plan and visit the **New Datums Web page** on our site to learn more.


Benefits
The new reference frames (geometric and geopotential) will rely primarily on **Global Navigation Satellite Systems (GNSS)**, such as the Global Positioning System (GPS), as well as on a gravimetric geoid model resulting from NGS' **Gravity for the Redefinition of the American Vertical Datum (GRAV-D)** Project.

The target accuracy of differential orthometric heights (heights relative to sea level) in the geopotential reference frame will be 2 centimeters over any distance, where possible.

What You Can Expect
The magnitude of change with the new datums will vary depending on the datum you are using and your geographic location. The new geometric datum will change latitude, longitude, and ellipsoid height between 1 and 4 meters. In the conterminous United States (CONUS), the new vertical datum will change heights on average 50 centimeters, with approximately a 1-meter tilt towards the Pacific Northwest.

How You Can Prepare

- Learn if **legislation** or other formal documents referencing NAD 83 and NAVD 88 need to be changed in your state.
- **Transform existing data** to the latest NSRS datums and realizations; i.e. NAD 83 (2011), GEOID18, and NAVD 88.
- **Obtain precise ellipsoidal heights** on NAVD 88 bench marks, and visit the GPS on Bench Marks Web page to learn more.
- **Require and provide complete metadata** on all mapping contracts. See our website for more details.



The new datums will extend across CONUS and U.S. territories. The terrestrial reference frames replacing NAD 83 will be consistent with geocentric global reference frames defining latitude and longitude. The geopotential datum replacing NAVD 88 will be based on a gravimetric geoid model, enhanced by data from NGS' Gravity for the Redefinition of the American Vertical Datum (GRAV-D) Project.

National Oceanic and Atmospheric Administration • National Geodetic Survey

Draft revisions to North Carolina General Statute 102 is being developed



North Carolina Emergency Management






AGENCY:
The National Institute of Standards and Technology and the National Geodetic Survey (NGS), National Ocean Service (NOS), National Oceanic and Atmospheric Administration (NOAA), Department of Commerce (DOC).

ACTION:
Notice; request for comment.

SUMMARY:
The National Institute of Standards and Technology (NIST) and the National Geodetic Survey (NGS), National Ocean Service (NOS), National Oceanic and Atmospheric Administration (NOAA), are taking collaborative action to provide national uniformity in the measurement of length. This notice announces a decision to deprecate the use of the "U.S. survey foot" on December 31, 2025. After that date, the "U.S. survey foot" will be superseded by the "foot" (formerly known as the "international foot"), which is already in use throughout the U.S. This notice describes the plan, resources, training, and other activities of NIST and NOAA that will assist those affected by this transition, and invites comments and other information from land surveyors, engineers, Federal, State and local government officials, businesses, and any other member of the public engaged in or affected by surveying and mapping operations.



North Carolina Emergency Management

