

State of North Carolina NG911 GIS Project Introduction


June 4, 2019

E9-1-1 vs. Next Generation 9-1-1






E9-1-1 critical database MSAG (Master Street Address Guide)






*Housed with Telcos

E9-1-1 process – GIS department today




NG9-1-1 critical database GIS database



Maintained by **GIS department**

NG9-1-1 process – GIS department, soon



Impacts of NG9-1-1 on GIS programs

New responsibility level – Education!

New data model standard specifically for NG9-1-1

Maintenance update process and schedule


Discrepancy report resolution

Extract, Transform, Load (ETL) – local, regional, or state level



Preserve local schema – ETL process

(Extract, Transform, Load)





NENA Standard for NG9-1-1 GIS Data Model







June 16, 2018

NENA Standard for NG9-1-1 GIS Data Model was approved!

NENA-STA-006.1-2018

And it only took 8 years....



Fitting it all together

If YOU build your data to the standard...

- and your NEIGHBOR builds their data to the standard...
- and THEIR neighbor builds their data to the standard...



Key Points Local data model change

Supports

legacy E9-1-1

and transitional

systems



for mandatory

& conditional

attributes

Spatial

reference

MUST be


WGS84

(not locally)

Offers set list attributes to ensure data integrity




Required GIS layers





No Gaps or Overlaps

Strongly recommended



Recommended





CAD










Attribute Requirements



COMPLEY

SIMPLE

Notable Mandatory Attributes

- Discrepancy Agency ID: Agency that receives a Discrepancy Report (DR), should a discrepancy be discovered, and will take responsibility for ensuring discrepancy resolution. This may or may not be the same as the 9-1-1 Authority.
 - E.g. Durham911.nc.us.gov; Richmond911.nc.us
- Incorporated Municipality: Municipality name or "UNINCORPORATED"
- ESN and MSAG Community: Mandatory through transition to NG911




Notable Mandatory Attributes | NENA Globally Unique ID

 Each feature (record) must have a globally unique ID. When coalesced together with other local 9-1-1 authority's data into the NG9-1-1 system the ID must continue to have only one occurrence.



Notable Mandatory Attributes | NENA Globally Unique ID





Street Name Elements

CLDXF

- Street Name Pre Modifier
- Street Name Pre Directional
- Street Name Pre Type
- Street Name Pre Type Separator
- Street Name*

GE

Street Name Post Type


UMM


- Street Name Post Directional
- Street Name Post Modifier


Legacy

Legacy Street Name Pre Directional

- Legacy Street Name
- Legacy Street Name Type
- Legacy Street Name Post Directional










NG911 GIS Managed Services




GIS Data Hub


GEOC	OMM
LOG IN TO	CONTINUE
E-mail	
Password	_
	Log in
Forgot Pa	assword?



What is GIS Data Hub?




GIS Data Hub Overview





*Most results will be available in 1 to 2 hours.

Access to GIS Data Hub






Access to GIS Data Hub

GEQO	COMM
LOG IN T	O CONTINUE
E-mail	
Password	<u></u>
	Log in
Forgot	Password?




GIS Data and Database Uploads | Consistency is Important!






GIS Data Hub – Behind the Scenes


Secure web browser-based configuration management




Configure QC Settings		
d A QC Setting Use Below Settings & Go Next		
sting QC Settings		
QC Setting Description	Applies To	
Synchronization issues between AU and SSAP	ALI, SSAP	🍄 🛍
County or Equivalent Boundary Critical Field(s) are Missing Value	CountyBoundary	🌣 🛍
Authoritative Boundary MultiPart Geometry Check	AuthoritativeBoundary	‡ 🗎
Emergency Medical Services Critical field(s) are missing value	EMSBoundary	🌣 🖮
Road Centerline crosses Incorportated Municipality Boundary	IncMunicipalityBoundary, RoadCenterline	🌣 🖮
Emergency Medical Services MultiPart Geometry Check	EMSBoundary	‡ 🗎
Road Centerline crosses Law Boundary	LawBoundary, RoadCenterline	‡ 🖻
State Boundary MultiPart Geometry Check	StateBoundary	🌣 🔟
State Boundary polygons overlap	StateBoundary	‡ 🔟
Law Enforcement Critical field(s) are missing value	LawBoundary	🗘 🗰

Configure your QC setting		×
Configure your QC options		
Unique description: SSAP Combined name doesn't match Concatenated		
Configured Parameters		
Default Parameters		
Parameter Name : parsedAddressFields	Configured Value :	
	addNumPre.addNum.addNumSut.preMod.preDir.preType.pre	
Default Value :	Click to Override :	
Parameter Name : performStringCleanup	Configured Value : TRUE	
Default Value : TRUE	Click to Override :	
Parameter Name : referenceMethod	Configured Value : CLIENTNAME	
Default Value : CLIENTNAME	Click to Override :	
	Save QC Settings Ca	
	Save QC Settings Ca	ncet











QC Results Notification E-mail and Download Link



QC Summary Report & Dashboard


Summary report is created with each quality control check run



Data Last Uploaded for Analysis

<u>Client Source Name</u>	<u>UDM Name</u>	<u>Upload Date</u>	<u>Feature Coun</u>
MSAG_COMMUNITY	UnIncCommBoundary	02/19/2019 03:49 PM	555
ADDRESS_LOCATION	SSAP	02/19/2019 03:53 PM	729,361
ROADS	RoadCenterline	02/19/2019 03:50 PM	154,389
PSAP_BND	PSAPBoundary	02/19/2019 03:48 PM	220
NCT911_MSAG	MSAG	02/19/2019 03:53 PM	75,009
LAW_SERVICE_BND	LawBoundary	02/19/2019 03:49 PM	356
CITY	IncMunicipalityBoundary	02/19/2019 03:50 PM	230
FIRE_SERVICE_BND	FireBoundary	02/19/2019 03:49 PM	457
ESZ	ESZBoundary	02/19/2019 03:50 PM	715
MEDICAL_SERVICE_BND	EMSBoundary	02/19/2019 03:49 PM	249
COUNTY	CountyBoundary	02/19/2019 03:49 PM	14

Boundary Checks



Available Documentation & Supporting Applications

User Guide

- The User Guide includes the QC Plan
- The QC check table lists applicable exception codes

GDH Help File

• All available QC checks are described in the help file

 Exception codes associated with each QC check are listed in the help file

Resolver

- Can be installed locally and added into ArcMap
- Allows for exception code field population with one click by linking to features using the unique ID



Workflow Diagram and User Guide Review

Workflow diagram


- GeoComm Process Overview
- Data submission, QC Error Report and Remediation Management

Data conversion and quality control checks – User Guide QC Plan

- ETL fallouts
- Ingest validation
- General QC checks
- SSAP QC checks
- RCL QC checks
- Boundary layer QC checks
- Synchronization QC checks



Review of QC Process Results





GIS Data Exceptions

 An even address was assigned to the odd side of the road in previous years. The addressing authority does not want to readdress the structure. This even address will be found as an error in the QC checks. What do I do? It isn't an error that I can correct!

100	110 o	152 o 100 – 198 Main St	188 O	198 O	200 – 298 Main St
0 101	o 111	101 – 199 Main St o 155	0 186	0 197	201 – 299 Main St



QC Exception Codes

 Exception codes are used to notify GIS Data Hub that a features is an anomaly and that an identified error is an quality control check exception.



Correcting Reported Errors & GIS Data Hub Help File

	Basics	Get Started	Features	QC Checks
Search	9			

You are here: QC Checks

Quality Control Checks

The **GIS** Data Hub performs quality control checks on the submitted GIS data to ensure addresses are synchronized, roads are connected, standards are met, errors are identified, and more. These QC checks are flexible to add or take away from what they do so the limit of QC checks are virtually unlimited. When executed, the application begins the process of running a series of quality control (QC) checks to ensure current, accurate data. Processing occurs on a first in first out basis. The more information that is processed, and the more customized the schemas, the longer the processing takes.

Following is a list of common QC checks types that may be processed.

- Boundary Layer QC Checks Read more...
- >> General QC Checks Read more...
- >> Ingest Validation QC Checks Read more...
- >> Road Centerline QC Checks Read more...
- >> SSAP QC Checks Read more...
- >> Synchronization QC Checks Read more...

Basics Get Started Features **QC Checks** Boundary Layer General Ingest Validation Road Centerline

Resources

SSAP Synchronization Quality Check Exception Codes Resources

You are here: QC Checks > Road Centerline > Overlapping Address Range Values

Overlapping Address Range Values

The **Road Centerline - Overlapping Address Range Values** quality control (QC) check identifies where roads have overlapping address ranges in a given community or zone. Overlapping ranges can produce poor geocoding results, as a given address may fall within range of multiple different segments. If these segments are spatially distant from one another, an emergency responder could be routed to a location far away from the actual incident.

EXAMPLE

In the example below, a call coming in from 564 9th Ave could geocode to either of the street segments in red, putting responders on the wrong block



The check takes into account several potential overlap scenarios.

- >> Overlapping ranges are found on named streets.
- Overlapping ranges are generated on named streets due to the use of an alias name. For instance, say the segment 100-198 Man St. is also known by it's alias State Highway 20. If State Highway 20 with a range of 2-138 exists somewhere else in the community, then an overlap is generated when using the alias for Main St.
- Overlapping ranges are generated when streets with generic names such as driveway or parking lot have ranges and appear multiple times in a dataset.

♠ < > ≡ / 0

Road Centerline

- Cross a Boundary Layer Subscriber
- Does Not Meet Length Requirement
- From Value is Higher Than To

Cross a Boundary Layer

Full Address Does Not Match Concatenation of Parsed Out Values

- Has Incorrect Direction
- Has Incorrect One-way Values
- Has Incorrect Z Levels
- Has Range Gaps
- Has Stacked Segments
- Has Zero in Range Value

Not Snapped to Adjacent Originator Segment

Not Snapped to Adjacent Segments

Overlapping Address Range Values

Parity Issue

Zone Attribution Against Intersecting Polygon Attribution





Jessica Frye, GeoComm Project Manager 320-281-2554 jfrye@geo-comm.com

> Brandon Moore, King-Moore 276-356-8224 moore@king-moore.com



